

RECEIVED

APR 11 1970  
STATE ENGINEER  
SALEM, OREGON

Permit No. G-4882

CERTIFICATE NO. 39917

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Frank H Johnson (Name of applicant)  
of Rte 2 Box 221-A Silverton (Postoffice Address), county of Marion  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Pudding River (Name of stream) tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 4.20 gallons per minute.

3. The use to which the water is to be applied is agricultural irrigation

4. The well or other source is located 3.05 ft. S. 53° W and ft. from the NE corner of SW 1/4 of SW 1/4 of sec 17 (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SW 1/4 SW 1/4 of Sec. 17, Twp. 6S, R. 1W, W. M., in the county of Marion

5. The pipe line (Canal or pipe line) to be 2850 ft miles in length, terminating in the NE 1/4 SE 1/4 (Smallest legal subdivision) of Sec. 17, Twp. 6S, R. 1W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 Well (Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 216 feet. It is estimated that 216 feet of the well will require steel (Kind) casing. Depth to water table is estimated 45 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 2850 ft.; size at intake 6 in.; in size at 2850 ft. from intake 6 in.; size at place of use 6 in.; difference in elevation between intake and place of use, 5.0 ft. Is grade uniform? Yes Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type Worthington Turbine  
Pump model 10 M-50 seven stage

Give horsepower and type of motor or engine to be used 50 HP VHS 440V electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Sec 17 + 18 Twp 6 R 1 W

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 S	1 W	18	NE $\frac{1}{4}$ SE $\frac{1}{4}$	10
6 S	1 W	18	SE $\frac{1}{4}$ SE $\frac{1}{4}$	19.6
6 S	1 W	17	NW $\frac{1}{4}$ SW $\frac{1}{4}$	13.9
6 S	1 W	17	SW $\frac{1}{4}$ SW $\frac{1}{4}$	27.5
6 S	1 W	17	NE $\frac{1}{4}$ SW $\frac{1}{4}$	13.9
6 S	1 W	17	SE $\frac{1}{4}$ SW $\frac{1}{4}$	27.5
6 S	1 W	17	NW $\frac{1}{4}$ SE $\frac{1}{4}$	13.2
6 S	1 W	17	SW $\frac{1}{4}$ SE $\frac{1}{4}$	21.8
6 S	1 W	17	NE $\frac{1}{4}$ SE $\frac{1}{4}$	1.1
				<u>143.5</u>

(If more space required, attach separate sheet)

Character of soil Moderately well drained, medium textured, bench soil

Kind of crops raised Row crops + seed crops

MUNICIPAL SUPPLY—

G 4882

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 10,000.00
- 15. Construction work will begin on or before Jan 1970
- 16. Construction work will be completed on or before Aug 1970
- 17. The water will be completely applied to the proposed use on or before Sept. 1972

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

Frank H Johnson  
(Signature of applicant)

Remarks: .....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this 4 day of ....., 19.....

..... STATE ENGINEER  
By ..... ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.94 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 1, 1970

Actual construction work shall begin on or before July 2, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972

Complete application of the water to the proposed use shall be made on or before October 1, 1973

WITNESS my hand this 2nd day of July, 1971

STATE ENGINEER

Application No. G-511A2  
Permit No. G-4882

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 1<sup>st</sup> day of April  
1970, at 2:09 o'clock P. M.

Returned to applicant:  
  
Approved: July 2, 1971

Recorded in book No. \_\_\_\_\_ of  
Ground Water Permits on page G-4882  
CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. R page 116  
U.S. 32 20