

RECEIVED

APR 9 1970

STATE ENGINEER  
SALEM, OREGON

CERTIFICATE NO. 43481

Permit No. G-4885

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Vernon and Helen Snoddy (Name of applicant)

of Rt. 1, Box 134, Aumsville, county of Linn (Postoffice Address)

state of Oregon 97325, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Cold spring branch (Name of stream)

tributary of South Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 350 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 100 ft. N and 254 ft. E from the SW corner of Section 11 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of SW 1/4 of Sec. 11, Twp. 11 S., R. 2 W., W. M., in the county of Linn

5. The main pipe line to be 850' miles in length, terminating in the SW 1/4 of SW 1/4 of NW 1/4 of Sec. 11, Twp. 11 S., R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Snoddy Well No. 4

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of pump well having a diameter of 10 inches and an estimated depth of 24 feet. It is estimated that 24 feet of the well will require steel casing. Depth to water table is estimated 7 (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4885

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 850 ft.; size at intake 5 in.; in size at 850 ft. from intake 5 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 3 ft. Is grade uniform? Yes Estimated capacity, 1.0 sec. ft.

10. If pumps are to be used, give size and type 2½ inch centrifugal

Give horsepower and type of motor or engine to be used 20 H. P. electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well is approximately 858 feet from Goldspring Branch and well site is approximately 10 feet higher than the stream bed.

12. Location of area to be irrigated, or place of use Sec. 11 and 14, T. 11 S., R. 2 W.W.M.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 S	2 W	11	SW¼ of SW¼	17.7
11 S	2 W	14	NW¼ of NW¼	15.7
Total				33.4

(If more space required, attach separate sheet)

Character of soil Chehalis silty clay loam and Newberg silt loam

Kind of crops raised Vegetables, Berries and Forage

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3500.00
- 15. Construction work will begin on or before June 5, 1967
- 16. Construction work will be completed on or before June 5, 1967
- 17. The water will be completely applied to the proposed use on or before October 1, 1973

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

Remarks: .....

*Armon H. Glenn Snoddy*  
(Signature of applicant)  
*by Armon Snoddy*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By .....

ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.42 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well #4

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 9, 1970

Actual construction work shall begin on or before July 2, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972

Complete application of the water to the proposed use shall be made on or before October 1, 1973

WITNESS my hand this 2nd day of July, 1971

STATE ENGINEER

Application No. G- 5153  
Permit No. G- 4885

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 9th day of April,  
1970, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

July 2, 1971

Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_

Ground Water Permits on page G-4885

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 116

File # 20 50

pc