

Permit No. G- 4921

68565, 76259
CERTIFICATE NO. 43219

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, WALTER DON HANSON TWIN CREEK FARMS, Inc
(Name of applicant)
of RT. 2, Box 340, CANBY, county of CLACKAMAS
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated BEAR CREEK
(Name of stream)

tributary of ROCK CREEK

2. The amount of water which the applicant intends to apply to beneficial use is 0.77 cfs cubic feet per second or 3.07 DPH gallons per minute.

3. The use to which the water is to be applied is WELL NO. 1 - IRRIGATION - 0.77 cfs
WATER & DOMESTIC USE WELL NO. 2 - IRRIGATION (2.24 cfs)

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the _____ corner of No. 1 - S 85°32' E, 2367 FEET FROM THE NW CORNER OF
(N. or S.) (E. or W.)
(Section or subdivision)

SECTION 33 being within the NE 1/4 NW 1/4 SEC. 33, T. 45-R. 1E
(If preferable, give distance and bearing to section corner)

No. 2 - N 68°30' E, 2812 FEET FROM THE SW CORNER SECTION 32
(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SW 1/4 of Sec. 32, Twp. 43, R. 1E,
W. M., in the county of CLACKAMAS

5. The portable systems to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well #1 & Well #2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of Two Wells having a
(Give number of wells, tunnels, etc.)
diameters of 12 inches and an estimated depth of 160 feet. It is estimated that 160
feet of the well will require STEEL casing. Depth to water table is estimated 30
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4921

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

WELL No. 1 is 25 FEET FROM BEAR CREEK AND IS 20 FEET ABOVE THE STREAM CHANNEL.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
WELL No. 1				
4S	1E	33	NE 1/4 NW 1/4	14.5
4S	1E	33	SE 1/4 NW 1/4	8.0
4S	1E	28	NE 1/4 SW 1/4	14.5
4S	1E	28	SE 1/4 SW 1/4	24.5
4S	1E	28	SE 1/4 SW 1/4	STOCK WATER
4S	1E	28	SE 1/4 SW 1/4	DAMAGED CROPS
4S	1E	28	SE 1/4 SW 1/4	COW HOUSE
				240.7 243.8

Cont. on separate sheet
(If more space required, attach separate sheet)

Character of soil WILLAMETTE VALLEY SILTS
Kind of crops raised TRUCK CROPS & BERRIES

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
WELL No. 2 - Primary				
4S	1E	32	SE ¹ / ₄ NW ¹ / ₄	3.3
4S	1E	32	NW ¹ / ₄ SE ¹ / ₄	24.0
4S	1E	32	SW ¹ / ₄ SE ¹ / ₄	39.0
4S	1E	32	NE ¹ / ₄ SW ¹ / ₄	10.0
4S	1E	32	SE ¹ / ₄ SW ¹ / ₄	38.0
4S	1E	32	NW ¹ / ₄ SW ¹ / ₄	5.0
4S	1E	32	SW ¹ / ₄ SW ¹ / ₄	24.0
		32	SW ¹ / ₄ NE ¹ / ₄	2.0
SECONDARY TO PERMIT No. 16827				
4S	1E	32	SW¹/₄ NE¹/₄	2.0
4S	1E	32	SE ¹ / ₄ NW ¹ / ₄	14.0
4S	1E	32	NE ¹ / ₄ SW ¹ / ₄	23.0

(If more space required, attach separate sheet)


Application No. G-5629
 Permit No. 6-4921

187.3

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 19,000⁰⁰
- 15. Construction work will begin on or before HAS BEGUN
- 16. Construction work will be completed on or before JUNE 15, 1972
- 17. The water will be completely applied to the proposed use on or before SEPT. 15, 1973
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. PERMIT No. 16827



Danald Hanson (Signature of applicant)
Virginia Hanson - Sec.

Remarks:

Please push this application for permit due to Federal Land Bank policy

Application No. G-5629
Permit No.

A tract of land situated in the Southwest Quarter of Section 32, T.4S., R.1E., Willamette Meridian, County of Clackamas, State of Oregon, more particularly described as follows:

Beginning at a point on the South line of Section 32, South 89°45' East 825.00 feet from the Southwest corner thereof; Said point being the true point of beginning of the tract to be described: Thence continuing South 89°45' East along the Section line 1516.20 feet; Thence North 0°06' West parallel with and 300.00 feet from the East line of that tract conveyed to Ivan Hanson, by Deed Book 448, page 512, a distance of 310.40 feet; Thence South 89°45' East, parallel with the South line of Section 32, 300.00 feet to the East line of that tract conveyed to Ivan Hanson, by Deed Book 448, page 512; Thence North 0°06' West along said line, 1339.60 feet to the Southeast corner of that tract conveyed to Harold Magnussen by Deed Book 635, page 777; Thence North 89°45' West along the South line of said Magnussen Tract 2064.27 feet to a point that is 575.00 feet South 89°45' East of the West line of Section 32, T.4S., R.1E.; Thence South 0°04' East, parallel with and 575.00 feet from the West line of said Section 32, 1100.00 feet; Thence South 89°45' East, parallel with the South line of Section 32, 250.00 feet; Thence South 0°04' East parallel with the West line of Section 32, 550.00 feet to the point of beginning.

SUBJECT to the rights of the public in and to that portion lying within the boundaries of public roads.

tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.01 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well #1 and Well #2 being 0.77 cfs from Well #1 and 2.24 cfs from Well #2.

The use to which this water is to be applied is irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 23, 1971

Actual construction work shall begin on or before October 27, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973.

Complete application of the water to the proposed use shall be made on or before October 1, 1974.

WITNESS my hand this 27th day of October, 1971

Chris L. Wheeler

STATE ENGINEER

Application No. G-5629

Permit No. G-4921

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of September, 1971, at 2:25 o'clock P. M.

Returned to applicant:

Approved:

October 27, 1971

Recorded in book No. of

Ground Water Permits on page G-4921

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 124

PC

43729