

Permit No. G. 4924

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, City of Milton-Freewater (Name of applicant)
of P.O. Box 108, Milton-Freewater, Oregon, county of Umatilla
state ofOr.egon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Walla Walla River (Name of stream)
tributary of Columbia River
2. The amount of water which the applicant intends to apply to beheficial use is2_0 cubic feet per second or900 gallons per minute.
3. The use to which the water is to be applied is domestic, industrial, commercial
and municipal use.
4. The well or other source is located 850 ft
corner of S.E. \(\frac{1}{4}\) of the N.W. \(\frac{1}{2}\) of Section 12 T. 5 N. R. 35 E.W.M.
The S. E. corner of the S. E. 1 of the N. W. 1 of Section 12 T. 5N. R. 35 W. W. M. i
also the center of said Sec. 12  (If there is more than one well, each must be described. Use separate sheet if necessary)
being within the S. E. $\frac{1}{4}$ N. W. $\frac{1}{4}$ of Sec. 12 , Twp. 5.N , R. 35.E ,
W. M., in the county ofUmatilla
5. The (We intend to use existing pipeline to xxxx existing well) miles
in length, terminating in the S.E. 1 N.W. 1 of Sec. 12 Twp. 5 N. (Smallest legal subdivision)
R35E., W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is City of Milton-Freewater Well No. 1 old permit No. U-102
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist ofredeveloping_one_(1)_well having a
diameter of 12 inches and an estimated depth of 800 feet. It is estimated that 6 feet
feet of the well will require
100' of 12" steel casing in already installed in well perforations are recorded in the casing at 50'. Perforations will be sealed by pressure grouting.

	M OR PIPE LINE	<u> </u>		G 4924
9. (a) Giv	e dimensions at e	ach point of ca	nal where materially char	nged in size, stating miles from
adgate. At hea	dgate: width on to	op (at water lin	e)	feet; width on botton
	feet; depth of u	vater	feet; grade	feet fall per or
ousand feet.	•			•
(b) At	mil	les from headg	ate: width on top (at wat	ter line)
	feet; width on	bottom	feet; depth of	water fee
ade	feet fall p	per one thousar	d feet.	
(c) Length	ı of pipe,	ft.;	size at intake	in.; in size at j
om intake	in.; s	ize at place of	use in.; d	ifference in elevation betwee
take and place	of use,	ft. Is	grade uniform?	Estimated capacit
-				
		aive size and tr	pe 1500 G. P. M.	turbine
201 -J P	. <b></b>	<b>3</b>		
Cina hans	manuar and tuna a	f motor or ma	ing to be used 200 H.P	electric
Give norse	power and type o	j motor or engi	the to be used	)
natural stream	or stream channe	l, give the dist	ance to the nearest point	on each of such channels ar
natural stream ne difference in Walla Wal	or stream channe elevation between lla River is 1	el, give the dist in the stream be 000' to Ea	ance to the nearest point of and the ground surface st. River channel is	on each of such channels and at the source of developmen
natural stream ne difference in	or stream channe elevation between lla River is 1	el, give the dist in the stream be 000' to Ea	ance to the nearest point $\mathbf{d}$ and the ground surface	less than one-fourth mile from each of such channels and at the source of development approximately 9' lower
natural stream ne difference in Walla Wal than well	or stream channe elevation between the River is 1 site.	il, give the dist in the stream be 000' to Ea	ance to the nearest point of and the ground surface st. River channel is	on each of such channels and at the source of development approximately 9' lower
natural stream te difference in Walla Wal than well	or stream channe elevation between lla River is 1 site.	il, give the dist in the stream be 000' to Ea	ance to the nearest point of and the ground surface st. River channel is	on each of such channels and at the source of development approximately 9' lower
natural stream te difference in Walla Wal than well	or stream channe elevation between the River is 1 site.	il, give the dist in the stream be 000' to Ea	ance to the nearest point of and the ground surface st. River channel is	on each of such channels and at the source of development approximately 9' lower
natural stream te difference in Walla Wal than well  12. Locati	or stream channe elevation between lla River is 1 site.  on of area to be in Range E or W of	el, give the dist n the stream be 000' to Ea	ance to the nearest point and the ground surface st. River channel is	on each of such channels and at the source of development approximately 9' low
natural stream se difference in Walla Wal than well  12. Locati  Township N. or S.	or stream channe elevation between lla River is 1 site.  on of area to be in Range E. or W. of Willamette Meridian Range 35 B.	el, give the dist n the stream be 000' to Ea	ance to the nearest point and the ground surface st. River channel is	on each of such channels are at the source of developments approximately 9' low  Number Acres To Be Irrigated
natural stream le difference in  Walla Wal  than well  12. Locati  Township N. or S.  5 North  5 North	or stream channe elevation between lla River is 1 site.  Son of area to be in Range E. or W. of Willamette Meridian	ol, give the dist the stream be 000' to Ea  rigated, or place section Sec. 12	ance to the nearest point and the ground surface st. River channel is	on each of such channels are at the source of development approximately 9' low  Number Acres To Be Irrigated  Municipal
natural stream le difference in  Walla Wal  than well  12. Locati  Township N. or S.  5 North  5 North  5 North	or stream channe elevation between the River is 1 site.  Son of area to be in Range 35 E.  Range 35 E.  Range 35 E.  Range 35 E.	el, give the distant he stream be 000' to Ea or place section Sec. 12 Sec. 1 Sec. 11	ance to the nearest point and the ground surface st. River channel is	on each of such channels are at the source of development approximately 9' low Number Acres To Be Irrigated  Municipal  Municipal  Municipal
natural stream ne difference in Walla Wal than well  12. Locati  Township N. or S.  5 North  5 North  5 North  5 North	or stream channe elevation between the River is 1 site.  on of area to be in Range 35 E.	section Sec. 12 Sec. 1 Sec. 2	ance to the nearest point and the ground surface st. River channel is	on each of such channels are at the source of development approximately 9' low Number Acres To Be Irrigated  Municipal  Municipal  Municipal  Municipal
natural stream le difference in  Walla Wal  than well  12. Locati  Township N. or S.  5 North  5 North  5 North  5 North  5 North	or stream channe elevation between the River is 1 site.  on of area to be in Range 35 E.  Range 35 E.	section Sec. 12 Sec. 1 Sec. 2 Sec. 13	ance to the nearest point and the ground surface st. River channel is	on each of such channels are at the source of development approximately 9' low  Number Acres To Be Irrigated  Municipal  Municipal  Municipal  Municipal  Municipal  Municipal
natural stream we difference in Walla Wal than well  12. Locati  Township N. or S.  5 North 5 North 5 North 5 North 5 North 5 North	or stream channe elevation between the River is 1 site.  on of area to be in Range 35 E.  Range 36 E.  Range 36 E.	section Sec. 12 Sec. 1 Sec. 11 Sec. 2 Sec. 13 Sec. 18	ance to the nearest point of and the ground surface st. River channel is	on each of such channels are at the source of development approximately 9' low Number Acres To Be Irrigated  Municipal
natural stream le difference in  Walla Wal  than well  12. Locati  Township N. or S.  5 North  5 North  5 North  5 North  5 North	or stream channe elevation between the River is 1 site.  on of area to be in Range 35 E.  Range 35 E.	section Sec. 12 Sec. 1 Sec. 2 Sec. 13	ance to the nearest point of and the ground surface st. River channel is	on each of such channels are at the source of development approximately 9' low  Number Acres To Be Irrigated  Municipal  Municipal  Municipal  Municipal  Municipal  Municipal
natural stream ne difference in Walla Wal than well  12. Locati  Township N. or S.  5 North 5 North 5 North 5 North 5 North 5 North	or stream channe elevation between the River is 1 site.  on of area to be in Range 35 E.  Range 36 E.  Range 36 E.	section Sec. 12 Sec. 1 Sec. 11 Sec. 2 Sec. 13 Sec. 18	ance to the nearest point of and the ground surface st. River channel is	on each of such channels are at the source of development approximately 9' low  Number Acres To Be Irrigated  Municipal  Municipal  Municipal  Municipal  Municipal  Municipal  Municipal  Municipal  Municipal
natural stream ne difference in Walla Wal than well  12. Locati  Township N. or S.  5 North 5 North 5 North 5 North 5 North 5 North	or stream channe elevation between the River is 1 site.  on of area to be in Range 35 E.  Range 36 E.  Range 36 E.	section Sec. 12 Sec. 1 Sec. 11 Sec. 2 Sec. 13 Sec. 18	ance to the nearest point of and the ground surface st. River channel is	on each of such channels and at the source of development approximately 9' lower approximat
natural stream ne difference in Walla Wal than well  12. Locati  Township N. or S.  5 North 5 North 5 North 5 North 5 North 5 North	or stream channe elevation between the River is 1 site.  on of area to be in Range 35 E.  Range 36 E.  Range 36 E.	rigated, or places Sec. 12 Sec. 11 Sec. 2 Sec. 13 Sec. 18 Sec. 35	ance to the nearest point of and the ground surface st. River channel is	on each of such channels and at the source of development approximately 9' lower approximat
natural stream ne difference in Walla Wal than well  12. Locati  Township N. or S.  5 North 5 North 5 North 5 North 5 North 5 North	or stream channe elevation between the River is 1 site.  on of area to be in Range 35 E.  Range 36 E.  Range 36 E.	section Sec. 12 Sec. 1 Sec. 11 Sec. 2 Sec. 13 Sec. 18	ance to the nearest point of and the ground surface st. River channel is	on each of such channels and at the source of development approximately 9' lower approximat

Character of soil .....

Kind of crops raised .....

MUNICIPAL SUPPLY—	G 4924
13. To supply the city ofMilton-Freewater	
in Umatilla county, having a present population of	4,510
and an estimated population of	
ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALI	CASES
14. Estimated cost of proposed works, \$ 20,000	$\frac{1}{2} \frac{d^2 x}{dx^2} = \frac{1}{2} 1$
15. Construction work will begin on or beforeJanuary15	1971
16. Construction work will be completed on or before May15	5. 1971
17. The water will be completely applied to the proposed use on a	
18. If the ground water supply is supplemental to an existing a cation for permit, permit, certificate or adjudicated right to appropr	water supply, identify any appli- iate water, made or held by the
applicant. Permit No. U-102 allows a water right for	1.5 C.F.S. on Well No.
dated January 18, 1937	
	Del 1
Remarks: It is the intent of this Application for w	ater right to allow the
City of Milton-Freewater to rework existing Well No.	
and develop additional water up to a capacity of 3.5 c	
The City Of Milton-Freewater does not wish to change	ge the priority date of
the existing Permit No. U-102, for 1.5 c.f.s., dated	l. Jan. 18. 1937
Work to be done on the well includes sealing r	ecorded perforations at
50', checking seal into basalt and deepening well in	an attempt to improve
the capacity of the well. Also when a pump is insta	lled after reworking the
discharge flange will be installed above ground and w	
ed above ground level to meet State of Oregon requir	
ed above Stomid tevel to theer brate of Orckou Todan	WMXXXXX
	······································
STATE OF OREGON,	
County of Marion, \\ \frac{\strain s}{\coloredge} \]	
This is to certify that I have examined the foregoing application	ı, together with the accompanying
maps and data, and return the same for	
maps and data, and retarn the same jor	•
In order to retain its priority, this application must be returned to	to the State Engineer, with correc-
tions on or before, 19,	•
	•
WITNESS my hand thisday of	, 19
	STATE ENGINEER
	SIAIB ENGINEER

By .....

SUBJECT	is to certify that I I TO EXISTING RIGH right herein granted	ITS and the followin	g limitations a	nd conditions	:	· · · · · · · · · · · · · · · · · · ·	
	ot exceed2.0	1	•	t			
	f appropriation, or its	4.7			•		•
***************************************			·	••••••••••••	•••••••		,
The t	use to which this wat	er is to be applied is	mınici	pal	•,	••••••	•
If for	· irrigation, this appro	opriation shall be lim	ited to	of (	one cubic foot p	er second	•
or its equiv	alent for each acre ir	rigated and shall be	further limited	l to a diversion	n of not to exce	ed	
acre feet pe	er acre for each acre	irrigated during the	irrigation seas	on of each yea	r;	•••••••	•
	***************************************						
•••••	· ·			••••••	••••••	•••••••	
	······	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••		·····		
***************************************	•••••••••••••••••••••••••••••••••••••••	••••••••••••••••••••••••••••••••			***************************************	***************************************	
	e subject to such reas well shall be cased as		•				
The vilne, adeque	hall include proper c works constructed sh ate to determine wat permittee shall instal a complete record of	all include an air lin er level elevation in l and maintain a wei	e and pressure the well at all r, meter, or o	gauge or an a l times. other suitable	ccess port for m		
The 1	priority date of this p	permit isJanu	uary 4, 1971			<b>5</b>	<b>A</b> (
Actu	al construction work	shall begin on or bef	ore Nove	mber 23, 19	72	and shall	, T
thereafter Extende	be prosecuted with 1 ed to Oct. 1, 1984	reasonable diligence	and be comple	eted on or bef	Fore October 1, Extended to Oct. 1979	1973	E-taided to October 1, 1989
Com	plete application of the	ne water to the propo			before October Extended to Oc	<b>1, 19.7.4</b> t. 1979	o Octob
WIT	NESS my hand this.	23rd day of	November		, 19.71	· .	er 1, 1
			<u>e</u>		STATE I	NGINEER of	$\overline{}$
!	ρ	d in the Oregon,			<b>5</b> 0	NEER CO	10-1-94) 10-1-4
33	GROUND	ive in			<del>1</del> 264 <b>-</b> 0	e & &	0 - 1 - 0
<b>4924</b>	- m io	at Sale		1971	oage	page	7
6. G-s		t was first Engineer a y of		23.	r book No	0	
on No o. G-	PERN PRIATE RS OF T	te Engi te Engi day of O o'ck	licant	nber	book No ermits o	Basin No.	` {
Application No. G-S389 Permit No. G-4924	PERNAPERIATE WATERS OF T	strumen re State 4. da	to applicant:	November 23. 1977	ed in boo ater Pern CHRIS. L		0
Apr	TO AP	This instrument was fir office of the State Engineer on the 4th day of 1974, at A2D. o'clock		Approved:	Recorded in Ground Water I	Property +	<b>+</b>
	H	Th office on th	Returned	Аррт	R Grou	Q	