

RECEIVED

JUN 3 1971

STATE ENGINEER
SALEM, OREGON

Permit No. G-4926

CERTIFICATE NO. 43845

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Lucille Leedy and Linda I. Ayres (Name of applicant)

of Rt. 1, Box 435, Albany, Oregon (Postoffice Address), county of Linn

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River (Name of stream)

tributary of Willamette River Well #1=0.72 c.f.s.

2. The amount of water which the applicant intends to apply to beneficial use is Well #1=323 g.p.m. & Well #2=171 g.p.m. Well #2=0.38 c.f.s.

3. The use to which the water is to be applied is Irrigation

Well #2-690 ft North & 580 ft. East
Well #1-740 ft North & 880 ft. West

4. The well or other source is located ft. and ft. from the S.W. corner of Section 21 - Township 15 S, Range 4 West of the Willamette Meridian (Section or subdivision)

(If preferable, give distance and bearing to section corner)

Well #1 - SE-SE Sec 20 - T15S-R4W-W.M. being within the of Sec. Twp. R. Well #2 - SW-SW Sec 21 - T15S-R4W-W.M. W. M., in the county of Lane

5. The Portable Pipe Line to be 3600 Feet in length, terminating in the NE-SE Sec. 20 of Sec. Twp. 15 S. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Lucille Leedy Well #1 & W.E. Ayres Well #2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Drilled well--not artesian.

8. The development will consist of 2 wells having a diameter of Well #1=8 inches and an estimated depth of Well #1=40 feet. It is estimated that Well #2=36 feet of the well will require steel casing. Depth to water table is estimated 20 feet below ground surface.

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3600 ft.; size at intake, 8" in.; in size at 10 ft. from intake 6 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type centrifugal, 5" discharge 25 h.p. 3 phase electric

Give horsepower and type of motor or engine to be used 3 phase 25 h.p. centrifugal 5" discharge electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
Nearest stream is the Willamette River which is over 1/4 of a mile distance

12. Location of area to be irrigated, or place of use of Lancaster, Oregon, on Love Lake Rd. 3/4 mile southeasterly

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 15 S	R 4 W	20	NE - SE	15.0 Ac. - Well #1
"	"	20	SE - SE	29.0 Ac. - Well #1
"	"	21	NW - SW	7.0 Ac. - Well #2-3.5 Ac. - Well #1-3.5 Ac.
"	"	21	NE - SW	17.2 Ac. - Well #2
" "	" "	21	SW - SW	20.0 Ac. - Well #2-10 Ac. - Well #1-10 Ac.
			Total Acres Well #1 =	57.5 Ac.
			Total Acres Well #2 =	30.7 Ac.

(If more space required, attach separate sheet)

Character of soil Sandy loam 1030

Kind of crops raised Mint, carrots and other row crops

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$1500.00.....
- 15. Construction work will begin on or before May 18, 1971.....
- 16. Construction work will be completed on or before May 18, 1973.....
- 17. The water will be completely applied to the proposed use on or before May 18, 1973.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Application No. 32552 Permit No. 25884 *Leedy*.....

Linda G. Cypress Leedy
(Signature of applicant)

Remarks: The surface water applied for under Permit No. 25884 is not sufficient due to a drying up of the sloughs over the past years. Also more land is cleared and tillable than the area covered under Permit N.o. 25884.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 7, 1971.....

WITNESS my hand this 6th day of July, 1971.....

RECEIVED
AUG 4 1971
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Larry W. Jebousek*
LARRY W. JEBOUSEK
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.10 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells being 0.72 cfs from Well No. 1 and 0.38 cfs from Well No. 2.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 9, 1971

Actual construction work shall begin on or before November 23, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973

Complete application of the water to the proposed use shall be made on or before October 1, 1974

WITNESS my hand this 23rd day of November, 1971

Chris L. Wheeler
STATE ENGINEER

Application No. G-5544
Permit No. G-4926

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of June, 1971, at 8:00 o'clock A.M.

Returned to applicant:

Approved: November 23, 1971

Recorded in book No. _____ of _____ Ground Water Permits on page G-4926

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 123

State Printing
28.85
R. Fund 14.50