

Permit No. G-**4939**

CERTIFICATE NO. 44092

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Cecil Saxon (Name of applicant)

of Rt 4 Box 193 D Eugene, county of LANE
(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Wild Hog
(Name of stream)

tributary of COAST FORK WILLAMETTE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.22 cubic feet per second or 100 gallons per minute. Well #1 - 50 GPM Well #2 - 50 GPM

3. The use to which the water is to be applied is PRIMARY IRRIGATION OF 1.3 ACRES AND SUPPLEMENTAL IRRIGATION OF 20.25 ACRES.

4. The well or other source is located 1806 ft. N and 530 ft. E from the N.E. corner of B. SPLAWN DL C. #42
(N. or S.) (E. or W.)
(Section or subdivision)

Well #2 - 1844' N - 216' E FROM N.E. COR. OF B. SPLAWN DL C. #42
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4/NE 1/4 & SE 1/4/NE 1/4 of Sec. 23, Twp. 18S., R. 3W., W. M., in the county of LANE

✓ 5. The PIPE LINE to be 800+ Feet
(Canal or pipe line) miles
in length, terminating in the NW 1/4/SW 1/4 of Sec. 24, Twp. 18S., R. 3W., W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 wells FL having a diameter of #1 - 1-8" #2 - 1-6" inches and an estimated depth of #1 - 108' #2 - 156' feet. It is estimated that 40 feet of the well will require Steel casing. Depth to water table is estimated 48'
(Kind) (Feet)
Well #2 - 156' deep - 4" of steel case - 45' to water

CANAL SYSTEM OR PIPE LINE—

G 4939

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

✓ (c) Length of pipe, 800 ft.; size at intake 1 1/2 in.; in size at 80 ft. from intake 1 1/2 in.; size at place of use 1 1/2 in.; difference in elevation between intake and place of use, 50 ft. Is grade uniform? yes Estimated capacity, 0.11 sec. ft.

✓ 10. If pumps are to be used, give size and type Well # 1 - 2 hp Submersible
Well # 2 - 1 1/2 hp Submersible

✓ Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

560' TO STREAM - 60' difference in elev.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
NE 1/4 / NE 1/4		Sec. 23		1 1/4 acres
SE 1/4 / NE 1/4		Sec. 23		10 acres
NE 1/4 / SE 1/4		" "		1/2 acre
NW 1/4 / NW 1/4		" "		1/4 acre
SW 1/4 / NW 1/4		" "		9 acres
NW 1/4 / SW 1/4		" "		1/4 acre
18S.	3W.	23	NE 1/4 / NE 1/4	0.65 (1-Primary) (25-Supplemental)
"	"	"	SE 1/4 / NE 1/4	10.9 (9-Primary) (10-Supplemental)
"	"	"	NE 1/4 / SE 1/4	0.5 (Supplemental)
"	"	24	NW 1/4 / NW 1/4	0.25 (Supplemental)
"	"	"	SW 1/4 / NW 1/4	9.0 (Supplemental)
"	"	"	NW 1/4 / SW 1/4	0.25 (Supplemental)
				21.55

(If more space required, attach separate sheet)

Character of soil SALKUM Silty Clay Loam Soil com. # 330-B

Kind of crops raised pasture

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- ✓ 14. Estimated cost of proposed works, \$ 3,000
- ✓ 15. Construction work will begin on or before 1 Aug, 71
- ✓ 16. Construction work will be completed on or before 1 Nov, 71
- ✓ 17. The water will be completely applied to the proposed use on or before 1 NOV, 73
- ✓ 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. 20.2 Acres Supplemental to Surface Water Application # 47582.

Levil Sakuma Jr.
(Signature of Applicant)

Remarks: Well No. 2 will be used only as primary source for 1.3 acres
of land in NE 1/4 NE 1/4 and SE 1/4 NE 1/4 of Section 23, as shown on
accompanying map.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ ~~correction and completion~~

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~December 14th~~, 19 ~~70~~
March 8th, 19 71

WITNESS my hand this 14th day of ~~October~~, 19 ~~70~~
7th January, 19 71

RECEIVED
FEB 4 1971
STATE ENGINEER
SALEM, OREGON

RECEIVED
DEC 3 1970
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER

Larry W. Jebousak
ASSISTANT

STATE OF OREGON,
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.126 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well #1 and Well #2 being 0.11 cfs from Well #1 and 0.016 cfs from Well #2

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 28, 1970

Actual construction work shall begin on or before January 18, 1973 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973

Complete application of the water to the proposed use shall be made on or before October 1, 1974

WITNESS my hand this 18th day of January, 1972

Chris L. Wheeler

STATE ENGINEER

Application No. G-5329
Permit No. G-4939

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of September, 1970, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

January 18, 1972

Recorded in book No. of

Ground Water Permits on page G-4939

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 119

for 2000