

RECEIVED
APR 29 1971
STATE ENGINEER
SALEM, OREGON

RECEIVED
MAY 7 1971
STATE ENGINEER
SALEM, OREGON

Permit No. G-4968

CERTIFICATE NO. 48023

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Mike & Bessie Short
(Name of applicant)
of Box 117, Macdonald
(Postoffice Address), county of Siskiyou,
state of Calif., do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Anderson Creek (Swan Lake)
(Name of stream)
tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 7+ cubic
feet per second or 3300 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 505 ft. S and 2810 ft. W from the NE
corner of Section 22
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the Bena Larix S-NE 1/4 NW 1/4 of Sec. 22, Twp. 38.5, R. 10E,
W. M., in the county of Klamath

5. The (Canal or pipe line) to be miles
in length, terminating in the of Sec. Twp.
(Smallest legal subdivision)
R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Hill Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of One having a
(Give number of wells, tunnels, etc.)
diameter of 18" inches and an estimated depth of 460' feet. It is estimated that 100'
feet of the well will require 100 feet 250 casing. Depth to water table is estimated 105'
(Kind) (Feet)

G 4968

CANAL SYSTEM OR PIPE LINE—

G 4968

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 2 Stage 14 EC W.I.T.
2 Impellers

Give horsepower and type of motor or engine to be used 100 HP Vert. T. & L. H. How
Shelf 3/60/220/440/1750 RPM

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Swan Lake Valley

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
38S	10E	10	NE ¹ / ₄ SE ¹ / ₄	40
"	"	10	NW ¹ / ₄ SE ¹ / ₄	40
"	"	10	SW ¹ / ₄ SE ¹ / ₄	40
"	"	10	SE ¹ / ₄ SE ¹ / ₄	40
"	"	15	NE ¹ / ₄ NE ¹ / ₄	40
"	"	15	NW ¹ / ₄ NE ¹ / ₄	40
"	"	15	SW ¹ / ₄ NE ¹ / ₄	40
"	"	15	SE ¹ / ₄ NE ¹ / ₄	40
"	"	15	NE ¹ / ₄ SE ¹ / ₄	40
"	"	15	NW ¹ / ₄ SE ¹ / ₄	40
"	"	15	SW ¹ / ₄ SE ¹ / ₄	29.7
"	"	15	SW¹/₄ SE ¹ / ₄	26

(If more space required, attach separate sheet)

455.7

Character of soil Sandy loam
Kind of crops raised Corn - Hay - Small Seeds

MUNICIPAL SUPPLY—

G 4968

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- ✓ 14. Estimated cost of proposed works, \$ 12,000-
- ✓ 15. Construction work will begin on or before Aug 1971
- ✓ 16. Construction work will be completed on or before Aug 1974
- ✓ 17. The water will be completely applied to the proposed use on or before Aug 1974

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. RFI None

Mike Short
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 5.70 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Hill well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 7, 1971

Actual construction work shall begin on or before May 8, 1973 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973

Complete application of the water to the proposed use shall be made on or before October 1, 1974

WITNESS my hand this 8th day of May, 1972

Chris L. Wheeler
STATE ENGINEER

Application No. G-5504
Permit No. G-4968

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 7th day of May
1971, at 11:15 o'clock A. M.

Returned to applicant:

Approved: May 8, 1972

Recorded in book No. G 4968 of
Ground Water Permits on page 38

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 14 page 38
\$28 over 20 cents