

RECEIVED
APR 5 1972
STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 50290

Permit No. G- 4985

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

WE, William W. Simmons, Elizabeth Simmons, and Steve Simmons
(Name of applicant)
of 2872 Rancho Road, Pebble Beach, county of Monterey,
(Postoffice Address)
state of California 93953, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Sycan River
(Name of stream)

tributary of Sprague River

2. The amount of water which the applicant intends to apply to beneficial use is 16.32 cubic feet per second or 7326 gallons per minute. See Supplemental Data Sheet.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located ft. (N. or S.) and ft. (E. or W.) from the corner of See Supplemental Data Sheet.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the of Sec., Twp., R., W. M., in the county of Klamath

5. The Main Ditches-See Supplemental Data Sheet. to be miles
(Canal or pipe line)
in length, terminating in the of Sec., Twp.,
(Smallest legal subdivision)

R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Wells No. 1, 2, 3, and 5.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

The wells are or will be sealed and capped with gate valves installed above the ground surface. Gate valves will be closed when wells are not in use.

8. The development will consist of 4 wells having a diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require casing. Depth to water table is estimated
(Kind) (Feet)

U 1082

CANAL SYSTEM OR PIPE LINE—

G 4985

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 5 feet; width on bottom 3 feet; depth of water 1 feet; grade 0.5 feet fall per one thousand feet.

(b) At Same miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, #1 = 900 ft.; size at intake 8" in.; in size at ft. from intake in.; size at place of use Same in.; difference in elevation between intake and place of use, #3 = 15 ft. Is grade uniform? Yes Estimated capacity, 3 sec. ft.

10. If pumps are to be used, give size and type If used, pumps will be propeller or mixed flow with 8"/10" discharges.

Give horsepower and type of motor or engine to be used 5 H.P. Electric motors.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

.....

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
----------------------	---	---------	------------------	---------------------------------

See Attached Sheet:

.....

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised Cereals, legumes, row crops, and pasture grasses.

SUPPLEMENTAL DATA SHEET TO BE ATTACHED TO AND MADE A PART OF THE APPLICATION OF WILLIAM W., ELIZABETH, and STEVE SIMMONS TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON. (Item numbers correspond to numbers on the application form):

Item 2: 3180 gpm from Well #1 for Primary Use; 1771 gpm from Well #2 for Primary Use and 327 gpm from Well #2 for Supplemental Use; 1843 gpm from Well #3 for Primary Use; 205 gpm from Well #5 for Primary Use.

Item 4: In T.35 S., R.12 E., W.M., Well #1 = N 30° 45' W - 2705.3 feet from Southeast corner of Section 22 being in the NW $\frac{1}{4}$ -SE $\frac{1}{4}$ of said section; Well #2 = N 3° 21' E - 3756 feet from the Southwest corner of Section 26 being in the SW $\frac{1}{4}$ -NW $\frac{1}{4}$ of said section; Well #3 = S 48° 46' E - 1661.1 feet from the Northwest corner of Section 27 being in the NW $\frac{1}{4}$ -NW $\frac{1}{4}$ of said section; Well #5 = S 40° 00' E - 2800 feet from the Northwest corner of Section 22 being within the SE $\frac{1}{4}$ -NW $\frac{1}{4}$ of said section.

Item 5, Main Ditches:

Ditch #1 = 2.15 miles in length terminating in the SE $\frac{1}{4}$ -SW $\frac{1}{4}$ of Section 21.

Ditch #1A = 0.61 miles in length terminating in the NW $\frac{1}{4}$ -SW $\frac{1}{4}$ of Section 22.

Ditch #1B = 0.45 miles in length terminating in the NE $\frac{1}{4}$ -SW $\frac{1}{4}$ of Section 23.

Ditch #3 = 0.76 miles in length terminating in the SW $\frac{1}{4}$ -SW $\frac{1}{4}$ of Section 22.

All of the above in T.35 S., R.12 E., W.M.

Item 8, Wells:

<u>Well No.</u>	<u>Diameter</u>	<u>Depth</u>	<u>Length of Casing</u>	<u>Kind</u>	<u>Depth to Water</u>
1	12"	956	495	$\frac{1}{4}$ " wall steel	Artesian
2	12"	580	180	"	6 feet
3	Top 80' = 14" Rest = 12"	794	80	"	Artesian
5	8"	180	80	"	Artesian

Application No. G-5768
Permit No. G 4985R
RECEIVED
APR 5 1972
STATE ENGINEER
SALEM, OREGON

Item 12, Location of Area to be Irrigated:

Location	Well #1	Well #2		Well #3	Well #5	Total in 40
	Primary Ac.	Primary Ac.	Suppl. Ac.	Primary Ac.	Primary Ac.	
T.35S., R.12E., W.M.						
<u>Sec. 21</u>						
SW $\frac{1}{4}$ -NE $\frac{1}{4}$	34.4					34.4
SE $\frac{1}{4}$ -NE $\frac{1}{4}$	26.6					26.6
NE $\frac{1}{4}$ -SW $\frac{1}{4}$	0.9					0.9
SE $\frac{1}{4}$ -SW $\frac{1}{4}$				31.8		31.8
NE $\frac{1}{4}$ -SE $\frac{1}{4}$	40.0					40.0
NW $\frac{1}{4}$ -SE $\frac{1}{4}$	40.0					40.0
SW $\frac{1}{4}$ -SE $\frac{1}{4}$				40.0		40.0
SE $\frac{1}{4}$ -SE $\frac{1}{4}$				40.0		40.0
<u>Sec. 22</u>						
NE $\frac{1}{4}$ -NE $\frac{1}{4}$	4.1					4.1
NW $\frac{1}{4}$ -NE $\frac{1}{4}$	39.7					39.7
SW $\frac{1}{4}$ -NE $\frac{1}{4}$	38.3					38.3
SE $\frac{1}{4}$ -NE $\frac{1}{4}$	3.0					3.0
NE $\frac{1}{4}$ -NW $\frac{1}{4}$	0.2					0.2
SW $\frac{1}{4}$ -NW $\frac{1}{4}$	30.8					30.8
SE $\frac{1}{4}$ -NW $\frac{1}{4}$	10.0				3.5	34.3
NE $\frac{1}{4}$ -SW $\frac{1}{4}$	10.7				3.6	13.6
NW $\frac{1}{4}$ -SW $\frac{1}{4}$	7.7				1.5	12.2
SW $\frac{1}{4}$ -SW $\frac{1}{4}$	28.4				27.9	35.6
SE $\frac{1}{4}$ -SW $\frac{1}{4}$	40.0			11.6		40.0
NE $\frac{1}{4}$ -SE $\frac{1}{4}$	15.3					40.0
NW $\frac{1}{4}$ -SE $\frac{1}{4}$	40.0					15.3
SW $\frac{1}{4}$ -SE $\frac{1}{4}$	40.0					40.0
SE $\frac{1}{4}$ -SE $\frac{1}{4}$	33.4					40.0
<u>Sec. 23</u>						
SW $\frac{1}{4}$ -NW $\frac{1}{4}$	2.2					33.4
SE $\frac{1}{4}$ -NW $\frac{1}{4}$	1.1					2.2
NE $\frac{1}{4}$ -SW $\frac{1}{4}$	6.9					1.1
NW $\frac{1}{4}$ -SW $\frac{1}{4}$	38.4					6.9
SW $\frac{1}{4}$ -SW $\frac{1}{4}$	33.8					38.4
<u>Sec. 26</u>						
NW $\frac{1}{4}$ -NW $\frac{1}{4}$	0.9	36.9				33.8
SW $\frac{1}{4}$ -NW $\frac{1}{4}$		37.4				37.8
NW $\frac{1}{4}$ -SW $\frac{1}{4}$		20.0				37.4
SW $\frac{1}{4}$ -SW $\frac{1}{4}$		20.0				20.0
<u>Sec. 27</u>						
NE $\frac{1}{4}$ -NE $\frac{1}{4}$		20.5				20.5
NW $\frac{1}{4}$ -NE $\frac{1}{4}$		24.1		7.2		31.3
NE $\frac{1}{4}$ -NW $\frac{1}{4}$				31.0		31.0
NW $\frac{1}{4}$ -NW $\frac{1}{4}$				26.3		26.3

Application No. G-5768
 Permit No. G 4985

Item 12 (continued)

Location	Well #1	Well #2		Well #3	Well #5	Total in 40
	Primary Ac.	Primary Ac.	Suppl. Ac.	Primary Ac.	Primary Ac.	Ac.
T.35S., R.12E., W.M. Sec. 27 (cont.)						
SW $\frac{1}{4}$ -NW $\frac{1}{4}$				40.0		40.0
SE $\frac{1}{4}$ -NW $\frac{1}{4}$				40.0		40.0
NE $\frac{1}{4}$ -SW $\frac{1}{4}$		40.0				40.0
NW $\frac{1}{4}$ -SW $\frac{1}{4}$		40.0				40.0
SW $\frac{1}{4}$ -SW $\frac{1}{4}$		37.2	2.8			40.0
SE $\frac{1}{4}$ -SW $\frac{1}{4}$		1.3	38.7			40.0
NE $\frac{1}{4}$ -SE $\frac{1}{4}$		2.8				2.8
NW $\frac{1}{4}$ -SE $\frac{1}{4}$		2.2				2.2
SW $\frac{1}{4}$ -SE $\frac{1}{4}$			2.0			2.0
SE $\frac{1}{4}$ -SE $\frac{1}{4}$		5.2	14.8			20.00
Sec. 28						
NE $\frac{1}{4}$ -NE $\frac{1}{4}$				40.0		40.0
NW $\frac{1}{4}$ -NE $\frac{1}{4}$				20.7		20.7
Sec. 35						
NW $\frac{1}{4}$ -NW $\frac{1}{4}$		28.1				28.1
TOTAL	566.8	Ac.315.7	Ac. 58.3	Ac.328.6	Ac. 36.5	Ac. 1305.9 Acres

Total ok (dg)

Application No. G-5768
Permit No. G 4885

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 125,000.....
- 15. Construction work will begin on or before Construction already started.....
- 16. Construction work will be completed on or before October 1, 1975.....
- 17. The water will be completely applied to the proposed use on or before October 1, 1976.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. This application is partially supplemental to Certificate No. 34991 from Well No. 2.

[Handwritten Signature]
 (Signature of applicant)
[Handwritten Signature]

Remarks:

In filing this application, the applicants do not waive or abandon any vested rights appurtenant to said land.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON,
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 16.32 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Wells numbered 1, 2, 3 and 5

The use to which this water is to be applied is irrigation and supplemental irrigation being 7.08 cfs from well #1, 4.67 cfs from well #2, 4.11 cfs from well #3 and 0.46 cfs from well #5

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 5, 1972

Actual construction work shall begin on or before June 27, 1973 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973

Complete application of the water to the proposed use shall be made on or before October 1, 1974

WITNESS my hand this 27th day of June, 1972

Chris L. Wheeler
STATE ENGINEER

Extended to Oct. 1, 1976
B Extended to Oct. 1, 1974
C Extended to Oct. 1, 1978
Extended to Oct. 1, 1976

Application No. G- 5768
Permit No. G- 4985

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 5th day of April,
1972, at 11:15 o'clock A. M.

Returned to applicant:

Approved: June 27, 1972

Recorded in book No. G 4985
Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 14, page 38

#2856