

RECEIVED

AUG 17 1970

STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 43433

Permit No. G- 5025

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Milton J. Clinton and Lorna Clinton, husband & wife
(Name of applicant)
of Route 1 Box 340 Forest Grove, county of Washington
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Drainage Ditch #7
(Name of stream)
tributary of Diary Creek

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 65 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 1000 ft. S and 200 ft. E from the N. 1/4 corner of Section 10
(N. or S.) (E. or W.) (Section or subdivision)
(If preferable, give distance and bearing to section corner)

*Correction
4/11/71
S.E.C.*

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NW 1/4 NE 1/4 of Sec. 10, Twp. 1N, R. 4W, W. M., in the county of Washington

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well #1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Ten inch casing sealed off with 10 inch well seal which has
shut off valves

8. The development will consist of 1 well having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 520 feet. It is estimated that 418
feet of the well will require 1279 welded steel casing. Depth to water table is estimated _____
(Kind) (Feet)
Artesian

CANAL SYSTEM OR PIPE LINE—

G 5025

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type
 15 horse Submerseable electric
 Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 n	4 W	10	NW 1/4 N.E 1/4	50 30
1 N	4 W	10	SW 1/4 N.E 1/4	20

Consider
4/4/71
J.E.E.

(If more space required, attach separate sheet)

Character of soil Willamette loam
 Kind of crops raised Cannery crops

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 9000.00
- 15. Construction work will begin on or before Glenn Harty March 14, 1967
Am M. Jannsen May 12, 1970
- 16. Construction work will be completed on or before August, 1970
- 17. The water will be completely applied to the proposed use on or before 1972

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant.

X Milton J. Clinton
(Signature of applicant)
X Lorna Clinton

Remarks:

The water from the described well will be pumped into a
sump hole or pond at a continual rate of 65 gal. per
minute for storage when needed for irrigation.
The size of the sump is 160ft. by 190ft. 8 ft. deep.
Water will be pumped to fields with a 25 horse electric pump.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for completion and correction.....

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before ~~December 28th~~ 19~~70~~
April 8th 71

WITNESS my hand this ~~28th~~ day of ~~October~~ 19~~70~~
February 71

RECEIVED
APR 15 1971

STATE ENGINEER
SALEM OREGON
RECEIVED
JAN 15 1971
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By Larry W. Jebousek
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.14 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 15, 1971

Actual construction work shall begin on or before January 30, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974

Complete application of the water to the proposed use shall be made on or before October 1, 1975

WITNESS my hand this 30th day of January, 1973

Chris L. Wheeler

STATE ENGINEER

Application No. G-5289

Permit No. G-5025

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of August, 1972, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

January 30, 1973

Recorded in book No. _____ of _____ Ground Water Permits on page G 5025

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 119

100 53 20