

RECEIVED
APR 10 1970
STATE ENGINEER
SALEM OREGON

RECEIVED
MAY 5 1970
STATE ENGINEER
SALEM OREGON

Permit No. G-5054

APPLICATION FOR A PERMIT

REGISTRATION NO. 47608

To appropriate the Ground Waters of the State of Oregon

I, Ernest E. & Grace L. Wiseman
(Name of applicant)

of Star Route
(Postoffice Address), county of Dairy

state of Oregon 97625, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation
~~Star State~~

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Buck Creek
(Name of stream)
tributary of Lost River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 2,500 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 1369 ft. N and 1320 ft. E from the SW corner of Section 34, ~~SW Cor. of SW 4-4~~
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
1290 ft. E. W.

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the ~~Boundary~~ NW 1/4 SW 1/4 of Sec. 343, Twp. 38 S., R. 11 1/2 E. W. M. W. M., in the county of Klamath

5. The Pipe Line to be 1490 feet miles in length, terminating in the NE cor. of the SE 1/4 Section of Sec. 33, Twp. 38 S., R. 11 1/2 E., W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line)
(Smallest legal subdivision)

6. The name of the well or other works is Ernest E. & Grace L. Wiseman

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One Well and One pipe line having a diameter of 18 inches and an estimated depth of 135 feet. It is estimated that 21 feet of the well will require American 250 washing. Depth to water table is estimated 19ft.
(Kind) (Feet)

G 2024

CANAL SYSTEM OR PIPE LINE—

G 5054

None 9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

None (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1490 ft.; size at intake 8" in.; in size at 8" ft. from intake 8" in.; size at place of use 8" in.; difference in elevation between intake and place of use, 21 ft. Is grade uniform? Yes Estimated capacity, 4 sec. ft.

10. If pumps are to be used, give size and type 25 Hp. Turbine, 50 Hp. Booster

Give horsepower and type of motor or engine to be used 25 Hp/Turbine, Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

None

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
38S	11 1/2 E	34	3 SW 1/4 NW 1/4	40 39.6
38S	11 1/2 E	34	8 NW 1/4 SW 1/4	40 39.3
38S	11 1/2 E	34	8 SW 1/4 SW 1/4	40 40
38S	11 1/2 E	33	NE 1/4 SE 1/4	40 40
			SE 1/4 SE 1/4	40
39S	11 1/2 E	4	NW 1/4 NE 1/4	40
			NE 1/4 NW 1/4	40
				278 2 280

(If more space required, attach separate sheet)

Character of soil Sandy

Kind of crops raised Potatoes, Alfalfa, Grain

MUNICIPAL SUPPLY—

13. To supply the city of None
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....14,000.....
- 15. Construction work will begin on or beforeDec......1969.....
- 16. Construction work will be completed on or before3 yrs......Dec......1972.....
- 17. The water will be completely applied to the proposed use on or beforeDec......1972.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none None

Ernest L. Wiseman
Ernest E. Wiseman
(Signature of applicant)

Remarks: This is all to be underground mainline and
complete sprinkler system.

*I don't intend to use surface water
on my land.*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 22nd, 1970.

WITNESS my hand this 22nd day of May, 1970

RECEIVED
JUN 3 1970
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Wayne J. Overcash*
Wayne J. Overcash
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.49 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from one well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 5, 1970

Actual construction work shall begin on or before March 15, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974

Complete application of the water to the proposed use shall be made on or before October 1, 1975

WITNESS my hand this 15th day of March, 1973

Chris L. Wheeler

STATE ENGINEER

B
N.G.

Application No. G-5182
Permit No. G-5054

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 10th day of April
1970, at 8:00 o'clock A. M.

Returned to applicant:

Approved: March 15, 1973

Recorded in book No. G 5054 of
Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 17 page 38

File # 39 15
59 Long