

RECEIVED

MAY 7 1970

STATE ENGINEER
SALEM, OREGON

ASSIGNED, See Misc. Rec., Vol. 5 Page 246

Permit No. G-5055

CERTIFICATE NO. 72666

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Oliver H. Tracy (Name of applicant)
of P. O. Box 36, Vale (Postoffice Address), county of Malheur,
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Malheur River (Name of stream)

tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is cubic
feet per second or 550 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 29 ft. N. and 74 ft. E. from the SW
corner of Sec. 11, T 19 S., R. 44 E., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SWSW of Sec. 11, Twp. 19S., R. 44E.,
W. M., in the county of Malheur

5. The canal to be 1 1/4 miles
in length, terminating in the NESE of Sec. 11, Twp. 19S.,
R. 44E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Tracy No. 6

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of 1 well having a
diameter of 12 inches and an estimated depth of 40 feet. It is estimated that 40
feet of the well will require steel casing. Depth to water table is estimated 14

0 2022

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Jacuzzi Centrifugal

Give horsepower and type of motor or engine to be used 10 H.P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
Well 980 feet North of Malheur River. Difference in elevation 19 feet.
Drain ditch 30 feet West. Water surface drain 8 feet above U.S. Well No. 6.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
19S	44E	11	NE $\frac{1}{4}$ SE $\frac{1}{4}$	7
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	2
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	21
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	19
TOTAL				49 acres

NOTE--Supplemental to Wells No. 1 and 2, Permit No. G-3908.

(If more space required, attach separate sheet)

Character of soil Silt Loam

Kind of crops raised Hay, grain

2022

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before Started
- 16. Construction work will be completed on or before June, 1971.....
- 17. The water will be completely applied to the proposed use on or before June, 1972.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Wells No. 1 and 2 -- Permit No. G-3908 and Application G-4156.

Oliver H. Gray
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER
By
ASSISTANT

STATE OF OREGON,

County of Marion,

ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.61 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from one well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 7, 1970

Actual construction work shall begin on or before March 15, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974

Complete application of the water to the proposed use shall be made on or before October 1, 1975

WITNESS my hand this 15th day of March, 1973

[Signature] STATE ENGINEER

Application No. G- 5183

Permit No. G- 5055

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of May, 1970, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

March 15, 1973

Recorded in book No. G 5055 of Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 12 page 12

Fees 20.25