

Permit No. G-5056

APPLICATION FOR A PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 342

To appropriate the Ground Waters of the State of Oregon

I, Andrew Spohn (Name of applicant)

of 3801 Dodge Road, Central Point, (Postoffice Address), county of Jackson

state of Oregon 97501, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

N/A

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Constance Creek, (Name of stream)

a tributary of Rogue River, tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is 0.19 cubic feet per second or gallons per minute. being 0.06 cfs. from well #1 & 0.13 cfs. from well #2

3. The use to which the water is to be applied is irrigation.

#1 1230 ft. N. and 1100 ft. W.  
#2 4. The well or other source is located 1150 ft. N. and 1200 ft. W. from the SE corner of Section 13 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 13, Twp. 35 S., R. 2 W., W. M., in the county of Jackson

5. The pipeline to be 1500.0 feet in length, terminating in the SW 1/4 SE 1/4 of Sec. 13, Twp. 35 S., R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Spohn Wells #1 and #2.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

#1 - 8. The development will consist of two wells having a diameter of 6 inches and an estimated depth of 223.00 feet. It is estimated that 25.0 feet of the well will require steel casing. Depth to water table is estimated 12.0 feet.

G 2020

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 1500.0 ft.; size at intake 2 in.; in size at 200.0 ft. from intake 3 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 2 ft. Is grade uniform? Yes. Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type two electric single phase submersible pumps two-inch.

#1 - 1 1/2  
 #2 - Give horsepower and type of motor or engine to be used 3.0

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development  
 none.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
35 S.	2 W.	13	SE 1/4 SE 1/4	10
35 S.	2 W.	13	SW 1/4 SE 1/4	5

(If more space required, attach separate sheet)

Character of soil brownish gumbo.  
 Kind of crops raised 2020 pasture and alfalfa.

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1950.00.....
- 15. Construction work will begin on or before one year from date of priority.
- 16. Construction work will be completed on or before October 1, 1972.
- 17. The water will be completely applied to the proposed use on or before October 1, 1973.
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none.

x *Andrew Spohn*  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

.....  
STATE ENGINEER  
By ..... ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.19 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells being 0.06 cfs from Well #1 and 0.13 cfs from Well #2

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 8, 1970

Actual construction work shall begin on or before March 15, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974

Complete application of the water to the proposed use shall be made on or before October 1, 1975

WITNESS my hand this 15th day of March, 1973

Extended to Oct. 1977

*Chris L. Wheeler*

STATE ENGINEER

A  
D.S.

Application No. G-5185  
Permit No. G-5056

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 8th day of May  
1970, at 8:00 o'clock P.M.

Returned to applicant:

Approved:

March 15, 1973

Recorded in book No. of G 5056  
Ground Water Permits on page

CHRIS L. WHEELER  
STATE ENGINEER  
Drainage Basin No. 15 page 101

Feb 20 1973