

RECEIVED
MAY 11 1970
STATE ENGINEER
SALEM OREGON

Permit No. G- 5058

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Jens Reerslev
(Name of applicant)
of 220 E. 18th St., Junction City, county of Lane
(Postoffice Address)
state of Oregon 97448, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is .4625 cubic feet per second or 207.57 gallons per minute. from well #6 & 0.08 cfs from well #3

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 2,200 ft. N. and 300 ft. W from the S.E. corner of Sec, 29, T. 15 S., R. 4 W.W.M. being within NE 1/4 SE 1/4 of Sec. 29
(N. or S.) (E. or W.)
(Section or subdivision)

Well #3 located 1215 ft N.E. & 315 ft W. from the SE corner of Section 29 being within the SE 1/4 SE 1/4
(If preferable, give distance and bearing to section corner)

being within the N.E. 1/4 of the S.E. 1/4 of Sec. 29, Twp. 15 S., R. 4 W., W. M., in the county of Lane

5. The (Canal or pipe line) to be miles in length, terminating in the of Sec. Twp. R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well # 6 & Well # 3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 22 wells - driven having a diameter of 5 inches and an estimated depth of 30 feet. It is estimated that 30 feet of the well will require steel casing. Depth to water table is estimated 15
(Kind) (Feet)

July 14, 1970 J.R.

CANAL SYSTEM OR PIPE LINE—

G 5058

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 3"x4" Centrifical

Give horsepower and type of motor or engine to be used 20 h.p. electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
15 S.	4 W.W.M.	28	N.W. $\frac{1}{4}$ of S.W. $\frac{1}{4}$	8.0 13.8 Acres	suppl.
15 S.	4 W.W.M.	29	N.E. $\frac{1}{4}$ of S.E. $\frac{1}{4}$	23.2 "	suppl.
				Total 37.0 ^{31.2} Acres	suppl. Well #6
15 S.	4 W	28	NW $\frac{1}{4}$ SW $\frac{1}{4}$	6.5 acres	prim. Well #3
					Suppl. Well #6
				<u>Total 37.7 ac.</u>	

J.R.
July 14, 1970

(If more space required, attach separate sheet)

Character of soil silt loam (Malabon) and fine sandy loam (Newberg) one half each.

Kind of crops raised mint, alfalfa & truck crops

JUN 1970

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1,200.
- 15. Construction work will begin on or before Construction completed.
- 16. Construction work will be completed on or before Construction completed.
- 17. The water will be completely applied to the proposed use on or before June 15, 1970

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. This well is to Supplement Well # 3

Filing No. 1286
Permit # G-1325

Gene Reevale
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and clarification

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 10th, 1970.

WITNESS my hand this 8th day of June, 1970.

RECEIVED
JUL 14 1970
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Wayne J. Overcash*
Wayne J. Overcash
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.47 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 2 wells being 0.08 cfs from Well #3 and 0.39 cfs from Well #6

The use to which this water is to be applied is irrigation from Well #3 and supplemental irrigation from Well #6

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 11, 1970 for Well #6 - July 14, 1970 for Well #3

Actual construction work shall begin on or before March 15, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974

Complete application of the water to the proposed use shall be made on or before October 1, 1975

WITNESS my hand this 15th day of March, 1973

Chris L. Wheeler

STATE ENGINEER

Application No. G-5188

Permit No. G-5058

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of May, 1970, at 8 o'clock A. M.

Returned to applicant:

Approved:

March 15, 1973

Recorded in book No. of

Ground Water Permits on page G 5058

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 117

Fees

21 20 - 15 + Short

30