

Permit No. G-..... 5067

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Robert N. and Alice M. Garrish (Name of applicant)
of
state ofOregon, do hereby make application for a permit to appropriate following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development
situatedM111 Creek
(Name of stream)  Santiam River (South)
2. The amount of water which the applicant intends to apply to beneficial use is cu feet per second or400 gallons per minute.
3. The use to which the water is to be applied isPrimaryIrrigation
N. 28 3/4 ° E. 6 chains  4. The well or other source is locatedft andft from the _NE
corner of
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SE 1/4 of NE 1/4 of Sec. 30 Twp. 10.6 R. 2 W
W. M., in the county ofLinn
5. Thepipe_line to be1300_feetmil
in length, terminating in theNE 1/4 of NE 1/4 of Sec
R2W, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
***************************************
8. The development will consist of
diameter of10 inches and an estimated depth of28 feet. It is estimated that28.
feet of the well will requiresteelcasing. Depth to water table is estimated(Rind)

$\mathbb{C}_{2}$	Á	N	ĪΑ	L	SYS	TEM	OR	PIPE	LINE_	
•		•••			$\sim$ $\sim$	T 77111		T 11 13	141117	

dgate. At he		•	anal where materially	
			4	feet; width on botto
***************************************	feet; depth of	water	feet; grade	feet fall per or
ousand feet.			Ì	
(b) At	m	iles from head	gate: width on top (at	water line)
· · · · · · · · · · · · · · · · · · ·	feet; width on	bottom	feet; depth	of water fee
ade	feet fall	per one thousa	nd feet.	
(c) Lengt	h of pipe,	1300 ft.;	size at intake 5	in.; in size at 1300
om intake	5 in.;	size at place of	use3 in.	; difference in elevation betwee
take and place	e of use,	- 6 ft. I	s grade uniform?	Yes Estimated capacity
1.0	sec. ft.			
10. If pun	nps are to be used,	give size and ty	ype3" centr	fugal pump
•••••				-
Give horse	epower and type o	of motor or engi	ine to be used1	H. P electric
•••••				
11 If the	Innation of the sur	77	•	
iaturai stream	or stream channe	el, give the dist	ance to the nearest po-	is less than one-fourth mile from nt on each of such channels and
e difference in	elevation betwee	n the stream be	d and the ground surf	ace at the source of developmen
·	***************************************	*************	******	
				•
	on of area to be in	rigated, or plac	e of useSections	29 & 30, T. 10 S., R. 2 1
12. Locati  Township N. or S.		rigated, or plac	e of useSections  Forty-acre Tract	29 & 30, T. 10 S., R. 2 T  Number Acres To Be Irrigated
Township	Range E. or W. of		Sections	Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract  NE 1/4 of NE	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)
Township N. or S.	Range E. or W. of Willamette Meridian	Section 30	Sections  Forty-acre Tract	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)
Township N. or S.  10 S	Range E. or W. of Willamette Meridian	Section 30	Forty-acre Tract  NE 1/4 of NE  SE 1/4 of NE 1	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)  /4  32/5 (1/0 new)  /4  2.0
Township N. or S.  10 S  10 S  10 S	Range E. or W. of Willamette Meridian  2 W  2 W  2 W	30 30 30 30	Forty-acre Tract  NE 1/4 of NE  SE 1/4 of NE 1  NE 1/4 of SE 1	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)  /4  32/5 (1/0 new)  /4  2.0  /4  2.5 (2.5 new)
Township N. or S.  10 S  10 S  10 S  10 S	Range E. or W. of Willamette Meridian  2 W  2 W  2 W  2 W	30 30 30 30 29	Forty-acre Tract  NE 1/4 of NE  SE 1/4 of NE 1  NE 1/4 of SE 1  NW 1/4 of NW 1	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)  /4  33/5 (1/0 new)  /4  2.0  /4  2.5 (2.5 new)  /4  8.0 (4.0 new)
Township N. or S.  10 S  10 S  10 S  10 S  10 S	Range E. or W. of Willamette Meridian  2 W  2 W  2 W  2 W	30 30 30 30 29 29	SECTIONS  Forty-acre Tract  NE 1/4 of NE  SE 1/4 of NE 1  NE 1/4 of SE 1  NW 1/4 of NW 1  SW 1/4 of NW 1	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)  /4  33/5 (1/0 new)  /4  2.0  /4  2.5 (2.3 new)  /4  8.0 (4.0 new)
Township N. or S.  10 S  10 S  10 S  10 S  10 S	Range E. or W. of Willamette Meridian  2 W  2 W  2 W  2 W	30 30 30 30 29 29	SECTIONS  Forty-acre Tract  NE 1/4 of NE  SE 1/4 of NE 1  NE 1/4 of SE 1  NW 1/4 of NW 1  SW 1/4 of NW 1	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)  /4  32/5 (1/0 new)  /4  2.0  /4  2.5 (2.5 new)  /4  8.0 (4.0 new)  /4  0.8
Township N. or S.  10 S  10 S  10 S  10 S  10 S	Range E. or W. of Willamette Meridian  2 W  2 W  2 W  2 W	30 30 30 30 29 29	SECTIONS  Forty-acre Tract  NE 1/4 of NE  SE 1/4 of NE 1  NE 1/4 of SE 1  NW 1/4 of NW 1  SW 1/4 of NW 1	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)  /4  32/5 (1/0 new)  /4  2.0  /4  2.5 (2.5 new)  /4  8.0 (4.0 new)  /4  0.8
Township N. or S.  10 S  10 S  10 S  10 S  10 S	Range E. or W. of Willamette Meridian  2 W  2 W  2 W  2 W	30 30 30 30 29 29	SECTIONS  Forty-acre Tract  NE 1/4 of NE  SE 1/4 of NE 1  NE 1/4 of SE 1  NW 1/4 of NW 1  SW 1/4 of NW 1	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)  /4  32/5 (1/0 new)  /4  2.0  /4  2.5 (2.5 new)  /4  8.0 (4.0 new)  /4  0.8
Township N. or S.  10 S  10 S  10 S  10 S  10 S	Range E. or W. of Willamette Meridian  2 W  2 W  2 W  2 W	30 30 30 30 29 29	SECTIONS  Forty-acre Tract  NE 1/4 of NE  SE 1/4 of NE 1  NE 1/4 of SE 1  NW 1/4 of NW 1  SW 1/4 of NW 1	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)  /4  32/5 (1/0 new)  /4  2.0  /4  2.5 (2.5 new)  /4  8.0 (4.0 new)  /4  0.8
Township N. or S.  10 S  10 S  10 S  10 S  10 S	Range E. or W. of Willamette Meridian  2 W  2 W  2 W  2 W	30 30 30 30 29 29	SECTIONS  Forty-acre Tract  NE 1/4 of NE  SE 1/4 of NE 1  NE 1/4 of SE 1  NW 1/4 of NW 1  SW 1/4 of NW 1	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)  /4  32/5 (1/0 new)  /4  2.0  /4  2.5 (2.5 new)  /4  8.0 (4.0 new)  /4  0.8
Township N. or S.  10 S  10 S  10 S  10 S  10 S	Range E. or W. of Willamette Meridian  2 W  2 W  2 W  2 W	Section  30  30  30  29  29  29	SECTIONS  Forty-acre Tract  NE 1/4 of NE  SE 1/4 of NE 1  NE 1/4 of SE 1  NW 1/4 of NW 1  SW 1/4 of NW 1	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)  /4  32/5 (1/0 new)  /4  2.0  /4  2.5 (2.5 new)  /4  8.0 (4.0 new)  /4  0.8
Township N. or S.  10 S  10 S  10 S  10 S  10 S  10 S	Range E. or W. of Willamette Meridian  2 W  2 W  2 W  2 W	30 30 30 29 29 29	Forty-acre Tract  NE 1/4 of NE  SE 1/4 of NE 1  NE 1/4 of SE 1  NW 1/4 of NW 1  SW 1/4 of NW 1  NW 1/4 of SW 1	Number Acres To Be Irrigated  1/4  10.2 (4.0 new)  /4  32/5 (1/0 new)  /4  2.0  /4  2.5 (2.5 new)  /4  8.0 (4.0 new)  /4  0.8

UNICIPAL SUP 13. To suppl		••••••		
		• •		
ı <b>d an e</b> stimated p				
	¥		16, 17 AND 18 IN ALL	CASES
74 Fatimata			,	CASES
ig beg distribu		ed works, \$		
				<u> </u>
16. Construc	tion work will b	e completed on	or beforeMarch	.11, 1970
17. The water	er will be compl	etely applied to	the proposed use on c	r beforeOctober1,197
18. If the gr ition for permit,	ound water sup permit, certific	oply is supplemented or adjudicate.	ental to an existing v	vater supply, identify any a ate water, made or held by
		*************************		-1. O
	• · · · · .		Robert n. Gan	Unde M. Hamignature of applicant)
Remarks:				
		0	•	,PermitNo239021
Township	Range	Sdetion-	Forty=Acre Tra	rctAcres
102	2 W	30		/4 6.2~
10 S	2 W	30	SE.1/4.of.NE.1	/4 6.2 /4 /4 /4 /4 /4 /4 /4 /4 /4 /4 /4 /4 /4
10 S 10 S	2 W 2 W		NE 1/4 OF SE 1	//· 2 0 ·
10 S	2 W	29 29	Sw.1/4.of.NW.1 NW 1/4 of SW 1	/4 2.0 /4 0.8 ~
***************************************	•			- 6/29/70
TATE OF OREG	ON, ss.			together with the accompan
				of water
•••••	•		****	***************************************
In order to re	etain its priority	, this applicatio	n must be returned to	the State Engineer, with cor
ons on or before	August 2	<del>ļ</del> ‡h	, 19.70	
	•			
WITNESS m	y hand this2!	tth day of	June	, 1970
	5. 100 100 - 100 100 - 100			
	REG	EIVE D	CHRIS L. WHE	ELER STATE ENGINE
	STATE	ENGINEE	RBy Jan	read
	SALF	M. OREGON	Wayne J. Ove	rcash Assista

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

•			is ai	,		er which can l		beneficial use
and shall no	ot exceed	0.70	cubic f	eet per sec	ond measu	red at the poin	t of diversion	from the well
			1 4			with other wat		
The u	ise to whic	h this water	r is to be	applied is	irrigati	.on	•••••••••••••••••••••••••••••••••••••••	
If for	irrigation,	this approp	oriation st	uall be lim	ited to1/	80th	of one cubic j	oot per second
or its equive	alent for e	ach acre irr	igated and	d shall be	further lin	rited to a diver	sion of not to	exceed22:
acre feet pe	er acre for	each acre in	rigated d	uring the i	rrigation s	season of each	year;	•••••••
***************************************	······································		***************************************	*****************	***************************************			**************************************
***************************************	•••••••••	1		*****************	***************************************			
***************************************	***************************************	***************************************	•••••	*****************				•••••••••••••••••••••••••••••••••••••••
	*******************	•••••••••••••••••••••••••••••••••••••••		***************************************	••••••			
•••••		***************************************	******	******	•••••••			
and shall be	subject to	such reason	nable rota	tion syster	n as may b	e ordered by t	he proper sta	te officer.
the works si The u line, adequa	hall includ vorks const ite to deter permittee si	e proper cap tructed shal rmine water hall install	pping and Il include r level el and main	control vo an air line evation in tain a weir	ilve to preson the well a the well a	or other suital	of ground wa n access port	ter. for measuring
The p	oriority dat	e of this pe	ermit is	May	. 27 <b>,</b> 197	0	•••••	
Actua	ıl construct	tion work sl	hall begin	on or befo	re Marc	h 15, 1974	······································	and shall
thereafter b	e prosecut	ted with re	asonable (	diligence o	ind be con	npleted on or l	before Octob	er 1, 1974
Comp	olete applic	ation of the	water to	the propos	ed use sha	ll be made on (	or before Oct	ob <b>er</b> 1, 19.75
WITN	IESS my h	and this	1.5th. do	ay of	March		, 19.73	•
			*	·•·	al	-SKM	tea le	fate engineer
Application No. G-5199  Permit No. G-5067	PERMIT TO APPROPRIATE THE GROUND	WATERS OF THE S OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon,	on the 2746. day of	Returned to applicant:	Approved:	Recorded in book No. Of Ground Water Permits on page	Brainage Basin No. 2. page 12.

g