

Permit No. G. 5070

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

The United States of Americ I, Department of the Army, Por	ea, represented by the Corps tland District,	of Engineers,
	(Name of applicant)	
of P. O. Box 2946, Portland, Oregon (Postoffice Address)	91208 , county of	Multnomah ,
state ofOregon following described ground waters of the sta	, do hereby make application for a te of Oregon, SUBJECT TO EXIS	permit to appropriate the FING RIGHTS:
If the applicant is a corporation, give d	ate and place of incorporation	
1. Give name of nearest stream to wh	ich the well, tunnel or other source	of water development is
situated Green Peter Reservoir (Midd	(Name of stream)	
	tributary of	***************************************
2. The amount of water which the app feet per second or20 gallons per m	plicant intends to apply to beneficion	al use iscubic
3. The use to which the water is to be		elopment facilities
for Whitcomb Creek Park		
4. The well or other source is located.	300 1250 2301 ft. S. and EXXX ft.	
corner of Section 36. Township 12 Sou		• • • • • • • • • • • • • • • • • • • •
(If preferable, give	distance and bearing to section corner)	
	•	
	ach must be described. Use separate sheet if necess	
being within the NE_{4}^{1} of the NE_{4}^{1}	of Sec36, Twp	12 S., R. 2 E.
W. M., in the county ofLinn	***************************************	
5. The	40 1.0	
5. The(Canal or pipe line)		
in length, terminating in the(Smallest	legal subdivision) of Sec	, Twp,
R, W. M., the proposed location be		•
6. The name of the well or other works	18. WHILCOMO PARK WATER WELL	NOL
DESCI	RIPTION OF WORKS	
7. If the flow to be utilized is artesian, t supply when not in use must be described.	he works to be used for the control	l and conservation of the
8. The development will consist of	One well (Give number of wells, tunnels, etc.	having a
liameter of6 inches and an estima	ited depth of100 feet. It is	s estimated that
feet of the well will require 6" I.D. Steel		
(Ama)		400
		(; 5070)

~	A	NT.	A T	9.4	CIT	*	PT T			\sim	n	731	m	T.3	•	**		<u>'</u>	
u.	n	ANA.	^1		O		11	עוני	1 · '	v	n.	_	12	E.	1	ы	۷г		

	adgate: width on top	(at water li	ne)		feet; width on bottor
					feet fall per on
rousand feet.					19 19 19 19 19 19 19 19 19 19 19 19 19 1
•	mile	s from head	gate: width on top (at water line)
	# !		- <u>-</u> .		, fee
	feet fall pe				·
			•	in.: in	size at fi
			•		ce in elevation betwee
					Estimated capacity
		ve size and t	ype deep-well	centrifuga	1-jet pump. 1200
Give horse	epower and type of	motor or ena	ine to be usedL	gas -5.	3 h.p.
11 7642.	laantion of the small	************************	b d 1		
natural stream	or stream channel,	give the dist	tance to the nearest	point on eac	n one-fourth mile from h of such channels and
ie difference in	elevation between t		_	•	source of developmen
				nool alama	tion.
Approx. 500	ft. from Green P	eter Reser	voir at maximum	boot erea	O TOIL .
pprox. 500	ft. from Green P	eter Reser	voir at maximum	poor ereva	
pprox. 500	ft. from Green P	eter Reser		poor ereva	
		. o:			
		. o:	``	rrigation	Number Acres To Be Irrigated
12. Locate	ion of area to be irri Range E. or W. of	gated, or pla	ce of use No i	rrigation	Number Acres To Be Irrigated
12. Locate	ion of area to be irri Range E. or W. of Willamette Meridian	gated, or pla	ce of use No i	rrigation	Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	gated, or pla Section 25	ce of use No i	rrigation	Number Acres To Be Irrigated
12. Locate Township N. or S. 12 S. 12 S.	Range E. or W. of Willamette Meridian 2 E. 3 E.	gated, or pla Section 25	rorty-acre Trace Forty-acre Trace F/SE ¹ / ₄ , & 50 S ¹ / ₂ , SE ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄	rrigation t U/4 5 E/4 SW ¹ 4NE ¹ 4	Number Acres To Be Irrigated
12. Locate Township N. or S. 12 S. 12 S. 12 S.	Range E. or W. of Willamette Meridian 2 E. 3 E. 3 E.	gated, or pla Section 25 30	rorty-acre Trace Forty-acre Trace F/SE ¹ / ₄ , & 50 S ¹ / ₂ , SE ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄	rrigation	Number Acres To Be Irrigated
12. Locate Township N. or S. 12 S. 12 S. 12 S.	Range E. or W. of Willamette Meridian 2 E. 3 E. 3 E.	gated, or pla Section 25 30	rorty-acre Trace Forty-acre Trace F/SE ¹ / ₄ , & 50 S ¹ / ₂ , SE ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄	rrigation t U/4 5 E/4 SW ¹ 4NE ¹ 4	Number Acres To Be Irrigated
12. Locate Township N. or S. 12 S. 12 S. 12 S.	Range E. or W. of Willamette Meridian 2 E. 3 E. 3 E.	gated, or pla Section 25 30	rorty-acre Trace Forty-acre Trace F/SE ¹ / ₄ , & 50 S ¹ / ₂ , SE ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄	rrigation t U/4 5 E/4 SW ¹ 4NE ¹ 4	Number Acres To Be Irrigated
12. Locate Township N. or S. 12 S. 12 S. 12 S.	Range E. or W. of Willamette Meridian 2 E. 3 E. 3 E.	gated, or pla Section 25 30	rorty-acre Trace Forty-acre Trace F/SE ¹ / ₄ , & 50 S ¹ / ₂ , SE ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄	rrigation t U/4 5 E/4 SW ¹ 4NE ¹ 4	Number Acres To Be Irrigated
12. Locate Township N. or S. 12 S. 12 S. 12 S.	Range E. or W. of Willamette Meridian 2 E. 3 E. 3 E.	gated, or pla Section 25 30	rorty-acre Trace Forty-acre Trace F/SE ¹ / ₄ , & 50 S ¹ / ₂ , SE ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄	rrigation t U/4 5 E/4 SW ¹ 4NE ¹ 4	Number Acres To Be Irrigated
12. Locate Township N. or S. 12 S. 12 S. 12 S.	Range E. or W. of Willamette Meridian 2 E. 3 E. 3 E.	gated, or pla Section 25 30	rorty-acre Trace Forty-acre Trace F/SE ¹ / ₄ , & 50 S ¹ / ₂ , SE ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄	rrigation t U/4 5 E/4 SW ¹ 4NE ¹ 4	Number Acres To Be Irrigated
12. Locate Township N. or S. 12 S. 12 S. 12 S. 12 S.	Range E. or W. of Willamette Meridian 2 E. 3 E. 3 E.	gated, or pla Section 25 30	rorty-acre Trace Forty-acre Trace F/SE ¹ / ₄ , & 50 S ¹ / ₂ , SE ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄	rrigation t U/4 5 E/4 SW ¹ 4NE ¹ 4	Number Acres To Be Irrigated
12. Locate Township N. or S. 12 S. 12 S. 12 S.	Range E. or W. of Willamette Meridian 2 E. 3 E. 3 E.	gated, or pla Section 25 30	rorty-acre Trace Forty-acre Trace F/SE ¹ / ₄ , & 50 S ¹ / ₂ , SE ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄	rrigation t U/4 5 E/4 SW ¹ 4NE ¹ 4	Number Acres To Be Irrigated
12. Locate Township N. or S. 12 S. 12 S. 12 S. 12 S.	Range E. or W. of Willamette Meridian 2 E. 3 E. 3 E.	gated, or pla Section 25 30 31 36	rorty-acre Trace Forty-acre Trace F/SE ¹ / ₄ , & 50 S ¹ / ₂ , SE ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄	rrigation t U/4 5 E/4 SW ¹ 4NE ¹ 4	Number Acres To Be Irrigated
12. Locati Township N. or S. 12 S. 12 S. 12 S. 12 S.	Range E. or W. of Willamette Meridian 2 E. 3 E. 3 E.	gated, or pla Section 25 30 31 36	Forty-acre Trace Forty-acre Trace Figse 1 50 S1 SE 1 N NW1	rrigation t U/4 5 E/4 SW ¹ 4NE ¹ 4	Number Acres To Be Irrigated

in	сог	ınty, having	a present po	pulation of	***************************************	******************************
and an estimated pop	pulation of		in 19			•
. IU		!		D 18 IN ALL	CASES	
The Residence of				,	·	
214. Estimated			·			
15. Constructi	on work will b	egin on or b	efore1S	ept1970	T.C	
16. Constructi	on work will b	e completed	on or before	lMarch	1971	\
					-	March 1971
18. If the grocation for permit, p						identify any appl ide or held by th
applicant.		•••••••••				
			By: Ditte	H Bhear		
				•	•	Estate Divis
	Water gunn	ar fon the		(81)	nature of applicant	t)
Remarks:			TOTTOMTHE	TOCTTICIE		·
	40 Ca	ump Units	· · · · · · · · · · · · · · · · · · ·	***************************************		
	50 P	icnic Unit	8			
	Boat	facility				
	The capacit	ty will be	required	for two flu	sh Comfort	Stations
	hammern over	for devel	onment wit	hin three s	reams.	*************************
	PT ORT COMICA.	.# <i>\</i> .##\.\.\	.v.pjiicii.vn.z.v		NOMA D. S.	,
		••••••••••				
		•••••				
				•••••		
			+ 17 } 			
F		ï				
		·····	***************************************	***************************************		T F
		•••••••	***************************************	,		
STATE OF OREGO						
County of Marion) ss.					
This is to cert	ify that I have	examined	the foregoin	application,	together with	the accompanyi
maps and data, and i						
maps und duid, und 1	ciain ine sam	KRIIIKW 10[3	~#.V####A			•••••••
	••••••			••••••••	***************************************	
In order to ret	ain its priority	, this applic	ation must b	e returned to	the State En	gineer, with corre
tions on or before			, 19. 70			RECEIV
•	December 9t January 25t		71		ST	NOV 3 0 197
						ATE ENGIN
WITNESS my	hand this	th i	of	October		
		24th		November		70
ECEIVED	_			,		
	FA E		CHE	IS.L. WHEE	LER	
OCT 28 1970 FE ENGINEER	W C U	FIVE				STATE ENGINEER

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		∄ # _		r which can be applied to beneficial use ed at the point of diversion from the well	r
or source of	f appropriation, or its	s equivalent in case (of rotation w	ith other water users, from 1 well	
The t	· • • .	er is to be applied is	general	park use including camp	
		onriation shall be lin	ited to	of one cubic foot per second	
				ted to a diversion of not to exceed	
		-	•	eason of each year;	
	••••••	***************************************	- -		
	***************************************	***************************************			
	••••••	***************************************	• • • • • • • • • • • • • • • • • • • •		
***************************************	••••••	***************************************	•	•	
·		••••••			
***************************************		•••••••••••••••••••••••••••••••••••••••			
The a	well shall be cased as	s necessary in accord	lance with g	ordered by the proper state officer. Tood practice and if the flow is artesian ent the waste of ground water.	
The tline, adequate The 1	works constructed sh ate to determine wat	all include an air lir ter level elevation ir l and maintain a we	ie and pressu i the well at ir, meter, or	re gauge or an access port for measuring all times. r other suitable measuring device, and	
The 1	priority date of this 1	permit isJune 3,	1970		
Actu	al construction work	shall begin on or be	foreMarg	ch15,1974 and shall	
thereafter i	be prosecuted with 1	reasonable diligence	and be com	pleted on or before October 1, 1974	
Com	plete application of th	he water to the propo	sed use shall	l be made on or before October 1, 1975	
WIT	NESS my hand this.	15th day of	March	, 19.73	
	a	÷	<u>O</u>	STATE ENGINEER	8 m f
		% £ î	1 :		
Application No. G-SLOS	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the ice of the State Engineer at Salem, Oregon, the ZCd day of LNR.	urned to applicant:	Proved: March 15, 1973 Recorded in book No. Ound Water Permits on page CHRIS L. WHEELER Prainage Basin No. Z. page //Z The state engineer	