

RECEIVED
JUN 10 1970
STATE ENGINEER
SALEM OREGON

Permit No. G-5077

46974

APPLICATION FOR A PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 27

To appropriate the Ground Waters of the State of Oregon

I, LLOYD HILL
(Name of applicant)
of 2825 DIAMOND BURNS, county of HARNEY,
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated SILVIES RIVER
(Name of stream)
tributary of MALHEUR LAKE

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 1500 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION SUPPLEMEN

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the _____ corner of _____
(N. or S.) (E. or W.)
(Section or subdivision)
4077 FEET S. 45° 55' E. FROM Northwest corner
(If preferable, give distance and bearing to section corner)
of SECTION 16 TWP. 23 S. R. 31 E. W. M.
(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SE 1/4 of Sec. 16, Twp. 23 S., R. 31 E., W. M., in the county of HARNEY

5. The DITCHES to be ABOUT 3 1/2 miles
(Canal or pipe line)
in length, terminating in the SE 1/4 SE 1/4 of Sec. 16, Twp. 31 S., R. 31 E., W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is LLOYD HILL No 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ON WELL having a
(Give number of wells, tunnels, etc.)
diameter of 12 inches and an estimated depth of 400 feet. It is estimated that 350 feet of the well will require STEEL casing. Depth to water table is estimated 4
(Kind) (Feet)

12033

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 10 INCH PEERLESS

Give horsepower and type of motor or engine to be used 25 HORSE POWER ELECTRIC

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use HARNEY

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
23 S	31 E	16	NW 1/4 NE 1/4	8.00
23 S	31 E	16	NE 1/4 NE 1/4	38.00
23 S	31 E	16	SW 1/4 NE 1/4	8.00
23 S	31 E	16	SE 1/4 NE 1/4	40.00
23 S	31 E	16	NW 1/4 SE 1/4	40.00
23 S	31 E	16	NE 1/4 SE 1/4	40.00
23 S	31 E	16	SW 1/4 SE 1/4	40.00
23 S	31 E	16	SE 1/4 SE 1/4	40.00
				254

(If more space required, attach separate sheet)

Character of soil SANDY LOAM

Kind of crops raised HAY AND PASTURE

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 10,000
- 15. Construction work will begin on or before JULY 1970
- 16. Construction work will be completed on or before SEPTEMBER 1970
- 17. The water will be completely applied to the proposed use on or before JULY 1973
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Supplement

Lloyd H. Hill
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or beforeSeptember 9th....., 1970....

WITNESS my hand this9th..... day ofJuly....., 19 70..

RECEIVED
AUG 31 1970
STATE ENGINEER
SALEM OREGON

.....CHRIS L. WHEELER.....
STATE ENGINEER
By *Wayne J. Overcash*
Wayne J. Overcash ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.18 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well #2

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 10, 1970

Actual construction work shall begin on or before March 15, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974

Complete application of the water to the proposed use shall be made on or before October 1, 1975

WITNESS my hand this 15th day of March, 1973

Chris L. Wheeler

STATE ENGINEER

A
n.6.

Application No. G-5114
Permit No. G-5077

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 10th day of June
1970, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

March 15, 1973

Recorded in book No. of

Ground Water Permits on page G-5077

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 12 page 34

State Printing

Fee 38.20