

Permit No. G. 5133

PROJETICATE NO. 44631


APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1, Henry O. Odegard
of Route 1, Box 1038 Eugene, county of Lane,
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Amazon (Name of stream) tributary of Fern Ridge Reservoi
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is 17799 Tron
4. The well or other source is located 620 ft. S and 670 ft. W. From the H. Intercorner of Section 13, or (G.S. 851 buried 19" For & Section (Section or subdivision)
County Rds 497 and 701) Corrected location of well
(Section or subdivision) Coverted location of well (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NW45E4 of Sec. 13, Twp. 17, R. 5 West
W. M., in the county of Lane
5. The hat afficient to be miles
in length, terminating in the of Sec, Twp, (Smallest legal subdivision)
R
6. The name of the well or other works is hat affected (G
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
hot applicable
8. The development will consist of One We // having a (Give number of wells, tunnels, etc.)
diameter of
feet of the well will require 1250 Gause & casing. Depth to water table is estimated 63 (Feet)

(b) At	9. (a) Give dimensions at each		1	
(b) At miles from headgate; width on top (at water line) feet; width on bottom feet; depth of water feet; alde jeet fall per one thousand feet. (c) Length of pipe, fit; size at intake in; in size at ft. mintake in; size at place of use in; difference in elevation between ake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft. 10. If pumps are to be used, give size and type \$\sum_{\text{S}} \sum_{\text{S}} \sum	adgate. At headgate: width on top (at water line) .	hat applica	C.Geet; width on bottom
ousand feet. (b) At miles from headgate; width on top (at water line) feet; width on bottom feet; depth of water feet; ade feet fall per one thousand feet. (c) Length of pipe, fit; size at intake in; in size at fit, mintake in; size at place of use in; difference in elevation between take and place of use, fit. Is grade uniform? Sec. ft. 10. If pumps are to be used, give size and type SSGR-SSR Give horsepower and type of motor or engine to be used SALP 240V IPA At efsy Tacut Tazi 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channels, due the distance to the nearest point on each of such channels and edifference in elevation between the stream bed and the ground surface at the source of development Adjunction 12. Location of area to be irrigated, or place of use Colegan of Ranch On Fix Ranch Con Fix Ranch New York Williamste Meetidin 1.7. S. S. W. 13 Yes (1) Adjunction (If more space required, stretch separate sheet)	feet; depth of wate	r	feet; grade	feet fall per one
feet; width on bottom feet; depth of water feet; ade feet fall per one thousand feet. (c) Length of pipe, feet; size at intake fin; in size at fit, on intake fin; size at place of use fin; size at intake fin; in; difference in elevation between take and place of use, feet; feet find for fine and place of use, feet; feet find for fine and take and place of use, feet find for fine and take and place of use, feet find for fine and take and place of use, feet find for fine and take and place of use find fine fine fine fine fine fine fine fine				
feet; width on bottom feet; depth of water feet; ade feet; ade feet fall per one thousand feet. (c) Length of pipe, feet; size at intake in.; in size at ft. om intake in.; size at place of use in.; difference in elevation between take and place of use, ft. Is grade uniform? Estimated capacity, sec. ft. 10. If pumps are to be used, give size and type SGB-SS2 Give horsepower and type of motor or engine to be used SHP 240V If A A fer North and the distance to the nearest point on each of such channels and e difference in elevation between the stream bed and the ground surface at the source of development Authority Agriculated 12. Location of area to be irrigated, or place of use Delegard Ranch out for the feet of	(b) At miles	from headgate:	width on top (at water lin	e)
de feet fall per one thousand feet. (c) Length of pipe, ft; size at intake in; in size at ft. (c) Length of pipe, ft; size at intake in; in size at ft. (c) Length of pipe, ft; size at intake in; in size at ft. (c) Length of pipe, ft; size at intake in; in size at ft. (c) Length of pipe, ft; size at intake in; in size at ft. (c) Length of pipe, ft; size at intake in; in size at ft. (d) If pumps are to be used in; in; difference in elevation between take and place of use, ft. (d) If pumps are to be used, give size and type for size and type for size have a size and type for motor or engine to be used for size ft. (d) If pumps are to be used, give size and type for engine to be used for size ft. (d) If pumps are to be used, give size and type for engine to be used for size ft. (d) If the location of the well, tunnel, or other development work is less than one-fourth mile from a surface of the nearest point on each of such channels and edifference in elevation between the stream bed and the ground surface at the source of development for size	• i.	-	•	,
(c) Length of pipe, ft.; size at intake in.; in size at ft. om intake in.; is size at place of use in.; difference in elevation between take and place of use, ft. Is grade uniform? Estimated capacity, 8ec. ft. 10. If pumps are to be used, give size and type \$556B-5-52 Give horsepower and type of motor or engine to be used \$540 \ Media 194 Media 1. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and edifference in elevation between the stream bed and the ground surface at the source of development 12. Location of area to be irrigated, or place of use Odegand Rauch outing 13. Yes and Williamsets Median Section Fortunate Viset No. 11 11 11 11 11 11 11 11 11 11 11 11 11				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
om intake in.; size at place of use in.; difference in elevation between take and place of use, ft. Is grade uniform? Estimated capacity, sec. ft. 10. If pumps are to be used, give size and type \$\sum_{S} GB - \sum_{S} \sum_{S} 2\$ Give horsepower and type of motor or engine to be used \$\sum_{S} HP \text{ 240V } PA 240V		•		in aine at 84
take and place of use,				·
Sec. ft. 10. If pumps are to be used, give size and type SSGB-S-SS Give horsepower and type of motor or engine to be used SHP 240V 1Ph And to V Tacuzzí 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and redifference in elevation between the stream bed and the ground surface at the source of development and the ground surface at the source of development and the ground surface at the source of development in				•
Give horsepower and type of motor or engine to be used		ft. Is gro	ide uniform?	Estimated capacity,
Give horsepower and type of motor or engine to be used	· ·		12 C/ D 12	0 -
21. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and se difference in elevation between the stream bed and the ground surface at the source of development of the nearest point on each of such channels and se difference in elevation between the stream bed and the ground surface at the source of development of development of the source of development of the s	10. If pumps are to be used, give	size and type .	3-30/3-5	~ 7. S
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and se difference in elevation between the stream bed and the ground surface at the source of development of the nearest point on each of such channels and se difference in elevation between the stream bed and the ground surface at the source of development of development of development of development of development of development of dev				
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Location of area to be irrigated, or place of use 15. Location of area to be irrigated, or place of use 16. Location of area to be irrigated, or place of use 17. S. S. W. J. S. W. J. S. W. J. S. W. S. S. W. J. S. W. S. W. S. W. S. S. W. J. S. W. S. S. W. S. S. W. J. S. W. S. S. W. S. S. W. S. S. W. J. S. W. S. S. W. J. S. W. S. S. S. W. S. S. S. W. S.	1			,
natural stream or stream channel, give the distance to the nearest point on each of such channels and e difference in elevation between the stream bed and the ground surface at the source of development III and the stream bed and the ground surface at the source of development III and the stream bed and the ground surface at the source of development III and the stream bed and the ground surface at the source of development III and the stream bed and the ground surface at the source of development III and the s	motor Jacu	22/	······	
Township E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 17 S 5 W 13 Yes (1) Affirm Meridian New Yes (Test afgelier	.VC		
Township N. or S. W. of Mulamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 17 S S W 13 Ye S (1) NE y S W 49 1.93 Ac Nw by S E by 7.12 Ac 7.05		ted, or place of	use Odegard/	Ranch on Firk
1.93 Ac Nw 4 SE 4 7.12 Ac 9.05	Township E. or W. of	Section	Forty-acre Tract	
1.93 Ac Nw 4 SE 4 7.12 Ac 9.05	175 5 W	13	yes (1)	Approx 15
Nw 4 SE 4 7,12 A 7,05 (If more space required, attach separate sheet)			/ /	Ely swly
(If more space required, attach separate sheet)				1.93 Ac
(If more space required, attach separate sheet)			^//	wy SELY
(If more space required, attach separate sheet)			•	7/2 A
(If more space required, attach separate sheet)				9.05
(If more space required, attach separate sheet)			y	
(If more space required, attach separate sheet)				
(If more space required, attach separate sheet)	arangan sa kanasan sa 			· · · · · · · · · · · · · · · · · · ·
(If more space required, attach separate sheet)		· · · · · · · · · · · · · · · · · · ·		
\circ \circ \circ		Annual St. 1985 - Annual St. 1		· · · · · · · · · · · · · · · · · · ·
0 / 0 /		****		
\circ \circ \circ				
Character of soil \lambda and \frac{1}{2}		more space required,	attacn separate sneet)	
	Character of soil	1.1 16	\/	
	Kind of crops raised	atoes C	ora Onion	Prunes and

13. To supply the city of county, having a present population of in 19	
ed an estimated population of	***************************************
E-E	
ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL	CASES
14. Estimated cost of proposed works, \$ 2500.	
15. Construction work will begin on or before	9 1970
16. Construction work will be completed on or before SLP	1 10 4970
15. Construction work will begin on or before	or before Supt 10, 1
18. If the ground water supply is supplemental to an existing a	
ition for permit, permit, certificate or adjudicated right to appropri	
oplicant. 2nd applicable	
/	
Remarks: hote: Delay in compt Construction is electrical	, O. Odrgare
Remarks: hote: Delay in Compt	le Trou
Construction is electrical	1 (short on por
digging equipment)	
······································	
TATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have examined the foregoing application,	
aps and data, and return the same for completion	
In order to retain its priority, this application must be returned to	the State Engineer, with correc-
ons on or before November 30th , 19 70	
WITNESS my hand this 30th day of September	, <u>19.70</u>
RECEIVED	•



PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The use to which this water is to be applied isirrigation	per second eed2½
If for irrigation, this appropriation shall be limited to	per second
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to except the formula of the irrigation season of each year;	eed 2½
the well shall be cased as necessary in accordance with good practice and if the flow the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for ine, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring dishall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	
Ind shall be subject to such reasonable rotation system as may be ordered by the proper state of the well shall be cased as necessary in accordance with good practice and if the flow he works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for ine, adequate to determine water level elevation in the well at all times. The printite shall install and maintain a weir, meter, or other suitable measuring dhall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	
The well shall be cased as necessary in accordance with good practice and if the flow the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring deshall keep a complete record of the amount of ground water withdrawn. The priority date of this permit isSeptember 1, 1970	
The well shall be cased as necessary in accordance with good practice and if the flow he works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for ine, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring dishall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 1, 1970	
The well shall be cased as necessary in accordance with good practice and if the flow he works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for ine, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring deshall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	······································
nd shall be subject to such reasonable rotation system as may be ordered by the proper state of The well shall be cased as necessary in accordance with good practice and if the flow he works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for ine, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring dhall keep a complete record of the amount of ground water withdrawn. The priority date of this permit isSeptember 1, 1970	
The well shall be cased as necessary in accordance with good practice and if the flow he works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for me, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring dhall keep a complete record of the amount of ground water withdrawn. The priority date of this permit isSeptember 1, 1970	•••••
The well shall be cased as necessary in accordance with good practice and if the flow ne works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for ne, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring detall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 1, 1970.	
The well shall be cased as necessary in accordance with good practice and if the flow ne works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for ne, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring detall keep a complete record of the amount of ground water withdrawn. The priority date of this permit isSeptember 1, 1970	······································
The works constructed shall include an air line and pressure gauge or an access port for ne, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring detail keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 1, 1970	ficer.
The works constructed shall include an air line and pressure gauge or an access port for ne, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring detall keep a complete record of the amount of ground water withdrawn. The priority date of this permit isSeptember 1, 1970	is artesian
The permittee shall install and maintain a weir, meter, or other suitable measuring detail keep a complete record of the amount of ground water withdrawn. The priority date of this permit isSeptember 1, 1970	measuring ∻
The priority date of this permit isSeptember 1, 1970	
Actual construction work shall begin on or beforeMarch 15, 1974	and shall
ereafter be prosecuted with reasonable diligence and be completed on or before October 1	
Complete application of the water to the proposed use shall be made on or before October	
WITNESS my hand this 15th day of March ,1973	-, -v
ohn Kahal	
STATE	ENGINEER
Application No. G-5.3C2. Permit No. G-5.3C2. PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon, on the ISA adv of Spice of the State Engineer at Salem, Oregon, on the ISA at Clook O'clock M. Returned to applicant: Returned to applicant: Recorded in book No. of Cround Water Permits on page G 5133	Ø SEER
DUNI DUNI DUNI DUNI DI N. Or M. Or M. C. M	// 9
IRMIT IATE THE GRO OREGON OREGON OF THE STATE OREGON OF THE STATE OREGON OF THE STATE OREGON INGINEER AS SALEM INT: INT: INT: INT: INT: INT: INT: INT:	раде.
S133 S133 S133 S133 SEGON THE STA SEGON THE	N 2
No. G. 51: PERMIT PERMIT PRIATE THE OF OREGON day of	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
PERIA PERIA PERIA MARIA OI OF O.	. 1 .0
PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in office of the State Engineer at Salem, Ore on the LST day of Specifical Day Returned to applicant: Approved: March 15, 1973 Recorded in book No. CHRIS L. WHEELER	sin No
App Per Per Per N. W. W. W. W. W. M. App N. M.	e Basin No
This in. This in. Office of th on the \(\subseteq \) at. Returned th Recorda Ground W.	Prainage Basin No.