

Permit No. G-5142

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, E. B. Splawn (Name of applicant) 97446
of P. O. Box 234, Harrisburg, Oregon, county of Lane,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

None

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 786 gallons per minute. See Remarks Section for application data for applied water by Well Number

3. The use to which the water is to be applied is Sprinkler Irrigation

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the corner of See attached sheets related to question 4, showing well
(N. or S.) (E. or W.)
location by aerial photos; and see remarks for detailed written well locations.
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the _____ of Sec. 9 & 16 Twp. 15 S., R. 4 W., W. M., in the county of Lane

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 5 separate wells having a diameter of 6 inches and an estimated depth of 28 feet. It is estimated that 28 feet of the well will require steel casing. Depth to water table is estimated 10 ft.
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Four 30hp Jacuzzi Centrifugal, and for Standby - One 15hp Cornell Centrifugal

Give horsepower and type of motor or engine to be used Four 30hp Electric and One - 15hp Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well #1	700 ft. from river	10 ft. above stream surface
#2	1000 ft. from river	10 ft. " " "
#3	1150 ft. from river	10 ft. " " "
#4	600 ft. from river	10 ft. " " "
#5	20 ft. from river	10 ft. " " "

12. Location of area to be irrigated, or place of use Across River From Harrisburg, Oregon

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Well No.
15 S	4 W	9	SWSE	6.58 6.57	4 ✓
15 S	4 W	9	SESW	3.88	4 ✓
15 S	4 W	16	NENW	6.65 6.65	4 ✓
15 S	4 W	16	NENW	2.30	1 ✓
15 S	4 W	16	SESW	9.58	1 ✓
15 S	4 W	16	SWNE	17.30	1 ✓
15 S	4 W	16	NESW	0.40	1 ✓
15 S	4 W	16	NWNE	19.10	4 ✓
15 S	4 W	16	NWNE	5.23	1 ✓
15 S	4 W	9	NESW	3.56	3 ✓
15 S	4 W	9	NESW	26.48	2 ✓
15 S	4 W	9	NWSW	9.71	2 ✓
15 S	4 W	9	NWSW	5.00	3 ✓
15 S	4 W	9	SESW	1.37	3 ✓
15 S	4 W	9	SWNW	22.46	3 ✓
15 S	4 W	8	SENE	0.68	3 ✓

(If more space required, attach separate sheet)

Total Acres ~~140.18~~
140.17

Character of soil Sandy Loam

Kind of crops raised Row Crops

Ch. Dec. 29, 1970

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 12,600.....
- 15. Construction work will begin on or before O. B. Nye Date Last Well 1969 1st Well 1960 or 1961
- 16. Construction work will be completed on or before Completed.
- 17. The water will be completely applied to the proposed use on or before June 1970
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

Mrs. Edward B. Spelman
(Signature of applicant)

Remarks:

The specific amount of water being applied for from each well is as listed herein. Well No. 1, 196 g.p.m.; Well No. 2, 203 g.p.m.; Well No. 3, 186 g.p.m.; Well No. 4, 201 g.p.m.; Well No. 5 will be used only to supplement any water deficiency in Wells No. 1 or 4.
A total of 786 g.p.m.

Being within the NE 1/4 of the SW 1/4 of Sec. 9, Twp. 15 S., R. 4 W., W.M.
Well #3 is located 60 ft. N. and 733 ft. E. from the W. 1/2 corner of Sec. 9
Being within the SW 1/4 of the NW 1/4 of Sec. 9, Twp. 15 S., R. 4 W., W.M.
Well #4 is located 175 ft. N. and 138 ft. E. from the S. 1/2 corner of Sec. 9
Being within the SW 1/4 of the SE 1/4 of Sec. 9, Twp. 15 S., R. 4 W., W.M.
Well #5 is located 1132 ft. S. and 907 ft. E. of the N. 1/2 corner of Sec. 16
Being within the NW 1/4 of the NE 1/4 of Section 16, Twp. 15 S., R. 4 W., W.M.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~December 7th~~, 19 ~~70~~
February 1st 71

WITNESS my hand this ~~6th~~ day of ~~October~~, 19 ~~70~~
30th November 70

RECEIVED
DEC 4 1970
STATE ENGINEER
SALEM, OREGON

RECEIVED
OCT 28 1970
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Larry W. Jebousek*
Larry W. Jebousek ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.75 cubic feet per second measured at the point of diversion from the well

or source of appropriation, or its equivalent in case of rotation with other water users, from 5 wells being 0.44 cfs from #1, 0.45 cfs from #2, 0.41 cfs from #3, 0.45 cfs from #4, with any deficiency in available supply from Wells #1 and #4 to be made up by appropriation from Well #5 provided the total quantity appropriated from the 3 wells shall not exceed 0.89 cfs.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 18, 1970

Actual construction work shall begin on or before March 15, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974

Complete application of the water to the proposed use shall be made on or before October 1, 1975

WITNESS my hand this 15th day of March, 1973

Chris L. Wheeler

STATE ENGINEER

F. B.

Application No. G-5317
Permit No. G-5142

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of Sept. 1970, at 8 o'clock A. M.

Returned to applicant:

Approved:

March 15, 1973

Recorded in book No. G 5142 of Ground Water Permits on page

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. R page 119

Ans 3255

0.05 short