

Permit No. G- 5146

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

WE, Lloyd Ray Golbek and	/or Carol D. Golbek (Name of applicant)
of Rt.2, Box 809A, Klamath Falls	97601 county of Klamath,
state of Oregon , do following described ground waters of the state of	o hereby make application for a permit to appropriate the of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date	and place of incorporation .
	the well, tunnel or other source of water development is
situated Lost River	(Name of stream)
	tributary of
	ant intends to apply to beneficial use is 1.14 cubic
3. The use to which the water is to be app	plied is Irrigation
corner of N 46° 27' W - 3905 feet	ft and ft from the from the Southeast Corner of (Section or subdivision) W.M. stance and bearing to section corner)
(If preferable, give dis	
	must be described. Use separate sheet if necessary) of Sec. 23, Twp. 38.S., R. 10.E.,
W. M., in the county of Klamath	
5. The Main Canal	to be 0.5 miles
in length, terminating in the $\frac{SW_{\frac{1}{4}}^{\frac{1}{4}}-NW_{\frac{1}{4}}^{\frac{1}{4}}}{(Smallest leg}$	of Sec. 23 , Twp. 38 S.,
R. 10 E., W. M., the proposed location being	g shown throughout on the accompanying map.
6. The name of the well or other works is	Carl Well (See Cert. # 35150)
DESCRI	PTION OF WORKS
7. If the flow to be utilized is artesian, the supply when not in use must be described.	e works to be used for the control and conservation of the
N.A.	
8. The development will consist of	one well having a (Give number of wells, tunnels, etc.)
diameter of inches and an estimat	150 for details) feet. It is estimated that
feet of the well will require(Kind)	casing. Depth to water table is estimated 101/104
	2 A * * A . A . A

	EM OR PIPE LINI ive dimensions at e		canal where materially c	$oldsymbol{G}$ $oldsymbol{5146}$ hanged in size, stating miles fro
			***	feet; width on botton
)	2.7 feet fall per on
thousand feet.	,	1		
(b) At	Same mi	les from head	lgate: width on top (at v	vater line)
	1			of water fee
and the second second second	feet fall p		the state of the s	
(c) Leng	th of pipe, N.A.	ft.;	size at intake	in.; in size at f
1		,		difference in elevation betwee
intake and plac	e of use,	ft.	Is grade uniform?	Estimated capacity
	sec. ft.			
10. If pu	nps are to be used, ç	give size and t	ype 12" Deep We	ell Turbine
		•••••		······································
Give hors	epower and tupe of	motor or end	gine to be used 100	HP direct connected
	1 31	•		
VHS elect	ric motor location of the well	l, tunnel, or o	ther development work i	s less than one-fourth mile fron
VHS elect 11. If the a natural stream	ric motor location of the well or stream channel	l, tunnel, or or l, give the dis	ther development work i	
VHS elect 11. If the a natural stream the difference in	ric motor location of the well or stream channel	l, tunnel, or or l, give the dis	ther development work i	s less than one-fourth mile fron nt on each of such channels and
VHS elect 11. If the a natural stream the difference in N.A.	ric motor location of the well n or stream channel n elevation between	l, tunnel, or or l, give the dis the stream, b	ther development work i	s less than one-fourth mile from nt on each of such channels and ce at the source of developmen
VHS elect 11. If the a natural stream the difference in N.A.	ric motor location of the well n or stream channel n elevation between	l, tunnel, or or l, give the dis the stream, b	ther development work i tance to the nearest point ed, and the ground surfa	s less than one-fourth mile from nt on each of such channels and ce at the source of developmen
VHS elect 11. If the a natural stream the difference in N.A. 12. Locat	location of the well n or stream channel n elevation between ion of area to be irr	l, tunnel, or or l, give the dis the stream, b	ther development work i tance to the nearest point ed, and the ground surface of use	s less than one-fourth mile from nt on each of such channels and ce at the source of developmen Number Acres
VHS elect 11. If the a natural stream the difference in N.A. 12. Locat	location of the well n or stream channel n elevation between ion of area to be irr Range E. or W. of Willamette Meridian	l, tunnel, or or l, give the dis the stream, b	ther development work is tance to the nearest point ed, and the ground surface of use	s less than one-fourth mile from nt on each of such channels and ce at the source of developmen Number Acres To Be Irrigated
VHS elect 11. If the a natural stream the difference in N.A. 12. Locat	location of the well n or stream channel n elevation between ion of area to be irr Range E. or W. of Willamette Meridian	l, tunnel, or or l, give the dis the stream, b	ther development work is tance to the nearest point ed, and the ground surface of use Forty-acre Tract	S less than one-fourth mile from nt on each of such channels and ce at the source of developmen Number Acres To Be Irricated 22.0 Acres 9.0
VHS elect 11. If the a natural stream the difference in N.A. 12. Locat	location of the well n or stream channel n elevation between ion of area to be irr Range E. or W. of Willamette Meridian	l, tunnel, or or l, give the dis the stream, b	ther development work is tance to the nearest point ed, and the ground surface of use Forty-acre Tract $NE\frac{1}{4}-NW\frac{1}{4}$ $NW\frac{1}{4}-NW\frac{1}{4}$	s less than one-fourth mile from nt on each of such channels and ce at the source of developmen Number Acres To Be Irrigated 22.0 Acres
VHS elect 11. If the natural stream the difference in N.A. 12. Locat	location of the well n or stream channel n elevation between ion of area to be irr Range E. or W. of Willamette Meridian	l, tunnel, or or l, give the dis the stream, b	ther development work is tance to the nearest point ed, and the ground surface of use Forty-acre Tract NE 1/4 - NW 1/4 NW 1/4 - NW 1/4 SW 1/4 - NW 1/4 SW 1/4 - NW 1/4	S less than one-fourth mile from nt on each of such channels and ce at the source of developmen Number Acres To Be Irrigated 22.0 Acres 9.0 31.4 28.9
VHS elect 11. If the a natural stream the difference in N.A. 12. Locat	location of the well n or stream channel n elevation between ion of area to be irr Range E. or W. of Willamette Meridian	l, tunnel, or or l, give the dis the stream, b	ther development work is tance to the nearest point ed, and the ground surface of use Forty-acre Tract NE 1/4 - NW 1/4 NW 1/4 - NW 1/4 SW 1/4 - NW 1/4 SW 1/4 - NW 1/4	Number Acres To Be Irrigated 22.0 Acres 9.0 31.4
VHS elect 11. If the a natural stream the difference in N.A. 12. Locat	location of the well n or stream channel n elevation between ion of area to be irr Range E. or W. of Willamette Meridian	l, tunnel, or or l, give the dis the stream, b	ther development work is tance to the nearest point ed, and the ground surface of use Forty-acre Tract NE 1/4 - NW 1/4 NW 1/4 - NW 1/4 SW 1/4 - NW 1/4 SW 1/4 - NW 1/4	S less than one-fourth mile from nt on each of such channels and ce at the source of developmen Number Acres To Be Irrigated 22.0 Acres 9.0 31.4 28.9
VHS elect 11. If the a natural stream the difference in N.A. 12. Locat	location of the well n or stream channel n elevation between ion of area to be irr Range E. or W. of Willamette Meridian	l, tunnel, or or l, give the dis the stream, b	ther development work is tance to the nearest point ed, and the ground surface of use Forty-acre Tract NE 1/4 - NW 1/4 NW 1/4 - NW 1/4 SW 1/4 - NW 1/4 SW 1/4 - NW 1/4	S less than one-fourth mile from nt on each of such channels and ce at the source of developmen Number Acres To Be Irrigated 22.0 Acres 9.0 31.4 28.9
11. If the a natural stream the difference in N.A.	location of the well n or stream channel n elevation between ion of area to be irr Range E. or W. of Willamette Meridian	l, tunnel, or or l, give the dis the stream, b	ther development work is tance to the nearest point ed, and the ground surface of use Forty-acre Tract NE 1/4 - NW 1/4 NW 1/4 - NW 1/4 SW 1/4 - NW 1/4 SW 1/4 - NW 1/4	S less than one-fourth mile from nt on each of such channels and ce at the source of developmen Number Acres To Be Irrigated 22.0 Acres 9.0 31.4 28.9

(If more space required attach separate shoot

Character of soil Sandy Loam

Kind of crops raised Cereals, Legumes, Row Crops, & Pasture Grasses

MUNICIPAL SUPPLY—		G 5146
13. To supply the city of		
in county, hav	ving a present population of	
and an estimated population of	in 19	
ANSWER QUESTIONS	14, 15, 16, 17 AND 18 IN ALL CA	ASES
74. Estimated cost of proposed works	s. s. 6500	
15. Construction work will begin on c		rilled (See Cent #3515
16. Construction work will be comple		71.
17. The water will be completely app	olied to the proposed use on or b	pefore October 1, 1977
18. If the ground water supply is su ation for permit, permit, certificate or a	upplemental to an existing wat adjudicated right to appropriate	er supply, identify any appli- water, made or held by the
pplicant. N.A.	······	
	1 2	
	x Houd Ray	ture of applicant)
Remarks:		olves
	·	
······		
	•••••	
	••••••	
	······································	
•		
	······································	
$TATE \ OF \ OREGON,$ $Ss.$		·
This is to certify that I have examine	ed the foregoing application, tog	gether with the accompanying
naps and data, and return the same for		
		~ ~
In order to retain its priority, this app		e State Engineer, with correc-
	, 19	
ons on or before		
ons on or before		
·	ıy of	19
WITNESS my hand this da	ıy of	19
	ıy of	, 19

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from Carl Well The use to which this water is to be applied is _____irrigation or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is March 9, 1973 Actual construction work shall begin on or before April 23, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19....74...
CExtended to Oct. 1, 1976 Complete application of the water to the proposed use shall be made on or before October 1, 19.75 Extended to Oct. 1, 1976,..., 19...... WITNESS my hand this day of Lisa Can STATE ENGINEER office of the State Engineer at Salem, Oregon STATE ENGINEER This instrument was first received in APPROPRIATE THE GROUND Z WATERS OF THE STATE CHRIS L, WHEELER pageApplication No. G-...(20 T Ground Water Permits on page OREGON 8:00 o'clock Recorded in book No. Basin No. on the 944 day of Returned to applicant: No. G-. OF Permit

, at

1923,

TO

Approved.