

RECEIVED
JUN 20 1972
STATE ENGINEER
SALEM OREGON

Permit No. G-5157

CERTIFICATE NO. 43220

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Don Cline (Name of applicant)
of Route 2 Box 174 Woodburn, county of Clackamas,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Na. Rook Creek
(Name of stream)

tributary of Rudding River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second or 47.5 gallons per minute.

3. The use to which the water is to be applied is irrigation of potted nursery stock

4. The well or other source is located S 22° 50' W 335.2 feet
200.0 ft. K S and 130.0 ft. N from the N. 1/4
(N. or S.) (E. or W.)
corner of Section 19, T. 5 S., R. 1 E., Willamette Meridian
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of the NW 1/4 of Sec. 19, Twp. 5 S., R. 1 E.,
W. M., in the county of Clackamas

5. The Pipe-Line (Canal or pipe line) to be 120 feet ~~width~~
in length, terminating in the NE 1/4 of the NW 1/4 of Sec. 19, Twp. 5 S.,
(Smallest legal subdivision)
R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Na. _____

8. The development will consist of 1-Well (Give number of wells, tunnels, etc.) having a diameter of 5 inches and an estimated depth of 47 feet. It is estimated that 47 feet of the well will require steel casing. Depth to water table is estimated 10
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 5157

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 210 ft.; size at intake 2 in.; in size at 90 ft. from intake 1 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 0 ft. Is grade uniform? yes Estimated capacity, 0.04 sec. ft.

10. If pumps are to be used, give size and type Jacuzzi Jct. Pump Type A
 2" inlet 1 1/4" outlet

Give horsepower and type of motor or engine to be used General Electric Co.
 1 1/2 H.P. 220 Volt Single Phase

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Na.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 S	1 E	19	NE 1/4 of NW 1/4	7/10

(If more space required, attach separate sheet)

Character of soil Willamette
 Kind of crops raised Nursery stock

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 578.13
- 15. Construction work will begin on or before May 1, 1969
- 16. Construction work will be completed on or before May 1, 1969
- 17. The water will be completely applied to the proposed use on or before June 11, 1972
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Don Cline
(Signature of applicant)

Remarks: Irrigation is used from approximately the 1st of May to the 1st of November, depending on the weather. Seven-Heads are run at a time for approximately 20 to 30 minutes. It takes two hours to water the crop each day, consuming a total of 2100 gallons of water per day.

The well was on the property when we bought and we have no knowledge of who constructed the well or when.

Don Cline (M)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 11, 1972.

WITNESS my hand this 17th day of July, 1972

RECEIVED
JUL 21 1972
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Thomas E. Shook*
Thomas E. Shook ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.01..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well #1.....

The use to which this water is to be applied isirrigation.....

If for irrigation, this appropriation shall be limited to1/80..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...2 1/2... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.


The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isJune 20, 1972.....

Actual construction work shall begin on or beforeMay 29, 1974..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974.....

Complete application of the water to the proposed use shall be made on or before October 1, 1975.....

WITNESS my hand this29th... day ofMay....., 1973



STATE ENGINEER

Application No. G- 5824
Permit No. G- G 5157

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 20th day of June
1972, at 11:10 o'clock A. M.

Returned to applicant:

Approved:

May 29, 1973

Recorded in book No. of
Ground Water Permits on page G 5157

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 127