ASSIGNED, See Miss. Rec., Vol. 5 Page 392

Superseded by 57487

CERTIFICATE NO. 1253

Permit No. G. G. 5174

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Norman Been	ne of applicant)	
PO. Box 626 Pendle	Ton, county of Man atile	<u></u>
ate of, do here dlowing described ground waters of the state of Ore	by make application for a permit to appr gon, SUBJECT TO EXISTING RIGHTS	ropriate the S:
If the applicant is a corporation, give date and p	j. 75	
1. Give name of nearest stream to which the v	vell, tunnel or other source of water dev	elopment is
tuated Umatilla Rive	ne or stream)	
***************************************	tributary of Columbia	Kiver
2. The amount of water which the applicant in set per second or	itends to apply to beneficial use is	cubic
3. The use to which the water is to be applied	is sprinkler irrigation	7
For postare & ton	- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-	<b>=</b> £.,
4. The well or other source is located 170 f	t N and 460 ft. W. from	the SE
orner of The NW/408the Swa	Hor Sec 2, 2N R.33 E	w.M.
(If there is more than one well, each must be	described. Use separate sheet if necessary)	
(If there is more than one well, each must be eing within the N.W., 1/4 5 W/4	described. Use separate sheet if necessary) of Sec, Twp2.M, R	. 33 E,
(If there is more than one well, each must be eing within the N.W. 1/4 5 W/4  7. M., in the county of	described. Use separate sheet if necessary) of Sec, Twp2.M, R	
(If there is more than one well, each must be ring within the N.W. 14 5 W 4  7. M., in the county of Amalila.  5. The (Canal or pipe line)	described. Use separate sheet if necessary) of Sec, Twp2.M, R	miles
(If there is more than one well, each must be ring within the N.W. /4 S W /4  7. M., in the county of	described. Use separate sheet if necessary)  of Sec, Twp2.M, R  to be	miles
(If there is more than one well, each must be ring within the N.W. /4 S W /4  7. M., in the county of	described. Use separate sheet if necessary)  of Sec, Twp2.M, R  to be	miles
(If there is more than one well, each must be ring within the N.W. 1/4 S W 1/4  7. M., in the county of	to be to be throughout on the accompanying map	miles
(If there is more than one well, each must be sing within the N.W. 1/4 S W 4/4  5. M., in the county of (Canal or pipe line)  length, terminating in the (Smallest legal subdiv.), W. M., the proposed location being shown.  6. The name of the well or other works is .  DESCRIPTION  7. If the flow to be utilized is artesian, the works.	to be to be fision.  Two of Sec	,
(If there is more than one well, each must be sing within the N.W. //4 S W //  7. M., in the county of	described. Use separate sheet if necessary)  of Sec. 2, Twp. 2N, R  to be  of Sec. , Twp.  of Sec. , Twp.  wn throughout on the accompanying map  of Sec. , Twp.  NOF WORKS  cs to be used for the control and conserve	miles, ation of the
(If there is more than one well, each must be sing within the N.W. 1/4 S W 4/4  7. M., in the county of	described. Use separate sheet if necessary)  of Sec. 2, Twp. 2N, R  to be  to be  of Sec, Twp.  of Sec, Twp.  vision)  what throughout on the accompanying map  The Been well  N OF WORKS  cs to be used for the control and conserved  sed from the we	ation of the
(If there is more than one well, each must be sing within the N.W. 1/4 5 W/4  7. M., in the county of	described. Use separate sheet if necessary)  of Sec. 2, Twp. 2N, R  to be  to be  of Sec, Twp.  wiston)  what throughout on the accompanying map  The Been well  NOF WORKS  cs to be used for the control and conserved  sed from the we  Sec 2, N B	ation of the
(If there is more than one well, each must be sing within the N.W. 1/4 S W 4/4  7. M., in the county of	described. Use separate sheet if necessary)  of Sec. 2, Twp. 2N, R  to be  to be  of Sec, Twp.  wiston)  what throughout on the accompanying map  The Been well  NOF WORKS  cs to be used for the control and conserved  sed from the we  Sec 2, N B	ation of the
(If there is more than one well, each must be eing within the N.W. 1/4 S W 4/4  7. M., in the county of	described. Use separate sheet if necessary)  of Sec. 2, Twp. 2N, R  to be  to be  of Sec, Twp.  wn throughout on the accompanying map  NOF WORKS  cs to be used for the control and conserve  sed from The we  Sec 2 N B  Mc Wells, tunnels, etc.)	ation of the
(If there is more than one well, each must be eing within the N.W. 1/4 S W/4  7. M., in the county of	described. Use separate sheet if necessary)  of Sec. 2. Twp. 2N., R  to be  to be  of Sec. Twp.  of Sec. Twp.  NOF WORKS  cs to be used for the control and conserved to be used for the control and conserved to be used.  Sec. 2. N. R  Of Sec. The we  Sec. 2. N. R  Of Sec. The we  Sec. 2. N. R  Of Sec. The we  of Sec. The we  feet. It is estimated the section of 3.46 feet. It is estimated the	ation of the  1/2 of  3.3 E  having a  nat 60

adgate. At hea			,			
	feet; depth o	of water	feet; g	rade	feet	t fall per
ousand feet.						•
(b) At		miles from he	adgate: width on	top (at water	line)	
•	feet; width	on bottom	fee	t; depth of wa	ter	f
ade	feet fo	all per one thou	sand feet.			
(c) Lengtl	h of pipe,	f	t.; size at intake	in	.; in size at	
om intake	in	ı.; size at place	of use	in.; diffe	rence in elevo	ition betw
ake and place	of use,	ft.	Is grade uniform	n?	Estim	ated capac
***************************************	sec. ft.					
Give horse		•	ngine to be used			
atural stream	or stream char elevation betw	nnel, give the o veen the stream	other development listance to the ne bed and the grow	arest point on und surface at	each of such the source of	channels developn
atural stream difference in  12. Locati	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developm
natural stream e difference in	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developm
atural stream e difference in  12. Locati	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developm
atural stream difference in  12. Locati	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developm
atural stream difference in  12. Locati	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developn
atural stream difference in  12. Locati	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developn
atural stream difference in  12. Locati	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developm
atural stream difference in  12. Locati	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developm
atural stream difference in  12. Locati	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developm
atural stream difference in  12. Locati	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developm
atural stream e difference in  12. Locati	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developm
atural stream e difference in  12. Locati	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developm
atural stream e difference in  12. Locati	or stream charelevation between	nnel, give the oveen the stream	listance to the ne bed and the ground the gr	arest point on und surface at	each of such the source of	channels developm

a county, having a pre		****************
nd an estimated population of		
ANSWER QUESTIONS 14, 15, 10		• *
14. Estimated cost of proposed works, \$5		
15. Construction work will begin on or before	<i>17</i> ,	***************************************
16. Construction work will be completed on or	before April 1973	***************************************
17. The water will be completely applied to the	e proposed use on or before	-, 7 73
18. If the ground water supply is supplemen		
ation for permit, permit, certificate or adjudicate		
oplicant		***************************************
	·	*************
	Doman Been	
Dominutos	(Signature of applicant)	
Remarks:		*****************
		***************************************
		***************************************
		***************************************
<u> </u>		***************************************
	<u> </u>	
		******************
		•••••
	* .	•
TATE OF OREGON, ss.		ť,
County of Marion,		
This is to certify that I have examined the fo	regoing application, together with the ac	companying
naps and data, and return the same forCOFFE	tion and completion	***************************************
		***************
In order to retain its priority, this application	must be returned to the State Engineer,	with correc
ions on or before		
ions on or dejore	J., L	
WITNESS my hand this day of	larch , 1	972.
· · · · · · · · · · · · · · · · · · ·		

MAR 1 6 1972

STATE ENGINEER

STATE ENGINEER

ASSISTANT

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is umited to the amount of water which can be applied to beneficial use and shall not exceed .....Q.22.........cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from .tha ....... Been Well The use to which this water is to be applied is \_\_\_\_\_irrigation\_\_\_\_ If for irrigation, this appropriation shall be limited to .....1/80...... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .3...... acre feet per acre for each acre irrigated during the irrigation season of each year; ..... and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. Actual construction work shall begin on or before ...... August 27., 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.74..... Complete application of the water to the proposed use shall be made on or before October 1, 1975.... WITNESS my hand this ...27th .... day of .... This instrument was first received in the office of the State Engineer at Salem, Oregon APPROPRIATE THE GROUND Drainage Basin No. ...Z.... page ....6.9. WATERS OF THE STATE Ground Water Permits on page .C. Application No. G- 57. WHEELER OREGON Permit No. G-...G. Recorded in book No. at BiOD o'clock on the 26+19. day of CHRIS L. to applicant.

Returned

N 197

Approved

J.