Permit No. G- G 5180

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

Perla Development Company, Incorporated (Name of applicant)	
c/o Robert M. Perla 1922 Stradella Road , county of Los Angeles	
state of California 90024 , do hereby make application for a permit to appropriate following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:	te the
If the applicant is a corporation, give date and place of incorporation	The second secon
November 27, 1972 Phoenix, Arizona	
1. Give name of nearest stream to which the well, tunnel or other source of water developm	ent is
situated Agency Lake	
(Name of stream) tributary of	
2. The amount ever which the applicant intends to apply to beneficial use is	350 gpm/
3. The use to which the water is to be applied is Domestic use	
4. The well or other source is located	
corner of See attached sheet(Section or subdivision)	
(If preferable, give distance and bearing to section corner)	*********
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the of Sec. 6, Twp. 35S, R. 7E	<u> </u>
W. M., in the county of Klamath	
5. The pipe line to be 30,900 feet >	******
in length, terminating in the Oregon Shores Subdivision of Sec. 6, Twp. 35	5S,
R, W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is Oregon Shores Subdivision Water S Wells No. 1, 2, and 3.	System
DESCRIPTION OF WORKS	į
7. If the flow to be utilized is artesian, the works to be used for the control and conservation c supply when not in use must be described.	of the
not applicable	
	Weight Add () continues of
8. The development will consist of WELLS har	ving a
(Give/number of wells, tunnels, etc.)	
8. The development will consist of 3 Wells have a diameter of 10" inches and an estimated depth o #2 326 feet. It is estimated that Se feet of the well will require casing. Depth to water table is estimated feet.	e attache

			r line) not applicable feet; grade	
ısand feet.	jeet, depth of t	water	Jeet; grade	feet fall per one
·	ot applicable	les from he	eadgate: width on top (at water lin	
			feet; depth of water	
	feet fall 1			Jeet,
			t.; size at intake in.;	in size at ft
	marp		of use in.; differer	
			. Is grade uniform? approxima	
	sec. ft.			,
10. If pu	imps are to be used,	giv e size a nd	d type see attached sheet	
Give hor	sepower and type o	f motor or e	engine to be used see attacl	hed sheet
	·	•••••••••••		
usserence v	m or stream channe n elevation between plicable	the stream	bed and the ground surface at the	e source of development
not ap 12. Locat	plicable tion of area to be irr	the stream	bed and the ground surface at the	Subdivision
not ap 12. Locat Township N. or S.	plicable tion of area to be irr	the stream	place of use Oregon Shores Forty-acre Tract SE-1/4 (Gov t. Lots	e source of development
not ap 12. Locat Township N. or S.	tion of area to be irrection. Range E. or W. of Wylamette Meridian	rigated, or r	bed and the ground surface at the lace of use Oregon Shores Forty-acre Tract SE ¹ / ₄ NE ¹ / ₄ (Gov't. Lots 7 & 12) SW ¹ / ₄ NE ¹ / ₄ (Gov't Lots	Subdivision Number Acres To Be Irrigated
not ap 12. Locat Township N. or S.	tion of area to be irrepresented by the second seco	rigated, or resection	Diace of use Oregon Shores Forty-acre Tract SEANEA (Gov t. Lots 7 & 12)	Subdivision Number Acres To Be Irrigated 40
not ap 12. Locat Township N. or S. 5S	tion of area to be irrepresented by the second seco	rigated, or construction	Forty-acre Tract SEANEA (Gov't. Lots 7 & 12) SWANEA (Gov't Lots 8 & 11) NANEASEA (Gov't Lot 13) NANEASEA (Gov't Lot	Subdivision Number Acres To Be Irrigated 40 40
not ap 12. Locat Township N. or S. 5S 5S	tion of area to be irrepresented by the second seco	rigated, or reserved to the stream section 6 6 6	bed and the ground surface at the slace of use Oregon Shores Forty-acre Tract SEANEA (Gov't. Lots 7 & 12) SWANEA (Gov't Lots 8 & 11) NANEASEA (Gov't Lot 13) NANEASEA (Gov't Lot 14) SEANWA (Gov't Lots	Subdivision Number Acres To Be Irrigated 40 40 20 20
not ap 12. Locat Township N. or S. 5S 5S 5S	tion of area to be irrepresented by the second seco	rigated, or resection 6 6 6	Dace of use Oregon Shores Forty-acre Tract SE4NE4 (Gov't. Lots 7 & 12) SW4NE4 (Gov't Lots 8 & 11) N2NE4SE4 (Gov't Lot 13) N2NW4SE4 (Gov't Lot 14) SE4NW4 (Gov't Lots 9 & 10) NE4SW4 (Gov't Lot	Subdivision Number Acres To Be Irrigated 40 40 20 20 23 (includes 3
not ap 12. Locat	tion of area to be irrepresented by the second seco	rigated, or reserved to the stream section 6 6 6	bed and the ground surface at the solace of use Oregon Shores Forty-acre Tract SE-\frac{1}{4}NE-\frac{1}{4} (Gov t. Lots 7 & 12) SW-\frac{1}{4}NE-\frac{1}{4} (Gov t. Lots 8 & 11) N-\frac{1}{2}NE-\frac{1}{4}SE-\frac{1}{4} (Gov t. Lot 13) N-\frac{1}{2}NW-\frac{1}{4}SE-\frac{1}{4} (Gov t. Lot 14) SE-\frac{1}{4}NW-\frac{1}{4} (Gov t. Lots 9 & 10)	Subdivision Number Acres To Be Irrigated 40 40 20 20 23 (includes 3
not ap 12. Locat Township N. or S. 5S 5S 5S	tion of area to be irrepresented by the second seco	rigated, or resection 6 6 6	Dace of use Oregon Shores Forty-acre Tract SE4NE4 (Gov't. Lots 7 & 12) SW4NE4 (Gov't Lots 8 & 11) N2NE4SE4 (Gov't Lot 13) N2NW4SE4 (Gov't Lot 14) SE4NW4 (Gov't Lots 9 & 10) NE4SW4 (Gov't Lot	Subdivision Number Acres To Be Irrigated 40 40 20 20 23 (includes 3
not ap 12. Locat Township N. or S. 5S 5S 5S	tion of area to be irrepresented by the second seco	rigated, or resection 6 6 6	Dace of use Oregon Shores Forty-acre Tract SE4NE4 (Gov't. Lots 7 & 12) SW4NE4 (Gov't Lots 8 & 11) N2NE4SE4 (Gov't Lot 13) N2NW4SE4 (Gov't Lot 14) SE4NW4 (Gov't Lots 9 & 10) NE4SW4 (Gov't Lot	Subdivision Number Acres To Be Irrigated 40 40 20 20 23 (includes 3
not ap 12. Locat Township N. or S. 5S 5S 5S	tion of area to be irrepresented by the second seco	rigated, or resection 6 6 6	Dace of use Oregon Shores Forty-acre Tract SE4NE4 (Gov't. Lots 7 & 12) SW4NE4 (Gov't Lots 8 & 11) N2NE4SE4 (Gov't Lot 13) N2NW4SE4 (Gov't Lot 14) SE4NW4 (Gov't Lots 9 & 10) NE4SW4 (Gov't Lot	Subdivision Number Acres To Be Irrigated 40 40 20 20 23 (includes 3
not ap 12. Locat Township N. or S. 5S 5S 5S	tion of area to be irrepresented by the second seco	rigated, or resection 6 6 6	Dace of use Oregon Shores Forty-acre Tract SE4NE4 (Gov't. Lots 7 & 12) SW4NE4 (Gov't Lots 8 & 11) N2NE4SE4 (Gov't Lot 13) N2NW4SE4 (Gov't Lot 14) SE4NW4 (Gov't Lots 9 & 10) NE4SW4 (Gov't Lot	Subdivision Number Acres To Be Irrigated 40 40 20 20 23 (includes 3
not ap 12. Locat Township N. or S. 5S 5S 5S	tion of area to be irrepresented by the second seco	rigated, or resection 6 6 6	Dace of use Oregon Shores Forty-acre Tract SE4NE4 (Gov't. Lots 7 & 12) SW4NE4 (Gov't Lots 8 & 11) N2NE4SE4 (Gov't Lot 13) N2NW4SE4 (Gov't Lot 14) SE4NW4 (Gov't Lots 9 & 10) NE4SW4 (Gov't Lot	Subdivision Number Acres To Be Irrigated 40 40 20 20 23 (includes 3

	IPAL SUPPLY— 3. To supply the YMAY Oregon Sho	ores Subdivision
	Klama+h	
in	County, naoing t	present population of none
and an	estimated population of 100	in 19.83 (estimated seasonal populati the summer of 1975 of 200)
	ANSWER QUESTIONS 14, 1	5, 16, 17 AND 18 IN ALL CASES
1.	4. Estimated cost of proposed works, \$	00,000
1.	5. Construction work will begin on or be	fore July 20, 1973
10	6. Construction work will be completed o	on or before November 1, 1973
1	7. The water will be completely applied a	to the proposed use on or before
1	8. If the ground water supply is supple	mental to an existing water supply, identify any applicated right to appropriate water, made or held by the
applicar	$_{nt.}$ not applicable	•
••		
		77
		(Signature of applicant)
R	emarks:	President Perla Development Co., Inc.
*		
· • • • • • • • • • • • • • • • • • • •		······································
~~ . ~~		
	OF OREGON, ss.	
Coun	aty of Marion,	
T	his is to certify that I have examined th	e foregoing application, together with the accompanying
maps an	nd data, and return the same forcorre	ection and completion
	•	
T.	and on the matrix its maintain 1	
176	i order to retain its priority, this applicat	ion must be returned to the State Engineer, with correc-
tions on	or before November 12	, 19.73
SHATE SHOW SHOW	1.	
2 0 w	or beforeNovember 12 ITNESS my hand this11th	September
- E	1111 Dos my mana mis day of .	, 19.12
SIAIE E SALEM,		
		CHRIS L. WHELLER
		STATE ENGINEER
		(Start)
		Thomas E. Shook ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

The use to which this water is to be applied isETOUDdomestic_use	The and shall nor source o	right herein granted is limited to the amount of water which can be applied to beneficial use not exceed 1.2 cabic feet per second measured at the point of diversion from the well' of appropriation, or its equivalent in case of rotation with other water users, from three being 0.4 cfs from each well
If for irrigation, this appropriation shall be limited to		
nd shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian ne works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring me, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and hall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	******	
nd shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian ne works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring me, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and hall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is		
nd shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian ne works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring me, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and hall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is		
Independent of the proper state of the proper state of the flow is artesian and works shall be cased as necessary in accordance with good practice and if the flow is artesian ne works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring me, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and hall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	J. C. P	
The well shall be cased as necessary in accordance with good practice and if the flow is artesian ne works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring me, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and hall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is		
The well shall be cased as necessary in accordance with good practice and if the flow is artesian ne works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring me, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and hall keep a complete record of the amount of ground water withdrawn. The priority date of this permit isJuly_10, 1973. Actual construction work shall begin on or beforeDecember 13, 1974 and shall hereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.75 Extended to Oct. 1, 1983 Desember	******	
The well shall be cased as necessary in accordance with good practice and if the flow is artesian ne works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring me, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and hall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is		
The well shall be cased as necessary in accordance with good practice and if the flow is artesian ne works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring ne, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and hall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is		
	The and works so the works so the adequation of the following the follow	well shall be cased as necessary in accordance with good practice and if the flow is artesian shall include proper capping and control valve to prevent the waste of ground water. works constructed shall include an air line and pressure gauge or an access port for measuring ate to determine water level elevation in the well at all times. permittee shall install and maintain a weir, meter, or other suitable measuring device, and a complete record of the amount of ground water withdrawn. priority date of this permit is
	, Application No. G U. 18	TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon, on the C. M. day of L. M. 19.73, at O. C.O. o'clock M. Returned to applicant: Returned to applicant: Returned to applicant: Of Ground Water Permits on page G. 51.8 Brainage Basin No. M. page 32.