

Permit No. G- G 5195

CERTIFICATE NO. 43915

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

WE, J. ELDON TURNIDGE & MARY E. TURNIDGE
(Name of applicant)
of Rt 1 Box 146 JEFFERSON 97352, county of MARION
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated WILLAMETTE & SANTIAM
(Name of stream)
tributary of

2. The amount of water which the applicant intends to apply to beneficial use is #427 cubic feet per second or 350 gpm gallons per minute. #429 580 #405 800

3. The use to which the water is to be applied is IRRIGATION #405

4. The well or other source is located #427 250' N & 500' E (N. SW corner of NW 1/4 of SW 1/4 SECTION 24
corner of #429 650' S & 500' E " " " " SECTION 24
#405 680' S & 420' E (Section or subdivision) NW corner of NW 1/4 of SW 1/4 SECTION 25
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the #427 NW 1/4 of SW 1/4 SECTION 24
#429 SW 1/4 of SW 1/4 SECTION 24
W. M., in the county of #405 NW 1/4 of SW 1/4 SECTION 25 of Sec. 24, Twp. 9S, R. 4W

5. The ALL PORTABLE (Canal or pipe line) to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is #427 - #429 - #405

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of Three wells having a diameter of See Remarks inches and an estimated depth of _____ feet. It is estimated that feet of the well will require _____ casing. Depth to water table is estimated _____ (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type
 #427 - 15 H.P. CENTRIFUGAL - ELECTRIC
 #429 - 40 H.P. "
 #405 - 50 H.P. "

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated		
#427	9S	4W	24	NW 1/4 of SW 1/4	17.8	
				SW 1/4 of SW 1/4	15.5	
#429	9S	4W	24	SW 1/4 of SW 1/4	20.0	
				25	NW 1/4 of NW 1/4	37.1
					SW 1/4 of NW 1/4	13.3
#405	9S	4W	25	SW 1/4 of NW 1/4	21.1	
				NW 1/4 of SW 1/4	33.8	
				SW 1/4 of SW 1/4	9.7	
				26	SE 1/4 of NE 1/4	10.2
					NE 1/4 of SE 1/4	15.2
				"	SE 1/4 of SE 1/4	9.8

(If more space required, attach separate sheet)

Character of soil CHEHALIS LOAM
 Kind of crops raised MINT, DILL BEETS BEANS

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before
- 16. Construction work will be completed on or before
- 17. The water will be completely applied to the proposed use on or before COMPLETED

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant CERT. # GR 467 canceled

J. Eldon Purridge
(Signature of applicant)

Remarks:

⑧ #427	12" DIA.	26' DEEP	18' STEEL	14'
#429	10" "	35' "	27' "	15'
#405	12" "	27' "	22' "	10'

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 18, 19 72.

WITNESS my hand this 18th day of February, 19 72.

RECORDED
APR 10 1972
STATE ENGINEER
SALEM OREGON

By *T. E. Shook*
Thomas E. Shook
ASSISTANT
CHRIS L. MERRILL
STATE ENGINEER

STATE OF OREGON,
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.54 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Wells #405, #427, and #429 being 1.24 cfs from Well #405, 0.42 cfs from Well #427, and 0.88 cfs from Well #429

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 19, 1971

Actual construction work shall begin on or before January 31, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975

Complete application of the water to the proposed use shall be made on or before October 1, 1976

WITNESS my hand this 31st day of January, 1974

[Signature]
STATE ENGINEER

Application No. G-5667
Permit No. G-G 5195

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of November, 1971, at 11:35 o'clock A.M.

Returned to applicant:

Approved:

January 31, 1974

Recorded in book No. _____ of
Ground Water Permits on page G 5195

CHRIS L. Wheeler
STATE ENGINEER
Drainage Basin No. 2 page 12A