

Permit No. G- G 5222

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Lura W. Martin (aka Laura Martin) Go Herbert P. Cook
(Name of applicant)
of Chiloquin P.O. Box 55, Tahoe City, county of Klamath Placer,
(Postoffice Address)
state of Oregon-97624 Co. 95/30, (See Note in "Remarks")
do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

N.A.

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Sprague River
(Name of stream)

tributary of Williamson River

2. The amount of water which the applicant intends to apply to beneficial use is 8.58 cubic feet per second or _____ gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the _____ corner of S 14° 10' 10" W - 2483.2 feet from the Northeast corner of _____
(N. or S.) (E. or W.)
(Section or subdivision)
Sec. 22, T.36 S., R.13 E., W.M.
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE $\frac{1}{4}$ -NE $\frac{1}{4}$ of Sec. 22, Twp. 36 S., R. 13 E.,
W. M., in the county of Klamath

5. The Main Ditches _____ to be _____ miles
(Canal or pipe line) East = 1.25
West = 1.42
in length, terminating in the E=NE $\frac{1}{4}$ -NE $\frac{1}{4}$; W=SW $\frac{1}{4}$ -NW $\frac{1}{4}$ of Sec. W=22, Twp. 36 S.,
(Smallest legal subdivision) R. 13 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Martin Well No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

N.A.

8. The development will consist of 1 well having a
(Give number of wells, tunnels, etc.)
diameter of 16 inches and an estimated depth of 180 feet. It is estimated that 20
feet of the well will require 16" Steel casing. Depth to water table is estimated 63 feet.
(Kind) (Feet)

List of Areas to be Irrigated to be attached to and made a part of the Ground Water-right Application of Lura W. Martin (Question No. 12 of application form):

Township and Range	Section	Forty Acre Tract	No. of Acres to be Irrigated
T. 36S., R. 13E., W.M.	14	SW $\frac{1}{4}$ -SW $\frac{1}{4}$	186 55.1 Ac.
		SE $\frac{1}{4}$ -SW $\frac{1}{4}$	23.7 27.1
		SW $\frac{1}{4}$ -SE $\frac{1}{4}$	28.7
		SE $\frac{1}{4}$ -SE $\frac{1}{4}$	25.3
	15	SW $\frac{1}{4}$ -NE $\frac{1}{4}$	8.7
		SE $\frac{1}{4}$ -NW $\frac{1}{4}$	9.9
		NE $\frac{1}{4}$ -SW $\frac{1}{4}$	22.7
		SE $\frac{1}{4}$ -SW $\frac{1}{4}$	19.3
		NE $\frac{1}{4}$ -SE $\frac{1}{4}$	18.1
		NW $\frac{1}{4}$ -SE $\frac{1}{4}$	25.0
		SW $\frac{1}{4}$ -SE $\frac{1}{4}$	38.5
	22	SE $\frac{1}{4}$ -SE $\frac{1}{4}$	292 29.3
		NE $\frac{1}{4}$ -NE $\frac{1}{4}$	36.8 40.8
		NW $\frac{1}{4}$ -NE $\frac{1}{4}$	39.5
		SW $\frac{1}{4}$ -NE $\frac{1}{4}$	3.7
		SE $\frac{1}{4}$ -NE $\frac{1}{4}$	25.5
		NE $\frac{1}{4}$ -NW $\frac{1}{4}$	35.0
		NW $\frac{1}{4}$ -NW $\frac{1}{4}$	36.5
	23	SW $\frac{1}{4}$ -NW $\frac{1}{4}$	7.1
		NE $\frac{1}{4}$ -NE $\frac{1}{4}$	37.2
		NW $\frac{1}{4}$ -NE $\frac{1}{4}$	37.8
		NE $\frac{1}{4}$ -NW $\frac{1}{4}$	374 37.8
		NW $\frac{1}{4}$ -NW $\frac{1}{4}$	162 37.8
	SW $\frac{1}{4}$ -NW $\frac{1}{4}$	26.6	
	SE $\frac{1}{4}$ -NW $\frac{1}{4}$	23.2	

Total Area to be Irrigated= ~~686.2~~ Acres
629.3

RECEIVED

DEC 6 1973
STATE ENGINEER
SALEM, OREGON

RECEIVED

OCT 2 1973
STATE ENGINEER
SALEM, OREGON

Application No. G-6266
Permit No. G 5222

MUNICIPAL SUPPLY—

13. To supply the city of N.A.
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 18,000
- 15. Construction work will begin on or before Well already drilled
- 16. Construction work will be completed on or before October 1, 1976
~~See Remarks~~
- 17. The water will be completely applied to the proposed use on or before October 1, 1977
~~See Remarks~~
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. N.A.

Lura W. Martin
(Signature of applicant)

Remarks: Lura W. Martin

The applicant Lura W. Martin is an enrolled and remaining member of the Klamath Indian Tribe and claim is hereby made for a priority date of 1864, the date of the Klamath Treaty with the United States of America, and pursuant to the provisions of 25 USCA, Section 546 and the letter M.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with correc-

tion on or before November 12, 1973
~~January 23~~ 74

WITNESS my hand this 11th day of September, 1973
~~28th~~ November 73

RECEIVED
OCT 2 1973
STATE ENGINEER
SALEM, OREGON

RECEIVED
OCT 5 1973
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Thomas E. Shook*
Thomas E. Shook ASSISTANT

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6 1/2 feet; width on bottom 2 feet; depth of water 1 1/2 feet; grade 0.5 feet fall per one thousand feet.

(b) At Same miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, N.A. ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 14" deep well turbine

Give horsepower and type of motor or engine to be used 75 H.P., V.H.S., direct connected electric motor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

N.A.

12. Location of area to be irrigated, or place of use

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: See Attached List, 686.2 Acres (with handwritten 6293 below).

(If more space required, attach separate sheet)

Character of soil Sandy clay-loam

Kind of crops raised Cereals, legumes, row crops, & pasture grasses

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 7.86 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Martin Well No. 1

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 13, 1973

Actual construction work shall begin on or before May 31, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975

Complete application of the water to the proposed use shall be made on or before October 1, 1976

WITNESS my hand this 31st day of May, 1974

Extended to Oct. 1979
Extended to Oct. 1978
Extended to Oct. 1, 1978
Extended to Oct. 1979
Extended to Oct. 1978

[Signature]

STATE ENGINEER

Application No. G-6266
Permit No. G-5222

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of August, 1973, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 31, 1974

Recorded in book No. of

Ground Water Permits on page G-5222

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 14 page 32

[Handwritten notes]