FEB 2 0 1974 STATE ENGINEER SALEM, OREGON

Permit No. G- G

CERTIFICATE NO. 45333

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Edward O Jacoby Ir
of Box 176 Imbler county of Union,
state of Ofcan, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Cande Rande River
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or34 gallons per minute.
3. The use to which the water is to be applied is ITTI GATION
· · · · · · · · · · · · · · · · · · ·
4. The well or other source is located 72°33 ft. S and 789 ft. E from the
(Section or subdivision) 5.7.2.6.3.2.5.4.7.5.9.4.7.6.7.7.6.7.7.4.7.4.4.1.6.7.8.7.1.6.7.8.7.1.6.7.8.7.1.6.7.8.7.1.6.7.8.7.1.6.7.8.7.1.6.7.8.7.1.6.7.8.7.1.6.7.8.7.1.6.7.8.7.1.6.7.1.6.7.8.7.1.6.7.1.6.7.1.6.7.1.6.7.1.6.7.1.6.7.7.1.6.7.1.
(If preferable, give distance and bearing to section corner)
Section (If there is more than one well each must be described. Use separate sheet if necessary)
being within the NW 14 of the SE 14 of Sec. 20, Twp. 15, R. 39E,
W. M., in the county of Laion
5. The Pipe line to be miles
in length, terminating in the N'W. 14 S.E. 14 of Sec. 20, Twp. T.15.
R. 39E, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of
diameter of
feet of the well will require 350 9949e2 casing. Depth to water table is estimated 18 (Feet) below land Surface.
below land Surface

9. (a) Giv	e aimensions at each point of a	and where materially changes :	n size, stating mues from
	e dimensions at each point of c		
igate. At hea	dgate: width on top (at water b	ine)	feet; width on bottom
	feet; depth of water	feet; grade	feet fall per one
sand feet.			
(b) At	mi es from head	gate: width on top (at water lin	e)'
	•	feet; depth of water	
	feet fall per one thousa		jeei,
		•	
		size at intake	•
intake	in.; size at place of	use	ce in elevation between
ce and place	of use, ft. 1	Is grade uniform?	Estimated capacity,
***********	sec. ft.		
10. If pum	os are to be used, give size and t	ype Jacuzzi Su	hmersible.
Model	354D-5 2/A (I don't Know the	
	installed Prior to	I don't know the	SIZR, MAS
Give horsep	power and type of motor or eng	gine to be used $3h\rho$.	Electric
11 72.47 - 7	*		
tural stream	or stream channel, give the dis	her development work is less the tance to the nearest point on eac ed and the ground surface at the	ch of such channels and
ural stream e	or stream channel, give the dis	tance to the nearest point on eaced and the ground surface at the	ch of such channels and
ural stream e	or stream channel, give the dis	tance to the nearest point on eaced and the ground surface at the	ch of such channels and e source of development
tural stream of the stream of	n of area to be irrigated, or pla	tance to the nearest point on eaced and the ground surface at the	olock 12 in Journals Number Acres
tural stream of the stream of	n of area to be irrigated, or pla Range E. or W. of Willamette Meridian Section	tance to the nearest point on eaced and the ground surface at the	Number Acres
tural stream of the stream of	n of area to be irrigated, or pla Range E. or W. of Willamette Meridian Section	tance to the nearest point on eaced and the ground surface at the	Number Acres
tural stream of the stream of	n of area to be irrigated, or pla Range E. or W. of Willamette Meridian Section	tance to the nearest point on eaced and the ground surface at the	Number Acres
tural stream of the stream of	n of area to be irrigated, or pla Range E. or W. of Willamette Meridian Section	tance to the nearest point on eaced and the ground surface at the	Number Acres
ural stream of the stream of t	n of area to be irrigated, or pla Range E. or W. of Willamette Meridian Section	tance to the nearest point on eaced and the ground surface at the	Number Acres
tural stream of the stream of	n of area to be irrigated, or pla Range E. or W. of Willamette Meridian Section	tance to the nearest point on eaced and the ground surface at the	Number Acres
tural stream of the stream of	n of area to be irrigated, or pla Range E. or W. of Willamette Meridian Section	tance to the nearest point on eaced and the ground surface at the	Number Acres
tural stream of the stream of	n of area to be irrigated, or pla Range E. or W. of Willamette Meridian Section	tance to the nearest point on eaced and the ground surface at the	Number Acres
tural stream of the stream of	n of area to be irrigated, or pla Range E. or W. of Willamette Meridian Section	tance to the nearest point on eaced and the ground surface at the	Number Acres
tural stream of the stream of	n of area to be irrigated, or pla Range E. or W. of Willamette Meridian Section	tance to the nearest point on eaced and the ground surface at the	Number Acres
tural stream of the stream of	n of area to be irrigated, or pla Range E. or W. of Willamette Meridian Section	tance to the nearest point on eaced and the ground surface at the	Number Acres
tural stream of the stream of	n of area to be irrigated, or pla Range E. or W. of Willamette Meridian Section	tance to the nearest point on eaced and the ground surface at the	Number Acres
ural stream of the stream of t	or stream channel, give the disclevation between the stream between th	tance to the nearest point on eaced and the ground surface at the	Number Acres

Thomas E. Shook

MUNICIPAL SUPPLY—

13. To supply the city of

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

		HTS and the following		
		5		water which can be applied to beneficial use
		11		asured at the point of diversion from the well
or source o	of appropriation, or i	ts equivalent in case of	rotatio	on with other water users, from
The	use to which this wa	ter is to be applied is	•••••	irrigation
If fo	r irrigation, this app	ropriation shall be limi	ted to	1/80 of one cubic foot per second
or its equi	valent for each acre i	irrigated and shall be j	further l	limited to a diversion of not to exceed3
acre feet p	er acre for each acre	irrigated during the i	rrigatio	on season of each year;
•••••			••••••	
			•••••	
••••••				
			•••••	
***************************************			•••••••	
and shall b	e subject to such rea	sonable rotation syster	n as ma <u>j</u>	y be ordered by the proper state officer.
The line, adequ	works constructed shate to determine wa permittee shall insta	tall include an air line tall ievel elevation in	and pre the well	or other suitable measuring device and
				7. 22, 1974
				August 6, 1975 and shall
				completed on or before October 1, 19.75
				shall be made on or before October 1, 1976
		6.th day of		
			<u></u>	hand and
				STATE ENGINEER
Application No. G-6191. Permit No. G-G 5232.	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the fice of the State Engineer at Salem, Oregon, the 20 th day of February, 174, at 8:00° clock A M.	eturned to applicant:	August 6, 1974 Recorded in book No. of round Water Permits on page G. SP. CHRIS L. WHEELER STATE ENGINEER Drainage Basin No. 2. page 42.