

RECEIVED

"CERTIFICATE NO. 57058"

STATE ENGINEER  
SALEM, OREGON

Permit No. G- 5243

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Roger Dean Berryhill  
(Name of applicant)  
of Rt 4 Box 304 Sherwood, county of Washington  
(Postoffice Address)  
state of Oregon 97140, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Tualatin  
(Name of stream)

tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is ..... cubic feet per second or 200 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located N 47° 35' E 110 feet ft. and ..... ft. from the SE corner of Gov't Lot 7 Sec 14 T2S R2W WM  
(N. or S.) (E. or W.)  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SW 1/4 of Sec. 14, Twp. 2S, R. 2W, W. M., in the county of Washington

5. The ..... to be ..... miles  
(Canal or pipe line)  
in length, terminating in the ..... of Sec. ...., Twp. ....  
(Smallest legal subdivision)  
R. ...., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is .....

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a  
(Give number of wells, tunnels, etc.)  
diameter of 8 inches and an estimated depth of 260 feet. It is estimated that 48  
feet of the well will require Steel casing. Depth to water table is estimated static 21'  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 10 hp submersible

Give horsepower and type of motor or engine to be used electric 10 hp

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2S	2W	14	Gov't Lot 7 (SW $\frac{1}{4}$ SW $\frac{1}{4}$ )	5.3
		"	SE $\frac{1}{4}$ SW $\frac{1}{4}$	2.8
		23	NE $\frac{1}{4}$ NW $\frac{1}{4}$	6.4
		"	Gov't Lot 1 (NW $\frac{1}{4}$ NW $\frac{1}{4}$ )	10.2

(If more space required, attach separate sheet)

Character of soil clay loam

Kind of crops raised nursery

MUNICIPAL SUPPLY—

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 5000-
- 15. Construction work will begin on or before \_\_\_\_\_
- 16. Construction work will be completed on or before completed
- 17. The water will be completely applied to the proposed use on or before Oct. 1975

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. \_\_\_\_\_

Remarks: Irrigation of nursery stock

X Roger D Berryhill by  
(Signature of applicant) Arda C. Berryhill

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.31 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.5 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 1, 1972

Actual construction work shall begin on or before October 16, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 16th day of October, 1974

[Signature]

STATE ENGINEER

Application No. G-5813

Permit No. G-5243

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of November, 1972, at 2:00 o'clock A. M.

Returned to applicant:

Approved:

October 16, 1974

Recorded in book No. of

Ground Water Permits on page G 5243

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 2 page 127