

RECEIVED
SEP 9 1971
TATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 51095

Permit No. G- G 5250

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, RICHARD V. STANHOPE (Name of applicant)
of RTE. 1, BOX 21, PILOT ROCK (97868), county of UMATILLA
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated MCKAY CREEK
(Name of stream)

tributary of MCKAY RESERVOIR

2. The amount of water which the applicant intends to apply to beneficial use is 0.67 cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION AND SUPPLEMENTAL IRRIGATION

4. The well or other source is located --- ft. --- and --- ft. --- from the --- corner of ---
(N. or S.) (E. or W.)
(Section or subdivision)

WELL IS LOCATED S. 75°45'E., 2720 FT. FROM THE W. 1/4 CORNER OF SECTION 6, T. 1S.,
(If preferable, give distance and bearing to section corner)

R. 33 E.W.M.
(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the LOT 15 of Sec. 6, Twp. 1S., R. 33 E., W. M., in the county of UMATILLA

5. The PORTABLE to be 1500 M/L miles
(Canal or pipe line)
in length, terminating in the --- of Sec. ---, Twp. ---,
(Smallest legal subdivision)

R. ---, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is ---

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

GATE VALVE USED TO SHUT FLOW OFF WHEN NOT IN USE.

8. The development will consist of 1 WELL having a
(Give number of wells, tunnels, etc.)
diameter of 8 inches and an estimated depth of 330 feet. It is estimated that 20
feet of the well will require STANDARD casing. Depth to water table is estimated 330
(Kind) (Feet)

HOWEVER WHEN PENETRATED STARTED FLOWING.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type WILL INSTALL A 20 TO 25 H.P. LATER ON, WILL RUN 16 SPRINKLERS AT PRESENT. CENTRIFUGAL PUMP WILL BE USED.....

Give horsepower and type of motor or engine to be used ELECTRIC.....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

100 FT. FROM MCKAY CREEK AND ABOUT 10 FT. HIGHER IN ELEV.

12. Location of area to be irrigated, or place of use LOT 15 & 16, SEC. 6, T.1S., R.33E.....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
		PRIMARY IRRIGATION		
IS	33E	6	LOT 15	17.0
IS	33E	6	LOT 16	13.0
		SUPPLEMENTAL IRRIGATION		
IS	33E	6	LOT 15	8.9
IS	33E	6	LOT 16	14.3
			TOTAL	53.2

(If more space required, attach separate sheet)

Character of soil YAKIMA RIVERWASH.....

Kind of crops raised HAY, GRASS & GRAINS.....

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 6,000.00
- 15. Construction work will begin on or before WELL COMPLETED
- 16. Construction work will be completed on or before 10/1/72
- 17. The water will be completely applied to the proposed use on or before 10/1/74

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. THIS IS TO SUPPLEMENT PERMIT #33257, SOURCE BEING MCKAY CREEK.

Richard V. Stanhope
(Signature of applicant)

Remarks: ENCLOSED PLEASE FIND A COPY OF THE WELL LOG.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 9, 1971

Actual construction work shall begin on or before October 31, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 31st day of October, 1974

STATE ENGINEER

Application No. G-5616
Permit No. G-5250

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 9th day of September,
1971, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

October 31, 1974

Recorded in book No. _____ of _____
Ground Water Permits on page G 5250

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 7 page 69

Refund - \$23.60 - 4.85