

RECEIVED

NOV 18 1974
STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 51445

Permit No. G- G 5255

APPLICATION FOR A PERMIT

ASSIGNED. See Misc. Rec., Vol. 5 Page 296

To appropriate the Ground Waters of the State of Oregon

I, Eagle Banner Ranches (Name of applicant)
of 1901 Avenue of the Stars, Suite 650, county of Los Angeles
(Postoffice Address)
state of Los Angeles, CA 90067, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

June 8, 1970 - State of California

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Silver Creek
(Name of stream)

tributary of Harney Lake

2. The amount of water which the applicant intends to apply to beneficial use is 3.0 cubic feet per second or 1346 gallons per minute.

3. The use to which the water is to be applied is Supplemental and primary
irrigation

4. The well or other source is located 4 ft. N. and 572 ft. W. from the SE
(N. or S.) (E. or W.)
corner of Section 3
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 3, Twp. 24S, R. 27E,
W. M., in the county of Harney

5. The pipeline and ditch is as follows: pipeline - 3,250 feet to be 3.25 miles
(Canal or pipe line) ditch - 1 1/4 miles
in length, terminating in the NE 1/4 SW 1/4 of Sec. 2, Twp. 24S,
(Smallest legal subdivision) R. 27E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Upper Dam Field Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of a well having a
(Give number of wells, tunnels, etc.)
diameter of 16" inches and an estimated depth of 300 feet. It is estimated that 37
feet of the well will require 1/4 gauge casing. Depth to water table is estimated 25
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 4 feet; width on bottom 2 feet; depth of water 3 feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3,250 ft.; size at intake 14 in.; in size at ft. from intake in.; size at place of use 14 in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 12" oil lube turbine

Give horsepower and type of motor or engine to be used 150 hp electric U.S. Motor #C100523

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

..... 135 feet from Silver Creek

..... approximately 3 feet between stream bed and ground surface

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Supplemental
24S	27E	2	SW $\frac{1}{4}$ NW $\frac{1}{4}$	30	
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	34	
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	40	
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	15	
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	30	
		3	Lot 1 (NE $\frac{1}{4}$ NE $\frac{1}{4}$)	12	12.0
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	20	20.0
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	40	40.0
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	19	19.0
			TOTALS	240	91.0

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised Alfalfa and open grain

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$...35,000.....

15. Construction work will begin on or before Drilled by Holloway Drilling Co.....
Ontario, OR

16. Construction work will be completed on or beforecompleted 3/69.....(approximately)
(no well log is available on this well)

17. The water will be completely applied to the proposed use on or before has been used since
date of completion

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. Certificates 29359, 29362

EAGLE BANNER RANCHES

By

Attorney-in-Fact

(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Upper Dam Field Well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 18, 1974

Actual construction work shall begin on or before November 20, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977.

WITNESS my hand this 20th day of November, 1974

Chris L. Wheeler

STATE ENGINEER

Application No. G-6729
Permit No. G-5256

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of November, 1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

November 20, 1974

Recorded in book No. of
Ground Water Permits on page G-5256

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 12 page 25

Pages 11750