

RECEIVED

AUG 2 1974

STATE ENGINEER
SALEM, OREGON

Permit No. G- **G 5265**

APPLICATION FOR A PERMIT

CERTIFICATE NO. 46551

To Appropriate the Ground Waters of the State of Oregon

I, A David Childs and Peggy S. Childs
(Name of applicant)
of Star Route Arlington, Oregon 97812, county of Gilliam,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Rock Creek
(Name of stream)
tributary of John Day River

2. The amount of water which the applicant intends to apply to beneficial use is 1.00 cubic
feet per second or 450 gallons per minute.

3. The use to which the water is to be applied is irrigation of crop and
pasture land.

4. The well or other source is located 850 ft. N and 1020 ft. E from the NW
(N. or S.) (E. or W.)
corner of Section 30 Range 21 E Twp 1N
(Section or subdivision)
Willamette Meridian
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of SW 1/4 of Sec. 19, Twp. 1N, R. 21 E,
W. M., in the county of Gilliam

5. The buried and surface pipeline to be 1.2 miles
(Canal or pipe line)
in length, terminating in the NW 1/4 NW 1/4 of Sec. 25, Twp. 1N,
(Smallest legal subdivision)
R. 20, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Walnut Pond

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of one pit 15 x 100 having a
(Give number of wells, tunnels, etc.)
diameter of _____ inches and an estimated depth of 17 feet. It is estimated that _____
feet of the well will require _____ casing. Depth to water table is estimated _____
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 10" turbine

Give horsepower and type of motor or engine to be used Electric 75

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

..... 30 feet from stream channel

..... Difference in elevation 9 feet

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1N	20E	25	NW 1/4 NW 1/4	10.9
1N	20E	25	SW 1/4 NW 1/4	11.7
1N	20E	25	NW 1/4 SW 1/4	8.1
1N	20E	25	NE 1/4 SW 1/4	2.0
1N	20E	25	SE 1/4 NW 1/4	11.1
1N	20E	25	NE 1/4 NW 1/4	30.4
				74.2

(If more space required, attach separate sheet)

Character of soil Sandy loam

Kind of crops raised Hay, small grain, pasture grass

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 20,000.
- 15. Construction work will begin on or before August 15, 1974
- 16. Construction work will be completed on or before October 1, 1976
- 17. The water will be completely applied to the proposed use on or before October 1, 1976

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

David Chills Peggy S. Chills
(Signature of applicant)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER
By
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.93 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Walnut Pond, pit well.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 2, 1974.

Actual construction work shall begin on or before December 5, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976.

Complete application of the water to the proposed use shall be made on or before October 1, 1977.

WITNESS my hand this 5th day of December, 1974.

Chris L. Wheeler

STATE ENGINEER

Application No. G-6616
Permit No. G-5265

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 2nd day of August
1974, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

December 5, 1974

Recorded in book No. of

Ground Water Permits on page G 5265

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 6 page 40

Fees \$36.25