

RECEIVED

STATE ENGINEER  
SALEM, OREGON

Permit No. G- G 5289

APPLICATION FOR A PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 40  
ASSIGNED, See Misc. Rec., Vol. 6 Page 875-6

# To Appropriate the Ground Waters of the State of Oregon

I, J. A. Albertson  
(Name of applicant)

of (P. O. Box 20) 1623 W. Washington, county of Ada  
(Postoffice Address)

state of Idaho, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated approximately six miles west of Snake River  
(Name of stream)

tributary of \_\_\_\_\_

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 2150 gallons per minute. 40,000 gal. daily for feed mill, 160,000 gal. daily for feed lot sprinkler system.

3. The use to which the water is to be applied is irrigation of approximately 348 acres of farm land and approximately 200,000 gallons water daily for feed mill and feed lot sprinkler system

4. The well or other source is located \_\_\_\_\_ ft. \_\_\_\_\_ and \_\_\_\_\_ ft. \_\_\_\_\_ from the \_\_\_\_\_ corner of \_\_\_\_\_  
(N. or S.) (E. or W.) (Section or subdivision)

(Well #1) S 11°19'18" W 1161.42 feet from the North 1/4 corner section 21  
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE1/4 NW1/4 of Sec. 21, Twp. 19S, R. 46E, W. M., in the county of Malheur

5. The \_\_\_\_\_ to be \_\_\_\_\_ miles in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_, R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.  
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is Albertson's Well #1

### DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of four wells, Well #1 having a diameter of 12 inches and an estimated depth of 520 feet. It is estimated that 440 feet of the well will require steel casing. Depth to water table is estimated 31.5  
(Kind) (Feet)

\*See additional well information attached

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type (Well #1 1100 G. P. M. peerless) (Well #2 150 G. P. M. peerless) (Well #3 550 G. P. M. peerless) (Well #4 350 G. P. M. peerless)

Give horsepower and type of motor or engine to be used (Well #1 125 H. P. G. E.) (Well #2 30 H. P. G. E.) (Well #3 100 H. P. G. E.) (Well #4 50 H. P. G. E.)

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Malheur County, Oregon

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
19 S	46 E.	21	NW 1/4 NE 1/4	28
19 S	46 E.	21	NE 1/4 NE 1/4	40
19 S	46 E.	16	SW 1/4 SW 1/4	40
19 S	46 E.	16	SE 1/4 SW 1/4	40
19 S	46 E.	16	SW 1/4 SE 1/4	40
19 S	46 E.	16	SE 1/4 SE 1/4	40
19 S	46 E.	16	NW 1/4 SW 1/4	30
19 S	46 E.	16	NE 1/4 SW 1/4	30
19 S	46 E.	16	NW 1/4 SE 1/4	30
19 S	46 E.	16	NE 1/4 SE 1/4	30
				340

(If more space required, attach separate sheet)

Character of soil silty clay loam

Kind of crops raised alfalfa, potato, pasture, sugar beet

(Continuation of Section 3)

Well #1, 1100 gal. per minute, farm land irrigation

Well #2, 150 gal. per minute, farm land irrigation

Well #3, 550 gal. per minute; 350 gal. per minute farm land irrigation,  
200 gal. per minute feed lot sprinkler system and feed mill.

Well #4, 350 gal. per minute, farm land irrigation

Remarks: For emergency use only, Well #1 is connected into the feed lot and feed mill system. If Well #3 fails, Well #1 will take over the function of Well #3.

**RECEIVED**

NOV 16 1973  
STATE ENGINEER  
SALEM, OREGON

4. The well or other source is located ..... ft. ..... and ..... ft. .... from the .....  
corner of .....  
(N. or S.) (E. or W.)  
(Section or subdivision)  
(Well #2) N 72° 53' 14" W 427.10 feet from the SE Corner of the NE1/4 NE1/4 section 21  
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the NE1/4 NE1/4 ..... of Sec. 21, Twp. 19S, R. 46E  
W. M., in the county of Malheur .....

5. The ..... to be ..... miles  
(Canal or pipe line)  
in length, terminating in the ..... of Sec. ...., Twp. ....  
(Smallest legal subdivision)  
R. ...., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Albertson's Well #2 .....

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

.....  
.....  
.....

8. The development will consist of four wells, Well #2 ..... having a  
(Give number of wells, tunnels, etc.)  
diameter of 16 inches and an estimated depth of 470 feet. It is estimated that 337  
feet of the well will require steel casing. Depth to water table is estimated 300  
(Kind) (Feet)

Application No. G-6161  
Permit No. G 5267

4. The well or other source is located ..... ft. .... and ..... ft. .... from the .....  
(N. or S.) (E. or W.)  
corner of .....  
(Section or subdivision)  
(Well #3) S83°54'50"E 1692.59 feet from the West 1/4 corner section 21  
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the NE1/4 SW1/4 ..... of Sec. 21, Twp. 19S, R. 46E,  
W. M., in the county of Malheur .....

5. The ..... to be ..... miles  
(Canal or pipe line)  
in length, terminating in the ..... of Sec. ...., Twp. ....,  
(Smallest legal subdivision)  
R. ...., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Albertson's Well #3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

.....  
.....  
.....

8. The development will consist of four wells, Well #3 ..... having a  
(Give number of wells, tunnels, etc.)  
diameter of 12 inches and an estimated depth of 533 feet. It is estimated that 478  
feet of the well will require steel casing. Depth to water table is estimated 400  
(Kind) (feet)

Application No. G-6161  
Permit No. G 5267

4. The well or other source is located ..... ft. .... and ..... ft. .... from the  
(N. or S.) (E. or W.)  
corner of .....  
(Section or subdivision)  
(Well #4) S82°38'25"E 1154.04 feet from the North 1/4 corner section 21  
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the NW1/4 NE1/4 ..... of Sec. 21, Twp. 19S, R. 46E,  
W. M., in the county of Malheur .....

5. The ..... to be ..... miles  
(Canal or pipe line)  
in length, terminating in the ..... of Sec. ...., Twp. ....  
(Smallest legal subdivision)  
R. ...., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Albertson's Well #4

### DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

.....  
.....  
.....

8. The development will consist of four wells, Well #4 ..... having a  
(Give number of wells, tunnels, etc.)  
diameter of 16 inches and an estimated depth of 521 feet. It is estimated that 400  
feet of the well will require steel casing. Depth to water table is estimated 2.75  
(Kind) (Feet)

G1-3M

Application No. G-6161  
G 5267

SP-70625-119

(Continuation of Section 12)

Township N or S	Range E or W of Willamette Med.	Section	Forty Acre Tract	Number of Acres To Be Irrigated
19 S	46 E	21	NE 1/4 NW 1/4	14 acres-feed lot
19 S	46 E	21	NW 1/4 NW 1/4	17 acres-feed lot
19 S	46 E	21	SW 1/4 NW 1/4	24 acres-feed lot
19 S	46 E	21	SE 1/4 NW 1/4	32 acres-feed lot
19 S	46 E	21	NE 1/4 SW 1/4	2 acres-feed lot
19 S	46 E	21	SW 1/4 NE 1/4	5.0 acres-feed mill

G 5267

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$150,000.00
- 15. Construction work will begin on or before 6-1-73  
Holloway Drilling Co. 1-1-73
- 16. Construction work will be completed on or before 6-1-74
- 17. The water will be completely applied to the proposed use on or before 9-1-74

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. \_\_\_\_\_

*[Handwritten Signature]*  
(Signature of applicant)

Remarks:

Ltr 7-26-74 water from wells will be first collected  
in the reservoirs, then used for irrigation.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~September 10~~, 1973  
January 8, 1974

WITNESS my hand this ~~10th~~ day of ~~July~~, 1973  
9th November

RECEIVED  
NOV 16 1973  
STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER  
STATE ENGINEER  
By *[Handwritten Signature]*  
Thomas E. Shook  
ASSISTANT



STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4.8 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 4 wells being 2.4 c.f.s from No. 1, 0.3 c.f.s. from No. 2, 0.8 c.f.s. from No. 3, and 0.8 c.f.s. from No. 4 for irrigation, and 0.45 c.f.s. from No. 1 and 3 for feed lot and feed mill

The use to which this water is to be applied is irrigation and feed lot and feed mill

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 6, 1973

Actual construction work shall begin on or before December 31, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 31st day of December, 1974

*Chris L. Wheeler*  
STATE ENGINEER

Application No. G- 61161  
Permit No. G- G 5289

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of June, 1973, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

December 31, 1974

Recorded in book No. G 5289 of Ground Water Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 10 page 42

5910  
4522  
620 to opp 52244