

RECEIVED
OCT 8 1970
STATE ENGINEER
SALEM, OREGON

ASSIGNED, See Misc. Rec., Vol. 5 page 667

Superseded by
Cert. No. 68689

Permit No. G- G 5288

CERTIFICATE NO. 49958

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon:

I, Leonard A Wells
(Name of applicant)
of P.O. Box 373 Pendleton, county of Umatilla
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Patawa Creek
(Name of stream)
tributary of Tutuilla Creek

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 190 gallons per minute.

3. The use to which the water is to be applied is ~~Municipal~~ domestic water district

4. The well or other source is located ft. and ft. from the corner of N 24° 52' 35" W 184.86 Feet from the SE corner of the SW 1/4 of the SE 1/4 of Section 28, T 2 N, R 33 E W.M.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
being within the SW 1/4, SE 1/4 of Sec. 28, Twp. 2 N, R. 33 E, W. M., in the county of Umatilla

5. The distribution system to be in length, terminating in the SW 1/4, SE 1/4 of Sec. 28, Twp. 2 N, R. 33 E, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line)
(Smallest legal subdivision)

6. The name of the well or other works is Shenandoah Estates well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Well is artesian, Approx. 20 GPM at ground surface, will use turbine pump sealed to the casing at top and pump into pressure system with pressure tank. (See well log)

8. The development will consist of one well having a diameter of 8 inches and an estimated depth of 238 feet. It is estimated that 151 feet of the well will require 8" - 0.250 G casing. Depth to water table is estimated
(Kind) (Feet)

DT 651

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Patawa Creek is 1/4 mile N.E. of well

12. Location of area to be irrigated, or place of use *SW 1/4, SE 1/4, S 28, T 2 N, R 33 E.*

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of Shenandoah Estates, Residential Subdivision
in Umatilla county, having a present population of _____
and an estimated population of 500 in 1972

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 20,000

15. Construction work will begin on or before Immediately 1970

16. Construction work will be completed on or before 1972

17. The water will be completely applied to the proposed use on or before 1972

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

(Signature of applicant)

Remarks: To SERVE SB Family

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ~~correction and completion~~

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~December 30th~~, 1970
March 19th, 1971

WITNESS my hand this ~~30th~~ day of ~~October~~, 1970
19th January 71

RECEIVED RECEIVED
JAN 22 1971 DEC 4 1970
STATE ENGINEER STATE ENGINEER
SALEM, OREGON SALEM, OREGON

CHRIS L. WIEBNER
STATE ENGINEER
By Larry W. Jehousek
LARRY W. JEHOUSEK
ASSISTANT

STATE OF OREGON,
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.20 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is domestic use for 58 families

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 8, 1970

Actual construction work shall begin on or before February 4, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 4th day of February, 1975

STATE ENGINEER

Application No. G-5335
Permit No. G-5283

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of October, 1970, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

February 4, 1975

Recorded in book No. of

Ground Water Permits on page G-5283

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 7 page 67

1975