

RECEIVED  
OCT 1 1955  
STATE ENGINEER  
SALEM, OREGON

RECEIVED  
OCT 1 1955

STATE ENGINEER No. G-53

SALEM, OREGON

APPLICATION FOR A PERMIT

# To Appropriate the Ground Waters of the State of Oregon

I, Henry C. Garber (Name of applicant)

of 529 High St., Klamath Falls, Ore., county of Klamath  
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Individual

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated South Fork of Sprague River  
(Name of stream)

tributary of Sprague River

2. The amount of water which the applicant intends to apply to beneficial use is 3000 cubic feet per second or 3000 gallons per minute.

3. The use to which the water is to be applied is Farm irrigation

bearing N. 67° 44' E.

4. The well or other source is located 1755 ft. and          ft. from the S. corner of Section 27, Twp. 36 North, Range 14 East W.M.  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well, it must be described. Use separate sheet if necessary

being within the          of Sec. 27, Twp. 36 North, Range 14 East W.M. in the county of Klamath

5. The          to be          miles in length, terminating in the          of Sec. 27, Twp. 36 North, Range 14 East W.M., the proposed location being shown throughout on the accompanying map

6. The name of the well or other works is Well No. 1

### DESCRIPTION OF WORKS

7. If the water to be utilized is artesian, the works to be used for the control and conservation of the water when not in use must be described.

         Flow is unlimited.

8. The development will consist of one well,          inches and an estimated depth of 300 feet. It will consist of          casing. Depth to water table is          feet.

CANAL SYSTEM OR PIPE LINE

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 15 feet; width on bottom

9 feet; depth of water 3 feet; grade 5 inches feet fall per one thousand feet.

(b) At same miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, none ft.; size at intake, in.; in size at from intake, in.; size at place of use, in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 14 inch pump with about 100 H.P. electric motor. Actual size unknown until water table is established. Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels; the difference in elevation between the stream bed and the ground surface at the source of development. Located about 1,400 feet South from South Fork of Sprague River

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To be Irrigated
36 N.	14	27	NE 1/4	37.3
36 S	14	27	NE 1/4	37.3
36 S	14	27	SE 1/4	39.3
36 S	14	27	SW 1/4	38.7
36 S	14	27	SW 1/4	38.9
36 S	14	27	SE 1/4	40.
36 S	14	27	SW 1/4	38.8
36 S	14	27	SE 1/4	37.4
36 S	14	27	SW 1/4	38.2
36 S	14	27	SW 1/4	38.3
36 S	14	27	SW 1/4	38.3
36 S	14	27	SW 1/4	38.7
36 S	14	27	SW 1/4	38.
36 S	14	27	SW 1/4	38.1
36 S	14	27	SW 1/4	38.4
36 S	14	27	SW 1/4	38.4

If more space required, attach separate sheet

Soil is mostly clay and loam. Irrigation and drainage system.

MUNICIPAL SUPPLY—

13. To supply the city of For farm irrigation only.

in ..... county, having a present population of .....

and an estimated population of ..... in 19.....

14. Estimated cost of proposed works, \$ 10,000.00.....

15. Construction work will begin on or before Jan. 1, 1956.....

16. Construction work will be completed on or before May 1, 1956.....

17. The water will be completely applied to the proposed use on or before Sept. 2, 1956.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

*This land has an adjudicated right from South Fork of Oregon River, Fishlake Creek & Deming Creek. Also a supplemental right from Campbell Reservoir.*

*Henry C. Guehn*  
(Signature of applicant)

Remarks: This farm irrigation application is for a supplemental water right for the land described in the application.

STATE OF OREGON, )  
County of Marion, ) ss

I do hereby certify that I have examined the foregoing application together with the supporting data and return the same for .....

In order to retain its priority this application may be returned to the State Engineer .....

Witness my hand this ..... day of .....

STATE OF OREGON.

PERMIT

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 6.681 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well No. 1

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be still further limited to a diversion of not to exceed 6.681 c.f.s., provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The priority date of this permit is October 4, 1955

Actual construction work shall begin on or before November 22, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 1st day of November

Lewis A. Stanley STATE ENGINEER

145

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 4th day of October 1955 at 8:00 o'clock A. M.

Returned to applicant

Approved

Recorded in book No.

533

Ground Water Permit on page

STATE ENGINEER

14 1959

State paid \$