

RECEIVED
DEC 17 1970
STATE ENGINEER
SALMON, OREGON

CERTIFICATE NO. 51473

Permit No. G- G. 5311

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Mrs. Clara (Swan E.) Johnson
(Name of applicant)
of 9286 Inconda Rd./ Brooks, Oregon 97305, county of Marion
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Little Pudding River
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 210.12 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation of pasture and crops

4. The well or other source is located 690 ft. N and 572 ft. E from the NE corner of the Wm. Parker D.L.C. No. 19
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the boundaries N.W. 1/4 of N.W. Sec. 7, Twp. 6S, R. 1 W., W. M., in the county of Marion

5. The Canal or pipe line to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Johnson Well (6/1 W- 7)

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 10 inches and an estimated depth of 193 feet. It is estimated that 193 feet of the well will require steel casing. Depth to water table is estimated 6 ft.
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used 40 hp. Type K 3 phase

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

1,295 ft. from Pudding River. Approx. 30 ft. higher than river.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 S	1 W	6	W 1/4 S 1/2 of the S. 1/4 of S. 1/4 of S. 1/4 and S. 1/4 of S. 1/4 of S. 1/4 SW 1/4	(1) 15.52 AC. 10.52
"	"	7	E 1/4 N 1/2 of the N. 1/4 of N. 1/4 of N. 1/4 and N. 1/4 of N. 1/4 of N. 1/4	(2) 2.02 AC. 2.02
"	"	"	"	(3) 1.14 AC. 1.14
"	"	"	"	(4) 15.61 AC. 15.61
"	"	"	"	29.29
6 S	2 W	1	S. 1/4 of S. 1/4 of S. 1/4	(5) 2.82 AC.
"	"	12	S. 1/4 of N. 1/4 of N. 1/4	(6) 7.35 AC.
"	"	"	"	10.17
"	"	"	"	total 39.96
"	"	"	"	
"	"	"	"	
"	"	"	"	
"	"	"	"	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$.....

15. Construction work will begin on or before

16. Construction work will be completed on or before completed

17. The water will be completely applied to the proposed use on or before Oct. 1, 1971

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. no

(Signature of applicant)

Remarks: Will cancel any other right on this record by

Well drilled by J.A. Snead May 1962 for Ralph LeBoe

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion completion and correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~March 4th~~, 19~~71~~.
April 1, 71

WITNESS my hand this 4th day of January, 1971.
1st March 71

RECEIVED
MAR 8 1971
STATE ENGINEER
Salem, Oregon

CHRIS E. WHEELER

STATE ENGINEER

By Larry W. Jebousek ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.49 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 17, 1970

Actual construction work shall begin on or before February 4, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976.

Complete application of the water to the proposed use shall be made on or before October 1, 1977.

WITNESS my hand this 4th day of February, 1975

STATE ENGINEER

Application No. G-5380
Permit No. G-5311

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 17th day of December,
1970, at 11:25 o'clock A. M.

Returned to applicant.

Approved.

February 4, 1975

Recorded in book No. of
Ground Water Permits on page G 5311

CHRIS L. WHEELER

STATE ENGINEER
Drainage Basin No. 2, page 120