

RECEIVED
DEC 28 1970

STATE ENGINEER
SALEM OREGON

Permit No. G-5317

APPLICATION FOR A PERMIT CERTIFICATE NO. 45560

To appropriate the Ground Waters of the State of Oregon

I, MR. KENNETH H. LENHARD

(Name of applicant)

of ROUTE 1 BOX 51 MANAMAHA, OREGON, county of POKONIE,
(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated UNNAMED TRIBUTARY
(Name of stream)

tributary of ASH CREEK

2. The amount of water which the applicant intends to apply to beneficial use is 2.5 cubic feet per second or 1683 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION OF APPROXIMATE 15 ACRES WATER

4. The well or other source is located 100 ft. S and 190 ft. E from the
(N. or S.) (E. or W.)

corner of NORTH WEST CORNER - ELIJAH DAVISON - D.P. NO 58
(Section or subdivision)
1/4 NW 1/4 SEC 34 (22) CORNER - 1650' FROM NW 1/4 SEC 34 CORNER
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 - SW 1/4 - SE 1/4 of Sec. 27, Twp. 9 S, R. 5 W,
W. M., in the county of POKONIE

5. The 1/2" B.F. METALLIC PIPE OR HOSE to be 1/4 miles
(Canal or pipe line)
in length, terminating in the SW 1/4 SEC 27 NW 1/4 of Sec. 27, Twp. 9 S,
(Smallest legal subdivision)
R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is LENHARD WELL

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ONE WELL having a
(Give number of wells, tunnels, etc.)
diameter of 4 1/2 inches and an estimated depth of 25 feet. It is estimated that
feet of the well will require T.I.P.E. casing. Depth to water table is estimated 12'
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At mile from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type TO BE REPAIR WHEN NEEDED

Give horsepower and type of motor or engine to be used 5 HP GAS

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
85	5W	34	NW 1/4 NE 1/4	ALL 4 ACRES
85	5W	27	SW 1/4 SE 1/4	APX 10 ACRES
85	5W	27	SW 1/4 SE 1/4	APX 8.4 ACRES
		27	SE 1/4 SE 1/4	0.6 ACRES
		34	NW 1/4 NE 1/4	4.0 ACRES
		34	NE 1/4 NW 1/4	3.0 ACRES
		34	SE 1/4 NW 1/4	4.5 ACRES
				<u>15</u>

(If more space required, attach separate sheet)

Character of soil MELBOURNE CLAY LOAM

Kind of crops raised PASTURE

MUNICIPAL SUPPLY—

13. To supply the city of _____ in _____ county, having a present population of _____ and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ _____

15. Construction work will begin on or before *WELL WAS DRILLED BY MR. R. A. CASBY IN 1968* DECEMBER 1968

16. Construction work will be completed on or before COMPLETED

17. The water will be completely applied to the proposed use on or before SEPT. 1971

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. NONE

James W. Hildebrand
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ~~correction and completion~~

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~March 22nd~~ May 19th, 1971

WITNESS my hand this ~~20th~~ 19th day of ~~January~~ March, 1971

REGISTERED FEB 8 1971
STATE ENGINEER SALEM OREGON
CHRIS L. HANCOCK STATE ENGINEER
By *Larry W. Jebousak* ASSISTANT
Larry W. Jebousak

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.21 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 28, 1970

Actual construction work shall begin on or before February 4, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 4th day of February, 1975

[Signature]

STATE ENGINEER

Application No. G-5386
Permit No. G-5317

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of December, 1970, at 2 o'clock A.M.

Returned to applicant:

Approved:

February 5, 1975

Recorded in book No. _____ of _____

Ground Water Permits on page G-5317

CECIL L. THAYER
STATE ENGINEER

Drainage Easin No. 2, page 120

[Handwritten notes]