Permit No. G-

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Cregon .

I, Frznk H. & Viola M. Gould
of Pt. 1. Bux 5-99 Bz72dun 97411, county of Co. 5 (Postoffice Address)
(Postoffice Address)
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Crooked Creek
(Name of stream) tributary of Pacific Car
2. The amount of water which the applicant intends to apply to beneficial use is
feet per second or gallons per minute. 3. The use to which the water is to be applied is A Augustian
3. The use to which the water is to be applied is A ANGALON
Cranberries - Jeruperetur Contra & Margertino
4. The well or other source is located 730 ft. S and 400 ft. 4 from the 1/2
corner of NE, 4 of NW4 of be 18 Tw 295 R 14wy WN.
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the MF 14 of MV 14 of Sec. 18, Twp. 245, R. 14/11
W. M., in the county of COOS
5. The
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is .
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of
8. The development will consist of
Geet of the well will require casing. Depth to water table is estimated
(Peet)

			1:	inational to the tree
			line)	
sand feet.	feet; depth of u	vater	feet; grade	jeet jail per
(b) At	mii	les from hea	dgate: width on top (at wate	er line)
		•	feet; depth of u	
	feet fall 1			
(c) Lengt	h of pipe,	ft.	; size at intake	in.; in size at
			of use in.; dif	
			Is grade uniform?	
<u> </u>		•	,	-
			other development work is lesistance to the nearest point of	
tural stream difference in	n or stream channe n elevation between	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels
tural stream difference in	ion of area to be in	el, give the dan the stream	istance to the nearest point o	on each of such channels at the source of developm
tural stream difference in	or stream channer elevation between the stream channer is a second control of the stream channer is a second channer in the stream channer in the stream channer is a second channer in the stream channer in the stream channer is a second channer in the stream channer in the stre	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels
tural stream difference in 12. Locat	ion of area to be in	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels at the source of developm
tural stream difference in 12. Locat	ion of area to be in	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels at the source of developm
tural stream difference in 12. Locat	ion of area to be in	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels at the source of developm
tural stream difference in 12. Locat	ion of area to be in	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels at the source of developm
tural stream difference in 12. Locat	ion of area to be in	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels at the source of developm
tural stream difference in 12. Locat	ion of area to be in	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels at the source of developm
tural stream difference in 12. Locat	ion of area to be in	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels at the source of developm
tural stream difference in 12. Locat	ion of area to be in	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels at the source of developm
tural stream difference in 12. Locat	ion of area to be in	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels at the source of developm
tural stream difference in 12. Locat	ion of area to be in	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels at the source of developm
tural stream difference in 12. Locat	ion of area to be in	el, give the dan the stream	istance to the nearest point of bed and the ground surface	on each of such channels at the source of developm

Character of soil Sandy

Kind of crops raised Scanberries

	MUNICIPAL SUPPLY—
	13. To supply the city of
	in county, having a present population of
	and an estimated population ofin 19
	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
	14. Estimated cost of proposed works, \$ 5600
	-15. Construction work will begin on or before helleville dug in 1954
	16. Construction work will be completed on or before May
	17. The water will be completely applied to the proposed use on or before May 17/1
	18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
	applicant. Supplemental to Permit 26 951 and also
	supplementa te application 47859
	(Signature of applicant)
	Remarks: The resultain way duy in 19571
	Supplemental ground water has been and some
	that time for 3.4 aux, ledestimel acreage to-
	been planted to increase teleprison accesso
	if were sed aware until now that they sump
	orseewords were subject to evel states
6	alkingation 15 galopla minute
	Temperature Contral-15 gals ple minut
	Marvesting - 15 gal all minute
	•
	STATE OF OREGON, ss.
	County of Marion,
	This is to certify that I have examined the foregoing application, together with the accompanying
	maps and data, and return the same for correction and completion
	In order to retain its priority, this application must be returned to the State Engineer, with correc-
	tions on or before
	tions on or before
<i>7</i>	tions on or before
ガー、 10 元 11 元	witness my hand this 21st day of January 1971 2nd March 22nd March 71 CHAIS L. W. J.
	tions on or before March 22nd 1971 May 3rd 71 WITNESS my hand this 21st day of January 1971 2nd March 71 CHRIS L. W. J. JAN 2 6 1971
	tions on or before Warein 22nd , 19—72. May 3rd 71 WITNESS my hand this 21st day of January 19—72. 2nd March 71

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SUBJECT	TO EXISTING RIC	GHTS and the followin	g limitation	s and conditions:	;
The	right herein grantee	d is timited to the amo	ount of wate	r which can be a	oplied to beneficial use
and shall r	not exceed 0.033	cubic feet per sec	ond measure	ed at the point of a	diversion from the well
or source o	of appropriation, or i	ts equivalent in case o	f rotation w	ith other water u	sers, from <u>a</u>
sump wel	1		·	••••••	
The	use to which this wo	iter is to be applied is	suppleme	ental irrigation	on, frost protection
and cran	berry harvest, b	eing 0.033 c.f.s.	for each	use.	
If fo	r irrigation, this app	ropriation shall be lim	ited to1/	/80th of one	e cubic foot per second
or its equi	valent for each acre	irrigated and shall be	further limi	ted to a diversion	of not to exceed 2
acre feet p	er acre for each acre	e irrigated during the i	rrigation sec	ison of each year;	provided further
that the	right allowed h	erein shall be lim	ited to ar	ny deficiency i	n the available
supply o	f any prior righ	t existing for the	same land	i and shall not	exceed the
limitati	on allowed herei	n, and shall be fu	rther limi	ited to appropr	istion of water
only to	the extent that	it does not impair	or substa	intially interf	ere with existing
surface	water rights of	others.		·····	
		••••			
an d shall b	e subject to such rea	sonable rotation syster	n as may be	ordered by the pro	oper state officer.
The line, adequ The shall keep	works constructed shate to determine wa permittee shall insta a complete record o	capping and control volable include an air line ater level elevation in all and maintain a weir of the amount of ground permit is	e and pressur the well at a , meter, or id water with	e gauge or an acce ll times. other suitable m hdrawn.	ess port for measuring easuring device, and
		shall begin on or befo			
		reasonable diligence a			
		he water to the propos			
		4th day of			. 19.75
			ak		-Co
					STATE ENGINEER
Application No. G-5327 Permit No. G- G-5324	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1444 day of 1974, at 1.C.O. o'clock M.	Returned to applicant:	Approved: Sebruary 4, 1975 Recorded in book No. of	Ground Water Permits on page G.