JÜL 1 9 1974 STATE ENGINEER SALEM, ORECON OCT 2 1 1974 STATE ENGINEER SALEM, OREGOD

Permit No. G- 5.307

AMENDED APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Cregon

I, LAWRENCE B. REW and REW RANCHES, Inc. (Name of applicant)
of P.O. Box 957 Pendleton , county of Umatilla (Postoffice Address)
state of
If the applicant is a corporation, give date and place of incorporation December 17, 1971 - Oregon
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated
(Name of stream) tributary of Columbia River
2. The amount of water which the applicant intends to apply to beneficial use is 1.337 cubic feet per second or600 gallons per minute.
3. The use to which the water is to be applied is Irrigation
4. The well or other source is located 1550 ft. N and 143 ft. E from the corner of center of Section 30. Township 3 North, Range 31, E.W.M.
(if preferable, give distance and bearing to section corner)
being within the NW 1/4 of NE 1/4 of Sec. 30 Twp. 3N R. 31 E
W. M., in the county of <u>Umatilla</u>
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Rew No. 1
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of
diameter of12 inches and an estimated depth of
feet of the well will requiresteel casing. Depth to water table is estimated

addite. At near	lgate: width on top	(at water iin	e)	jeet, with	
· · · · · · · · · · · · · · · · · · ·	feet; depth of dat	er	feet; grade	feet	fall per one
ousand feet.					
(b) At	miles	from headg	ate: width on top (at water	r line)	
	feet; width on bo	ttom	feet; depth of w	ater	feet;
ade	feet fall per	one thousan	d feet.		
(c) Length	of pipe,	ft.; s	size at intake i	in.; in size at	ft.
om intake	in.; size	e at place of	use in.; diff	erence in elevat	ion between
take and place	of use,	ft. Is	grade uniform?	Estimat	ed capacity,
	sec. ft.				
	· ·	ve size and ty	pe Turbine Pump -	- 8" column	
200 - J [2000]	,		•		
Gine horses	nower and type of n	notor or engi	ne to be used 150 Hor	rsepower ele	ectric
	N. 4				
ne difference in	elevation between t	ne streum oe			
		1	ce of use		
		1		Number To Be Irr	Acres igated
12. Locatio	on of area to be irric Range E or W of	gated, or plac	ce of use	Number	Acres
12. Location Township N. or S.	Range E. or W. of Willamette Meridian	gated, or place	ce of use	Number To Be Ir: Primary	Acres igated
12. Location Township N. or S.	n of area to be irrig Range E. or W. of Willamette Meridian 31E	gated, or place Section	Forty-acre Tract NW1/4 NW1/4	Number To Be Irr Primery 40	Acres igated
Township N. or S. 3N 3N	Range E or W of Willamette Meridian 31E 30E	gated, or place Section 30 25	Forty-acre Tract NW1/4 NW1/4 NE1/4 NE1/4	Number To Be Ir: Primery 40	Acres Supplem
Township N. or S. 3N 3N 3N	Range E. or W. of Willamette Meridian 31E 30E 30E	gated, or place Section 30 25 24	Forty-acre Tract NW1/4 NW1/4 NE1/4 NE1/4 SE1/4 SE1/4 SW1/4 SW1/4 SW 1/4 NW 1/4	Number To Be Ir: Primary 40 40	Acres Supplem
Township N. or S. 3N 3N 3N 3N	Range E. or W. of Willamette Mcridian 31E 30E 30E 31E	Section 30 25 24 19	Forty-acre Tract NW1/4 NW1/4 NE1/4 NE1/4 SE1/4 SE1/4 SW1/4 SW1/4	Number To Be Irr Primary 40 40 20	Acres Supplem
Township N. or S. 3N 3N 3N 3N 3N	Range E or W of Willamette Meridian 31E 30E 30E 31E 31E	gated, or place Section 30 25 24 19 30	Forty-acre Tract NW1/4 NW1/4 NE1/4 NE1/4 SE1/4 SE1/4 SW1/4 SW1/4 SW 1/4 NW 1/4	Number To Be Irr Primary 40 40 20	Acres Supplem
Township N. or S. 3N 3N 3N 3N 3N	Range E or W of Willamette Meridian 31E 30E 30E 31E 31E	gated, or place Section 30 25 24 19 30	Forty-acre Tract NW1/4 NW1/4 NE1/4 NE1/4 SE1/4 SE1/4 SW1/4 SW1/4 SW 1/4 NW 1/4	Number To Be Irr Primary 40 40 20	Acres Supplem
Township N. or S. 3N 3N 3N 3N 3N	Range E or W of Willamette Meridian 31E 30E 30E 31E 31E	gated, or place Section 30 25 24 19 30	Forty-acre Tract NW1/4 NW1/4 NE1/4 NE1/4 SE1/4 SE1/4 SW1/4 SW1/4 SW 1/4 NW 1/4	Number To Be Irr Primary 40 40 20	Acres Supplem
Township N. or S. 3N 3N 3N 3N 3N	Range E or W of Willamette Meridian 31E 30E 30E 31E 31E	gated, or place Section 30 25 24 19 30	Forty-acre Tract NW1/4 NW1/4 NE1/4 NE1/4 SE1/4 SE1/4 SW1/4 SW1/4 SW 1/4 NW 1/4	Number To Be Irr Primary 40 40 20	Acres Supplem
Township N. or S. 3N 3N 3N 3N 3N	Range E or W of Willamette Meridian 31E 30E 30E 31E 31E	gated, or place Section 30 25 24 19 30	Forty-acre Tract NW1/4 NW1/4 NE1/4 NE1/4 SE1/4 SE1/4 SW1/4 SW1/4 SW 1/4 NW 1/4	Number To Be Irr Primary 40 40 20	Acres Supplem
Township N. or S. 3N 3N 3N 3N 3N	Range E or W of Willamette Meridian 31E 30E 30E 31E 31E	gated, or place Section 30 25 24 19 30	Forty-acre Tract NW1/4 NW1/4 NE1/4 NE1/4 SE1/4 SE1/4 SW1/4 SW1/4 SW 1/4 NW 1/4	Number To Be Irr Primary 40 40 20	Acres Supplem
Township N. or S. 3N 3N 3N 3N 3N	on of area to be irrig Range E or W. of Willamette Mcridian 31E 30E 31E 31E 31C 30E	gated, or place Section 30 25 24 19 30 24+	Forty-acre Tract NW1/4 NW1/4 NE1/4 NE1/4 SE1/4 SE1/4 SW1/4 SW1/4 SW 1/4 NW 1/4	Number To Be Irr Primary 40 40 20	Acres Supplem

	13. To supply the city of
	in county, having a present population of
	and an estimated population ofin 19
	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
	14. Estimated cost of proposed works, \$ 50,000.00
	15. Construction work will begin on or before September 15, 1972
	16. Construction work will be completed on or before September 15, 1974
	17. The water will be completely applied to the proposed use on or before October 15, 197
	18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
	applicant. This is supplemental water for 10 acres located in 5.L. 1/4
	S.E. 1/4/of Sec. 24, Tnp. 3N Rg. 30(primary in App. 80, G-6601) (Rew Ranches, Inc. 42)
	Remarks:
	Remarks: Lawrence B. Rew
. 1	
'	
	STATE OF OREGON, ss.
	County of Marion,
9	This is to certify that I have examined the foregoing application, together with the accompanying
1974 1974 SINFER	maps and data, and return the same forcorrection and completion
H	In order to retain its priority, this application must be returned to the State Engineer, with correc
NO'STATI	Gions on or before January 14 , 19.75
.a. 02	
	WITNESS my hand this 12th day of November, 19.74.
icibal lativers	

STATE ENGINEER

By Gomes E. Shook

Assistant

STATE OF OREGON,	· · · · · · · · · · · · · · · · · · ·	PERMIT			
County of Marion,	ss.				
This is to certify SUBJECT TO EXISTIN	that I have examin				grant the same,
The right herein	granted is limited to	the amount of u	eater which ca	n be applied t	o beneficial use
and shall not exceed	1.3 cubic fee	et per second mea	sured at the p	oint of diversio	n from the well
or source of appropriati	on, or its equivalent	in case of rotatio	n with other i	vater users, fro	mRe:#
Well No. 1					······································
The use to which	this water is to be a	pplied is irri g	ation and s	upplemental.	irvigation
If for irrigation, t	his appropriation sho	all be limited to	1/80th	of on e cubic	foot per second
or its equivalent for eac	h acre irrigated and	shall be further	limited to a div	version of not t	o exceed3
acre feet per acre for ed	ich acre irrigated du	ring the irrigatio	n season of ea	ch year; _prov	ided further th
he right allowed he	arain chall he li	imited to any	deficiency :	in the avail	able supply
•			**************************************		
of any prior right	existing for the	same land and	shall not	exceed the 1	<u>imitation</u>
allowed herein,	_	*	shall not	exceed the 1	imitation
	_	*	shall not	exceed the 1	imitation
	_	*	shall not	exceed the 1	imitation
	_	*	shall not	exceed the 1	imitation
llowed herein,					
llowed herein,	uch reasonable rotat	tion system as ma	y be ordered b	y the proper st	ate officer.
Ilowed herein, and shall be subject to s The well shall be the works shall include The works constr	uch reasonable rotat cased as necessary a proper capping and ucted shall include a	tion system as ma in accordance wi control valve to p an air line and pr	y be ordered b th good practi revent the was	y the proper st ce and if the s	ate officer. flow is artesian
The well shall be the works shall include The works constraine, adequate to determentations.	uch reasonable rotat cased as necessary a proper capping and ucted shall include a nine water level ele	tion system as ma in accordance wir control valve to p an air line and pr vation in the wel ain a weir, meter	y be ordered b th good practi revent the wa essure gauge o l at all times.	y the proper st ce and if the g ste of ground u r an access por	ate officer. flow is artesian ater. t for measuring
Ilowed herein, Ind shall be subject to so the well shall be the works shall include the works constraine, adequate to determ the permittee shall keep a complete metall keep a complet	uch reasonable rotat cased as necessary a proper capping and ucted shall include a nine water level ele all install and mainta	tion system as ma in accordance wit control valve to p an air line and pr vation in the wel ain a weir, meter t of ground wate	y be ordered be the good practice revent the ware gauge of at all times. The work of the contraction of the	y the proper st ce and if the g ste of ground u r an access por itable measuri	ate officer. flow is artesian ater. t for measuring ng device, and
Ilowed herein, Ind shall be subject to so the well shall be the works shall include the works constraine, adequate to determ the permittee shall keep a complete metall keep a complet	uch reasonable rotat cased as necessary a proper capping and ucted shall include a nine water level ele	tion system as ma in accordance wit control valve to p an air line and pr vation in the wel ain a weir, meter t of ground wate	y be ordered be the good practice revent the ware gauge of at all times. The work of the contraction of the	y the proper st ce and if the g ste of ground u r an access por itable measuri	ate officer. flow is artesian ater. t for measuring ng device, and
The well shall be the works shall include The works constrine, adequate to determ The permittee shall keep a complete material to the priority date	uch reasonable rotat cased as necessary a proper capping and ucted shall include a nine water level ele all install and mainta	tion system as ma in accordance wir control valve to p an air line and pr vation in the wel ain a weir, meter t of ground wate	y be ordered be a good practice of the ware gauge of at all times. To or other sure withdrawn.	y the proper st ce and if the ste of ground u r an access por itable measuri	ate officer. flow is artesian rater. t for measuring and device, and
The well shall be the works shall include The works constrine, adequate to determ The permittee shall keep a complete manual to the priority date Actual constructions.	uch reasonable rotate cased as necessary a proper capping and ucted shall include a nine water level elevant install and mainterecord of the amount of this permit is	tion system as ma in accordance wir control valve to p an air line and pr vation in the wel ain a weir, meter t of ground wate October on or before	y be ordered be a good practice the war essure gauge of a tall times. The contract of the cont	y the proper stoce and if the ste of ground under an access portiable measuri	ate officer. Flow is artesian eater. It for measuring and device, and and shall
The well shall be the works shall include The works construction, adequate to determ The permittee shall keep a complete of the priority date Actual construction thereafter be prosecute	uch reasonable rotate cased as necessary a proper capping and ucted shall include a nine water level elevant install and mainterecord of the amount of this permit is	tion system as ma in accordance wir control valve to p an air line and pr vation in the wel ain a weir, meter t of ground wate October on or before	y be ordered be a good practice revent the was essure gauge of at all times. To other sure withdrawn. 21, 1974. February completed on	y the proper st ce and if the g ste of ground u r an access por itable measuri	ate officer. flow is artesian atter. t for measuring and device, and and shall ber 1, 19.75
The well shall be the works shall include The works construine, adequate to determ The permittee shall keep a complete m The priority date Actual construction thereafter be prosecute Complete applica	cased as necessary a proper capping and ucted shall include a nine water level elected install and mainterecord of the amount of this permit is on work shall begind with reasonable desires.	tion system as ma in accordance wir control valve to p an air line and pr vation in the wel ain a weir, meter t of ground wate October on or before liligence and be of the proposed use s	y be ordered be a good practice of the war of the war of the sure gauge of the sure of the	y the proper stoce and if the ste of ground under the steed of ground	ate officer. Flow is artesian rater. It for measuring and device, and and shall ber 1, 19.75
The well shall be the works shall include The works construine, adequate to determ The permittee shall keep a complete m The priority date Actual constructions thereafter be prosecute Complete applica	uch reasonable rotate cased as necessary a proper capping and ucted shall include a nine water level elevall install and mainterecord of the amount of this permit is on work shall begind with reasonable detion of the water to the state of the water to the water to the state of the water to the water the state of the water to the state of the water the	tion system as ma in accordance wir control valve to p an air line and pr vation in the wel ain a weir, meter t of ground wate October on or before liligence and be of the proposed use s	y be ordered be a good practice of the war of the war of the sure gauge of the sure of the	y the proper stoce and if the ste of ground under the steed of ground	ate officer. Flow is artesian rater. It for measuring and device, and and shall ber 1, 19.75

Application No. G- 62697

Permit No. G- G 5397

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first ceived in the office of the State Engineer 2: Salem, Oregon,

office of the State Engineer 2: Salem, Oregon, on the 21st day of October,

Returned to applicant:

February 4, 1975
Recorded in book No.

Approved:

corded in book No.

Ground Water Permits on 1138 G. Boxes

MANDY TANGEST STATE ENGINEER

Drainuge Basin No. 7 11ge 255