Permit No. G. C. 5356

APPLICATION FOR A PERMIT

CERTIFICATE NO. 146548

To Appropriate the Ground Waters of the State of Oregon

		A 1 - 7/04	
I , .	HARVEY SMITH		•
		(Name of applicant)	unty of,
-4-46	OBSCON		• .
following	described ground waters of t	, do hereby make applications, subject	ation for a permit to appropriate the TO EXISTING RIGHTS:
If t	the applicant is a corporation,	give date and place of incorpo	ration
1.	Give name of nearest stream	to which the well, tunnel or c	other source of water development is
situated .	ROCK CREEK	(Name of stream)	
		tributary	of JOHN DAY RIVER
2. S		the applicant intends to apply	to beneficial use is 1.11 cubic
3. 5	The use to which the water is	s to be applied is IRRIGATIO	N OF GRASS, ALFALFA, GRAIN
			ft from the
corner of		; (Section or subdivision)	
	$6632 \text{ feet - S} - 37^{\circ}$ (If prefer	40° E FROM SECTION COR	NER 15, 16, 21, 22 - T - 2 -
R - 2	22 - E WM.	ne well, each must be described. Use separa	
being with			, Twp. 2 S , R. 22 E ,
W. M., in	the county ofGILLIAM		
5.	The(Canal or p	pipe line)	. to be miles
			of Sec, Twp,
		tion being shown throughout o	
	:	DESCRIPTION OF WORKS	
	If the flow to be utilized is art then not in use must be describe		the control and conservation of the
		a WEST T	
			having a
diameter (feet. It is estimated that
			water table is estimated(Feet)

C	Λ	M	ΛІ	SYSTEM	OR	DIDE	T	INF
•	<i>!</i> \	LINA	(11)	O LO LIMB	()II			1111

defeet fall per one thousand feet. (c) Length of pipe,ft.; size at intakein.; in size atft. m intakein.; size at place of usein.; difference in elevation between ake and place of use,ft. Is grade uniform?Estimated capacity,sec. ft. 10. If pumps are to be used, give size and type10 ^m Bowl - Hi-head Turbine Give horsepower and type of motor or engine to be used100 H.P. Electric		aagate: wiath on to	p (at w ate r line	<i>*</i>)	feet; width on bottom
(b) At		feet; depth of w	ater	feet; grade	feet fall per one
feet; width on bottom feet; depth of water feet; de feet fall per one thousand feet. (c) Length of pipe, fit; size at intake in.; in size at fit fit intake in.; in size at flace of use in.; difference in elevation between the and place of use, ft. Is grade uniform? Estimated capacity, sec. ft. 10. If pumps are to be used, give size and type 10° Bowl - Hi-head Turkine Give horsepower and type of motor or engine to be used 100 K.P. Electric 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from atural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development for the stream bed and the ground surface at the source of development for the stream bed and the ground surface at the source of development for many for the stream bed and the ground surface at the source of development for the stream bed and the ground surface at the source of development for many for the stream bed and the ground surface at the source of development for many for the stream bed and the ground surface at the source of development for many for the stream bed and the ground surface at the source of development for many for the stream bed and the ground surface at the source of development for many for the stream bed and the ground surface at the source of development for many for the stream bed and the ground surface at the source of development for many for the stream bed and the ground surface at the source of development for many for the stream bed and the ground surface at the source of development for many for the stream bed and the ground surface at the source of development for many for the stream bed and the ground surface at the source of development for many for the stream bed and the ground surface at the source of the source	usand feet.			•••	
mintake in.; size at place of use in.; difference in elevation between ake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft. 10. If pumps are to be used, give size and type 10° Bowl - Hi-head Turbine Give horsepower and type of motor or engine to be used 100 H.P. Electric 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from atural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210° distance from Rock Greek - 20° above stream 12. Location of area to be irrigated, or place of use See Map. 12. Location of area to be irrigated, or place of use See Map. 12. Location of area to be irrigated, or place of use Neighber 10° Be Irrigated 10° Be Irri	(b) At	mile	s from headgo	ate: width on top (at wate	r line)
(c) Length of pipe, ft.; size at intake in.; in size at ft. m intake in.; size at place of use in.; difference in elevation between ake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft. 10. If pumps are to be used, give size and type 10° Bowl - Hi-head Turbine Give horsepower and type of motor or engine to be used 100 H.P. Electric 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from atural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210' distance from Rock Creek - 20' above stream 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Remit at the source of the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210' distance from Rock Creek - 20' above stream 14. Location of area to be irrigated, or place of use 15. Location of area to be irrigated, or place of use 16. Location of area to be irrigated, or place of use 17. Number Arrest To Be Irranced 28. 22E 22 SENDE 22 SENDE 20.0 A. m 29. 22E 22 SENDE 22 SENDE 20.0 A. m 29. 22E 22 SENDE 20.0 A. m 20.1 A. Primary 20.1 A. Total		feet; width on b	oottom	feet; depth of u	eater feet;
mintake in; size at place of use in; difference in elevation between the and place of use, ft. Is grade uniform? Estimated capacity, sec. ft. 10. If pumps are to be used, give size and type 10° Bowl - Hi-head Turbine Give horsepower and type of motor or engine to be used 100 H.P. Electric 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from atural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210° distance from Rock Greek - 20° above stream 12. Location of area to be irrigated, or place of use See Map. 12. Location of area to be irrigated, or place of use See Map. 12. Location of area to be irrigated, or place of use New Mullement Mendalan Section Porty-aire Tract Nomber Arrest No Be Irrigated 2S 22E 22 SENERE 21.5 A. Supplement 2S 22E 22 NEASE 21.5 A. Supplement 2S 22E 22 SENERE 5.6 A. Supplement 2S 22E 22 SENERE 5.6 A. Supplement 2S 22E 22 SENERE 5.6 A. Supplement 2S 22E 23 SWANN 5.1 A. Total 8.1 A. Primary	de	feet fall p	er one thousand	d feet.	
sec. ft. 10. If pumps are to be used, give size and type 10" Bowl - Hi-head Turbine Give horsepower and type of motor or engine to be used 100 H.P. Electric 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from atural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210' distance from Rock Creek - 20' above stream 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Section 15. Section 16. Forty-are Tract 17. Summber Acres 18. Township 19. Rong Creek 20. O A. 21. Section 22. Selnel 22. Nelsel 22. Nelsel 23. Supplement 23. Section 24. Selnel 25. Supplement 25. Selnel 26. Supplement 26. Selnel 27. Supplement 27. Selle 28. Selnel 28. Selnel 29. Selne	(c) Lengt	h of pipe,	ft.; si	ize at intake	in.; in size at ft.
Sec. ft. 10. If pumps are to be used, give size and type 10 Bowl - Hi-hoad Turbine Give horsepower and type of motor or engine to be used 100 H.P. Electric 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from atural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210' distance from Rock Creek - 20' above stream 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Location of area to be irrigated, or place of use 15. Section 16. Section 17. Forty-are tract 18. Supplement 28. 22E 29. NEISE 20.0 A. II 28. 22E 29. NEISE 21.5 A. Supplement 29. 22E 29. SEISE 22 20.0 A. II 20.1 A. Primary 20.1 A. Tetal 20.1 A. Tetal	n intak e	in.; si	ze at place of u	ise in.; dif	ference in elevation between
10. If pumps are to be used, give size and type 10 Bowl - Hi-head Turbine Give horsepower and type of motor or engine to be used 100 N.P. Electric 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from atural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210' distance from Rock Creek - 20' above stream 12. Location of area to be irrigated, or place of use See Map. 13. Location of area to be irrigated, or place of use See Map. 14. Consider the following section Forty-are treat Treet Treet To be induced to be induced by the following section Forty-are treat 21.5 A. Supplement 22. See 22. Neighber 20.0 A. The supplement 23. See 22. See 22. Neighber 20.0 A. The supplement 25. See 22. See 25. See 25. See 26. See 26. See 26. See 27. See 27. See 27. See 27. See 28. See 29. See 29	ike and place	e of use,	ft. Is	grade uniform?	Estimated capacity,
Give horsepower and type of motor or engine to be used 100 H.P. Electric 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from atural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210' distance from Rock Creek - 20' above stream 12. Location of area to be irrigated, or place of use Township Ready Willametic Meridian Section Forty-are Tract To Be Irrigated 28 22E 22 SELNEL 21.5 A. Supplement 28 22E 22 NELSEL 20.0 A. " 28 22E 22 NELSEL 20.0 A. " 28 22E 22 SELSEL 5.6 A. Supplement 28 22E 23 SWLWW 3.5 A. " 28 22E 23 SWLWW 3.5 A. " 28 22E 23 SWLWW 3.5 A. " 80.4 A. Total		•			
Give horsepower and type of motor or engine to be used 100 H.P. Electric 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from atural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210' distance from Rook Creek - 20' above stream 12. Location of area to be irrigated, or place of use Township Rong Ecot W. of Williamste Meridian Section Forty-acre Tract To Be Irrigated 2S 22E 22 SELNEL 21.5 A. Supplement 2S 22E 22 NELSEL 20.0 A. Total 2S 22E 22 SELSEL 25 SELSEL 25 SELSEL 26 SELSEL 26 SELSEL 26 SELSEL 27 SELSEL 26 SELSEL 27 SELSEL 27 SELSEL 27 SELSEL 27 SELSEL 28 SELSEL 28 SELSEL 29 SELSEL 29 SELSEL 29 SELSEL 20.0 A. Total	10. If pur	nps <mark>are to be used, g</mark>	give size and typ	oe 10 ⁿ Bowl - Hi	-head Turbine
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from atural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210' distance from Rock Creek - 20' above stream 12. Location of area to be irrigated, or place of use See Map.			······································		
atural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210' distance from Rook Creek - 20' above stream 12. Location of area to be irrigated, or place of use See Map. 13. Location of area to be irrigated, or place of use Township Range E Range of Williamstic Meridian Section Forty-acre Tract To Be irrigated 25 22E 22 SE_NE_1 20.0 A. 28 22E 22 NE_12E_1 20.0 A. 29 SE_12E_1 20 NE_12E_1 5.6 A. Supplement 20 SE_12E_1 5.6 A. Supplement 21. Location of area to be irrigated, or place of use See Map. Number Acres To Be irrigated 20 NE_12E_1 20.0 A. 10 Section Township Number Acres To Be irrigated 28 SE_12E_1 20.0 A. 10 Section NE_12E_1 20.0 A. 11 Section New Yellow Number Acres To Be irrigated 29 SE_12E_1 20.0 A. 12 SE_12E_1 20.0 A. 13 Section NE_12E_1 20.0 A. 14 Section New Yellow Number Acres To Be irrigated 29 SE_12E_1 20.0 A. 15 Section New Yellow Number Acres To Be irrigated 20 Section Number Acres To Be irrigated 16 Section Number Acres To Be irrigated 17 Section Number Acres To Be irrigated 18 Section Number Acres To Be irrigated 19 Section Number Acres To Be irrigated 10 Section Number Acres To Be irrigated 11 Section Number Acres To Be irrigated 12 Section Number Acres To Be irrigated 13 Section Number Acres To Be irrigated 14 Section Number Acres To Be irrigated 15 Section Number Acres To Be irrigated 16 Section Number Acres To Be irrigated 17 Section Number Acres To Be irrigated 18 Section Number Acres To Be irr	Give hors	epow er and type of	motor or engin	ne to be used 100 H.F	P. Electric /
atural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210' distance from Rook Creek - 20' above stream 12. Location of area to be irrigated, or place of use See Map. 12. Location of area to be irrigated, or place of use Township Range of Williamstie Meridian Section Porty-acre Tract 28 22E 22 SE_NE_1 21.5 A. Supplement 28 22E 22 NE_14SE_1 20.0 A. 29 22E 22 NE_14SE_1 3.1 A. Primary 20 22E 22 SE_25E_1 5.6 A. Supplement 20 22E 22 SE_25E_1 5.6 A. Supplement 20 22E 23 SW_2NW_2 3.5 A. 21.7 A. 80.4 A. Total	·····				
difference in elevation between the stream bed and the ground surface at the source of development #5 Well 210' distance from Rock Crock - 20' above stream 12. Location of area to be irrigated, or place of use See Map. 12. Location of area to be irrigated, or place of use See Map. 13. Location of area to be irrigated, or place of use See Map. 14. Location of area to be irrigated, or place of use See Map. 15. Range Ende Of Williamster Meridian Section Forty-acre Tract To Be irribated 25. 22E 22 SELNE 2 21.5 A. Supplement 26. 22E 22 NELSEL 20.0 A. ** 27. 28. 22E 22 NELSEL 20.0 A. ** 28. 22E 22 SELSEL 20.0 A. ** 29. 22E 23 SWLNW 2 5.6 A. Supplement 20. 22E 23 SWLNW 2 5.6 A. Supplement 20. 22E 23 SWLNW 2 5.6 A. Total	11. If the	location of the well	, tunnel, or oth	er development work is le	ss than one-fourth mile from
#5 Well 210' distance from Rock Creek - 20' above stream 12. Location of area to be irrigated, or place of use See Map. 13. Location of area to be irrigated, or place of use Section Forty-acre Tract Number Acres To Be Irrigated 25. 22E 22 SE NE 1 21.5 A. Supplement 26. 22E 22 NE 1 20.0 A. " 27. 28. 22E 22 NE 1 20.0 A. " 28. 22E 22 SE 1 20 SE			. •		•
12. Location of area to be irrigated, or place of use See Map. Township Range Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2S 22E 22 SELNEL 21.5 A. Supplement 2S 22E 22 NELSEL 20.0 A. " 2S 22E 22 NELSEL 20.0 A. " 2S 22E 22 SELSEL 20.0 A. " 2S 22E 20 SELSEL 20.0 A. " 2S 20E 20 SELSEL 20.0 A. " 2S	• •		•		· · · · · · · · · · · · · · · · · · ·
12. Location of area to be irrigated, or place of use See Map. Township Range E. or W. of Williamette Meridian Section Forty-acre Tract To Be Irrigated 2S 22E 22 SELNEL 21.5 A. Supplement 2S 22E 22 NELSEL 20.0 A. " 2S 22E 22 NELSEL 20.0 A. " 2S 22E 22 SELSEL 20.0 A. " 2S 22E 20 NELSEL 20 SELSEL 20.0 A. " 2S 22E 20 NELSEL 20 SELSEL 20 SEL					
Township Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated				WIN CANCE II OIL ROOK OF	edr = 70 above act cam
Township Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated					
Nor S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated					
2S					
2S 22E 22 NE ¹ / ₄ SE ¹ / ₄ 20.0 A. " 2S 22E 22 NE ¹ / ₄ SE ¹ / ₄ 8.1 A. Primary 2S 22E 22 SE ¹ / ₄ SE ¹ / ₄ 5.6 A. Supplement 2S 22E 23 SW ¹ / ₄ NW ¹ / ₄ 3.5 A. " 2S 22E 23 NW ¹ / ₄ SW ¹ / ₄ 21.7 A. " 80.44 A. Tetal	12. Locat	ion of area to be irr	rigated, or place	e of use See Map.	Number Acres
2S 22E 22 NE ¹ / ₄ SE ¹ / ₄ 8.1 A. Primary 2S 22E 22 SE ¹ / ₄ SE ¹ / ₄ 5.6 A. Supplement 2S 22E 23 SW ¹ / ₄ NW ¹ / ₄ 3.5 A. " 2S 22E 23 NW ¹ / ₄ SW ¹ / ₄ 21.7 A. " 80.4 A. Tetal	12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place	e of use See Map. Forty-acre Tract	Number Acres To Be Irrigated
2S 22E 23 SE ¹ / ₄ SE ¹ / ₄ 5.6 A. Supplement 2S 22E 23 SW ¹ / ₄ NW ¹ / ₄ 3.5 A. N 2S 22E 23 NW ¹ / ₄ SW ¹ / ₄ 21.7 A. N 80.4 A. Tetal	12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian 22E	rigated, or place Section 22	Forty-acre Tract SELNEL	Number Acres To Be Irrigated 21.5 A. Supplemen
2S 22E 23 SW 1/4NW 1/4 3.5 A. W 2S 22E 23 NW 1/4SW 1/4 21.7 A. W 80.4 A. Tetal 8.1 A. Primary	12. Locat Township N. or S. 28	ion of area to be irr Range E. or W. of Willamette Meridian 22E 22E	rigated, or place Section 22 22	Forty-acre Tract $SE_{\pm}^{1}NE_{\pm}^{1}$ $NE_{\pm}^{1}SE_{\pm}^{1}$	Number Acres To Be Irrigated 21.5 A. Supplemen 20.0 A.
28 22E 23 NW\(\frac{1}{4}\)SW\(\frac{1}{4}\) 21.7 A. \(\frac{1}{80.4}\) A. Tetal 8.1 A. Primary	12. Locat Township N. or S. 2S 2S 2S	Range E. or W. of Willamette Meridian 22E 22E 22E	rigated, or place Section 22 22 22	Forty-acre Tract $SE_{4}^{1}NE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$	Number Acres To Be Irrigated 21.5 A. Supplemen 20.0 A. ** 8.1 A. Primary
80.4 A. Tetal 8.1 A. Primary	12. Locat Township N. or S. 2S 2S 2S 2S	ion of area to be irr Range E. or W. of Willamette Meridian 22E 22E 22E 22E	rigated, or place section 22 22 22 22	Forty-acre Tract $SE_{4}^{1}NE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $SE_{4}^{1}SE_{4}^{1}$ $SE_{4}^{1}SE_{4}^{1}$	Number Acres To Be Irrigated 21.5 A. Supplemen 20.0 A. ** 8.1 A. Primary 5.6 A. Supplemen
8.1 A. Primary	12. Locat Township N. or S. 2S 2S 2S 2S 2S	ion of area to be irr Range E. or W. of Willamette Meridian 22E 22E 22E 22E 22E 22E	rigated, or place Section 22 22 22 22 22 23	Forty-acre Tract $SE_{4}^{1}NE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $SE_{4}^{1}SE_{4}^{1}$ $SW_{4}^{1}NW_{4}^{1}$	Number Acres To Be Irrigated 21.5 A. Supplemen 20.0 A. 8.1 A. Primary 5.6 A. Supplemen 3.5 A.
	12. Locat Township N. or S. 2S 2S 2S 2S 2S	ion of area to be irr Range E. or W. of Willamette Meridian 22E 22E 22E 22E 22E 22E	rigated, or place Section 22 22 22 22 22 23	Forty-acre Tract $SE_{4}^{1}NE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $SE_{4}^{1}SE_{4}^{1}$ $SW_{4}^{1}NW_{4}^{1}$	Number Acres To Be Irrigated 21.5 A. Supplemen 20.0 A. 8.1 A. Primary 5.6 A. Supplemen 3.5 A. 11 21.7 A.
	12. Locat Township N. or S. 2S 2S 2S 2S 2S	ion of area to be irr Range E. or W. of Willamette Meridian 22E 22E 22E 22E 22E 22E	rigated, or place Section 22 22 22 22 22 23	Forty-acre Tract $SE_{4}^{1}NE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $SE_{4}^{1}SE_{4}^{1}$ $SW_{4}^{1}NW_{4}^{1}$	Number Acres To Be Irrigated 21.5 A. Supplemen 20.0 A. 8.1 A. Primary 5.6 A. Supplemen 3.5 A. 11 21.7 A.
72.0) A. Supplement	12. Locat Township N. or S. 2S 2S 2S 2S 2S	ion of area to be irr Range E. or W. of Willamette Meridian 22E 22E 22E 22E 22E 22E	rigated, or place Section 22 22 22 22 22 23	Forty-acre Tract $SE_{4}^{1}NE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $SE_{4}^{1}SE_{4}^{1}$ $SW_{4}^{1}NW_{4}^{1}$	Number Acres To Be Irrigated 21.5 A. Supplemen 20.0 A. 8.1 A. Primary 5.6 A. Supplemen 3.5 A. 11 21.7 A. 10 80.4 A. Tetal
	12. Locat Township N. or S. 2S 2S 2S 2S 2S	ion of area to be irr Range E. or W. of Willamette Meridian 22E 22E 22E 22E 22E 22E	rigated, or place Section 22 22 22 22 22 23	Forty-acre Tract $SE_{4}^{1}NE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $SE_{4}^{1}SE_{4}^{1}$ $SW_{4}^{1}NW_{4}^{1}$	Number Acres To Be Irrigated 21.5 A. Supplemen 20.0 A. ** 8.1 A. Primary 5.6 A. Supplemen 3.5 A. ** 21.7 A. ** 80.4 A. Tetal 8.1 A. Primary
	12. Locat Township N. or S. 2S 2S 2S 2S 2S	ion of area to be irr Range E. or W. of Willamette Meridian 22E 22E 22E 22E 22E 22E	rigated, or place Section 22 22 22 22 22 23	Forty-acre Tract $SE_{4}^{1}NE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $SE_{4}^{1}SE_{4}^{1}$ $SW_{4}^{1}NW_{4}^{1}$	Number Acres To Be Irrigated 21.5 A. Supplemen 20.0 A. ** 8.1 A. Primary 5.6 A. Supplemen 3.5 A. ** 21.7 A. ** 80.4 A. Tetal 8.1 A. Primary
(If more space required, attach separate sheet)	12. Locat Township N. or S. 2S 2S 2S 2S 2S	ion of area to be irr Range E. or W. of Willamette Meridian 22E 22E 22E 22E 22E 22E	rigated, or place Section 22 22 22 22 22 23	Forty-acre Tract $SE_{4}^{1}NE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $NE_{4}^{1}SE_{4}^{1}$ $SE_{4}^{1}SE_{4}^{1}$ $SW_{4}^{1}NW_{4}^{1}$	Number Acres To Be Irrigated 21.5 A. Supplemen 20.0 A. ** 8.1 A. Primary 5.6 A. Supplemen 3.5 A. ** 21.7 A. ** 80.4 A. Tetal 8.1 A. Primary
	12. Locat Township N. or S. 2S 2S 2S 2S 2S	ion of area to be irr Range E. or W. of Willamette Meridian 22E 22E 22E 22E 22E 22E	section 22 22 22 22 23 23	Forty-acre Tract SELNEL NELSEL NELSEL SELSEL SELSEL SWANWA NWASWA	Number Acres To Be Irrigated 21.5 A. Supplemen 20.0 A. ** 8.1 A. Primary 5.6 A. Supplemen 3.5 A. ** 21.7 A. ** 80.4 A. Tetal 8.1 A. Primary

13. To supply th	e city of			••••••••	
	county, havi	ng a present popul	ation of		
d an estimated popu	lation of	in 19			
•	ANSWER QUESTIONS	14, 15, 16, 17 AND 1	8 IN ALL CASES		•
14. Estimated co	ost of proposed works,	\$ 15, 000	, 		
	ı work will begin on o		May 1, 1970	er er	
			Warr 1 1071	-	
	ı work will be complet			······································	
	vill be completely appl				
	d water supply is sup mit, certificate or ad				
• •	it No.'s 22580, G				
pucunt		••••••••••••		·····	
	······································	-1/00	ze Sine		
	<i>y</i>		(Signature of	applicant)	
		•		·····	
Yo	u will note that	the course of R	teck Creek on	the map is o	hanged
in T-2-	S, R-22-E WM., SE	C 22 NE <mark>‡</mark> SE <u>‡</u> . T	he stream is a	altered as a	result
of the	January 1970 floo	d conditions.	The stream was	shaped. re	paired,
	fields consolida				
- · · ·					
- ···					
- ···					
	7 1				
'ATE OF OREGON	7 1				
County of Marion,	, \{ss.				
CATE OF OREGON County of Marion, This is to certify	ss. y that I have examine	ed the foregoing ap	oplication, togethe	er with the acc	companyi
CATE OF OREGON County of Marion, This is to certify	, \{ss.	ed the foregoing ap	oplication, togethe	er with the acc	companyi
CATE OF OREGON County of Marion, This is to certify	ss. y that I have examine turn the same for	ed the foregoing ap	oplication, togethe	er with the acc	companyi
CATE OF OREGON County of Marion, This is to certify	ss. y that I have examine turn the same for	ed the foregoing ap	oplication, togethe	er with the acc	companyi
TATE OF OREGON County of Marion, This is to certify aps and data, and ret	ss. y that I have examine turn the same for	ed the foregoing ap	oplication, togethe	er with the acc	companyi
TATE OF OREGON County of Marion, This is to certify aps and data, and ret	ss. y that I have examine turn the same for n its priority, this app	ed the foregoing ap	oplication, togethe	er with the acc	companyi
TATE OF OREGON County of Marion, This is to certify aps and data, and ret In order to retai	ss. y that I have examine turn the same for	ed the foregoing application must be re	oplication, togethe	er with the acc	companyi vith corre
TATE OF OREGON County of Marion, This is to certify aps and data, and ret In order to retai	ss. y that I have examine turn the same for n its priority, this app	ed the foregoing application must be re	oplication, togethe	er with the acc	companying with corre
TATE OF OREGON County of Marion, This is to certify aps and data, and ret In order to retai	ss. y that I have examine turn the same for	ed the foregoing application must be re	oplication, togethe	er with the acc	companyi vith corre
CATE OF OREGON County of Marion, This is to certify aps and data, and ret In order to retai	ss. y that I have examine turn the same for	ed the foregoing application must be re	oplication, togethe	er with the acc	companyi vith corre

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		in in the jouowing			
		ed is limited to the amo		,	•
and shall n	ot exceed 1.01	cubic feet per sec	ond measured	at the point of diversio	n from the well
or source o	of appropriation, or	its equivalent in case o	of rotation with	other water users, fro	m a well
The	use to which this w	ater is to be applied is	irrigation	and supplemental	irrigation
If fo	r irrigation, this app	propriation shall be lim	ited to 1/80	of one cubic	foot per second
or its equiv	valent for each acre	irrigated and shall be	further limited	l to a diversion of not t	o exceed .3
acre feet p	er acre for each acr	re irrigated during the	irrigation seasc	on of each year;prov;	ided further.
hat the	right.allowed.h	erein shall be lim	itedtoany	deficiencyinthe	available
upply of	any prior right	t existing for the	same land	and shall not excee	ed the
Limitatio	on allowed herein	n,	· · · · · · · · · · · · · · · · · · ·	••••••	***************************************
	***************************************			•••••	
•••••	•••••				
and shall b	e subject to such rec	asonable rotation syste	m as man he or	dered hu the proper st	ite officer
ine works s	snati inclu ae proper	as necessary in accord v capping and control v	alve to prevent	the waste of ground w	ater.
ine, aaequ	ate to aetermine w	shall include an air lin ater level elevation in	the well at all	times.	-
The p shall keep	permittee shall insto a complete record o	all and maintain a wei of the amount of grou	r, meter, or or nd water with	ther suitable measurii Iraum	ng device, and
•		, , , , , , , , , , , , , , , , , , , ,			
The 1	priority date of this	permit is Februa	ry 12, 1971		
Actu	al construction worl	k shall begin on or befo	oreFe	bruary 21, 1976	and shall
hereafter l	be prosecuted with	reasonable diligence	and be comple	ted on or before Octob	per 1, 1976
		the water to the propo			
		21st day of			
			aki	x me la	
					STATE ENGINEER
i	[the on,		56	e
	QN.	1 in Oreg		, 1 56	2 INEE
2. 3. S	E GROUND	eivec em, La.C.		, [EN PO
5430 535	- ഒര	t rec bra		1975 page	ER STAT Page
5 C	RMIT ATE THE OF THE SOREGON	first feer a		4 16 m	HEEL
No.	PERM APPROPRIATE 1 WATERS OF TH OF OREGG	is instrument was first received in the of the State Engineer at Salem, Oregon, 12th day of February, at 8:000 o'clock A. M.	int:	ved: February 21, 1975 orded in book No.	CHRIS. L. WHEELER Basin No. 6. pa
	PE OPRU SRS OF	nent wa ate Engi day of	to applicant:	uar; bool	Basin No.
Application Permit No.	PI APPROPR WATERS OF	s instrument of the State I 124 day at 3.00	to ap	febr d in ter	e Ba
Ap Per	A C	of th (2), at 9	red t	ved: F corde	inage