

Permit No. G- **G 5365**

APPLICATION FOR A PERMIT

CERTIFICATE NO. 45516

To Appropriate the Ground Waters of the State of Oregon

I, Carey L. Strome, et. al.

(Name of applicant)

of 490 Strome Lane

(Postoffice Address)

county of Lane

state of Oregon

, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River

(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 1.0 cubic feet per second or gallons per minute.

being 0.5 cfs from each of being 0.77 for Primary irrig & 0.23 cfs for supplemental irrigation of lands under Cert. GR 3406 and suppl. irrig

3. The use to which the water is to be applied is Irrigation & Supplemental

irrigation

4. The well or other source is located 2,360 ft. N and 148 ft. E from the S.W.

(N. or S.)

(E. or W.)

corner of Sec. 4

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the N.W. 1/4 of S.W. 1/4 of Sec. 4, Twp. 16 S, R. 4 W

W. M., in the county of Lane

5. The Canal or pipe line to be miles

in length, terminating in the of Sec. , Twp. ,

(Smallest legal subdivision)

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well #1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 wells manifolded having a

(Give number of wells, tunnels, etc.)

diameter of 6 inches and an estimated depth of 30 feet. It is estimated that 30

feet of the well will require Steel casing. Depth to water table is estimated 12

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type centrifugal

Give horsepower and type of motor or engine to be used 25 h.p. 3 phase electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
16 S	4 W.	4	NW $\frac{1}{4}$ of SW $\frac{1}{4}$	(24.53) 23.06 primary 22.5 acres 1.47 suppl.
		4	SW $\frac{1}{4}$ of SW $\frac{1}{4}$	34.0 acres primary
		5	SE $\frac{1}{4}$ of SE $\frac{1}{4}$	21.6 acres
		5	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	27.4 acres 3.12 suppl.
<i>New lands above - lands below</i>				
<i>Presently described in Cert. G.R. 3405</i>				R-TOTAL 91.5 acres
				Total 61.83 61.83 58.53 acres
16 S	4 W	4	NW $\frac{1}{4}$ SW $\frac{1}{4}$	7.97
		5	NE $\frac{1}{4}$ SE $\frac{1}{4}$	13.4
		5	SE $\frac{1}{4}$ SE $\frac{1}{4}$	11.6
				Total 32.97

(If more space required, attach separate sheet)

Character of soil Silty clay loam

Kind of crops raised Row crops and specialty seed crops

CR
CR
CR
March 21, 1971

94.62

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before
- 16. Construction work will be completed on or before
- 17. The water will be completely applied to the proposed use on or before

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. *(Appl. No. G.R. 3732) - 0.23 cfs is to make up full duty of water for balance of lands described in Cert # GR-3405 not canceled*

C. H. Stone
(Signature of applicant)

Remarks: This well (and well #2) was filed on for water rights in July 1958 for a total of 395.43 acres. Since then wells #3, 4, 5 and 6 have been put into use to improve irrigation efficiency.

Now 6 wells irrigate 461 acres.

~~Some overlapping of water from adjacent wells is necessary to enable crop rotation on this farm operations unit.~~ *C.H.*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 2 manifolded wells (#1)

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 9, 1971 for 0.77 cfs, and March 31, 1971 for 0.23 cfs

Actual construction work shall begin on or before February 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 21st day of February, 1975

Chris L. Wheeler

STATE ENGINEER

Application No. G-5850
Permit No. G-5365

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of March, 1975, at 3:00 o'clock P. M.

Returned to applicant:

Approved:

February 21, 1975

Recorded in book No. of Ground Water Permits on page G 5365

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 121

State Printing

Handwritten initials and numbers

over 50¢