

RECEIVED
MAR 29 1971

Permit No. G- **5377**

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR A PERMIT

CERTIFICATE NO. **46595**

To Appropriate the Ground Waters of the State of Oregon

I, MARION-POLK MATERIALS CORP.
(Name of applicant)
of P. O. Box 2245 Salem 97308, county of Marion,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

Salem, Oregon April 1, 1950

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Mill Creek

(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 1.2 cubic
feet per second or gallons per minute.

3. The use to which the water is to be applied is Rock crusher operations
washing materials etc.

4. The well or other source is located 10 ft. S and 1322 ft. W from the NE
(N. or S.) (E. or W.)
corner of SE 7 See attached map. same as Item No. 12
(Section or subdivision)

T85. R2W4M. (INITIAL PUMPING PT.)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NW NE of Sec. 7, Twp. 8S, R. 2W,
W. M., in the county of Marion

5. The Portable to be miles
(Canal or pipe line)
in length, terminating in the of Sec. , Twp. ,
(Smallest legal subdivision)
R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Crusher pit

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of one crusher pit having a
(Give number of wells, tunnels, etc.)
diameter of inches and an estimated depth of 50' ± feet. It is estimated that
feet of the well will require No casing. Depth to water table is estimated 10'
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE— PORTABLE

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 3-5 centrifugals at different locations in pit.

Give horsepower and type of motor or engine to be used Electric total 100 HP +

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development 300' - 35'

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	NUMBER OF ACRES Well Location & place of use
8S	2W	6	SE. SE.	
8S	2W	6	SW. SE.	
8S	2W	7	NE. NE.	
8S	2W	7	NW. NE.	
8S	2W	7	SE. NW.	
8S	2W	7	SW. NE.	
CRUSHER LOCATION				
8S	2W	6	SW SE	
"	"	7	NW NE	

(If more space required, attach separate sheet)

Character of soil Gravels - Silt Overburden.

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....
14. Estimated cost of proposed works, \$ \$1,500,000.00
15. Construction work will begin on or before 4/1/72
16. Construction work will be completed on or before 4/1/73
17. The water will be completely applied to the proposed use on or before 10/1/74
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

3/29/71 X

Carl R. Staats Presid
(Signature of applicant)

Remarks: This is a conventional below ground rock pit excavation.
The pit will of course be small to begin with and as the rock is mined
will be enlarged to the approx. size shown on the accompanying map. The
pit will become a well from its initial stage. The available ground water
encountered shall be utilized to the extent shown in item 2. for crushing,
cleaning. and screening operations.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.2 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well (gravel pit)

The use to which this water is to be applied is gravel crushing

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 29, 1971

Actual construction work shall begin on or before February 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 21st day of February, 19 75

STATE ENGINEER

Application No. G- 5469
Permit No. G- 5377

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 29th day of March,
1971, at 10:22 o'clock A. M.

Returned to applicant:

Approved:

February 21, 1976

Recorded in book No. of

Ground Water Permits on page 5377

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 121

State Printing 90745

2700