



CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type .....

Give horsepower and type of motor or engine to be used .....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development .....

12. Location of area to be irrigated, or place of use .....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
16 S	A W	A	NW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub>	2.28
		A	SW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub>	3.8
		A	SE <sup>1</sup> / <sub>4</sub> SW <sup>1</sup> / <sub>4</sub>	0.75
				<u>6.83 ac.</u>
<i>New lands above - Lands below, presently described in Cert. GR-3407</i>				
16 S	A W	A	NW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub>	23.32
		A	SW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub>	22.90
		A	NE <sup>1</sup> / <sub>4</sub> SW <sup>1</sup> / <sub>4</sub>	19.89
		A	SE <sup>1</sup> / <sub>4</sub> SW <sup>1</sup> / <sub>4</sub>	18.83
		A	NW <sup>1</sup> / <sub>4</sub> SW <sup>1</sup> / <sub>4</sub>	5.5
		A	SW <sup>1</sup> / <sub>4</sub> SW <sup>1</sup> / <sub>4</sub>	5.5
				<u>95.54 ac</u>

(If more space required, attach separate sheet)

102.37

Character of soil ..... *Silty clay loam* .....

Kind of crops raised ..... *Row Crops & specialty seed crops* .....

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before .....
- 16. Construction work will be completed on or before .....
- 17. The water will be completely applied to the proposed use on or before .....

*Completed*

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. *0.64 cfs is to make up full duty of water for the balance of the lands described in GR-3734 (Cert # 3407) not covered.*

*Casey L. Thurman*  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

.....  
STATE ENGINEER

By .....  
ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.73 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 2 manifolded wells (#2)

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 31, 1971

Actual construction work shall begin on or before February 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 21st day of February, 1975

*Chris L. Wheeler*  
STATE ENGINEER

Application No. G-5473  
Permit No. G-G 5380

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 31<sup>st</sup> day of March  
1971, at 2:25 o'clock P. M.

Returned to applicant:

Approved:

February 21, 1975

Recorded in book No. \_\_\_\_\_ of  
Ground Water Permits on page G 5380

CHRIS L. WHEELER  
STATE ENGINEER  
Drainage Basin No. 2 page 121

*Fees 30.65*