

## Permit No. G-... G 5381

## APPLICATION FOR A PERMIT

POPLATE NO. 45348

## To Appropriate the Ground Waters of the State of Oregon

I, Melvin J. Finegan (Name of applicant)
of Mt. 2, box 54, Cornelius , county of Mashington , (Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Tualatin River (Name of stream)
tributary of williamette River
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or
3. The use to which the water is to be applied isIrrigation and Supplementary  Irrigation
4. The well or other source is located 1495 ft. No and 290 ft. Wo from the Sado
corner of Sec. 5 as indicated on permit G 4751 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the N.E. Quarter & S.E. Quarof Sec. 5 , Twp. 1 S , R. 3 W ,
W. M., in the county of washington
5. The Pipe Line to be miles
in length, terminating in the S.W. Quarter & N.W. Quardf Sec. 4, Twp. 1.S., (Smallest legal subdivision)
(Smallest legal subdivision)  R3. W, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is . Lloyd Duyck Wall #3 (P-G4751)
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of
diameter of12 inches and an estimated depth of252 feet. It is estimated that252
feet of the well will require

idgate. At head	gate: width on top (at	water line)		· • • • • • • • • • • • • • • • • • • •	<b>*</b>		feet; wid	lth o	n botto
·····	. feet; depth of water	•••••	.feet; g	rade			feet	fall	l per o
usand feet.	1 1 2								
(b) At	mites fro	om headgate: wi	idth on	top (a	t water	line	?)		
	. feet; width on botton								
	feet fall per on		,	, 1	,				,
	of pipe,	·	intake		i	n.: ir	n siz <b>e</b> at		
	in.; size at								
	f use,								
unu piuce o		jt. 13 grade	unijori		••••	•••••	Estina	iieu	сарасы
	ell s are to be used, give si	:	60 H	Ι. P.	Turni	ne			
10. 1) քաուք	s are to be usea, give si	ıze ana type			<u> </u>			·	
		•••••••							
Give horsep	ower <b>and</b> type of <b>m</b> oto	or or engine to b	e used	•••••				· · · · · · · · · · ·	••••••
					k is les	s the	in one-four	th n	aila faa
atural stream o	cation of the well, tunr r stream channel, give levation between the s	the distance to	the ne the gro	arest p und su	ooint or rface a	eac t the	ch of such source of	chan <b>de</b> ve	nels an elopmen
atural stream o difference in e	r stream channel, give levation between the s	the distance to	the ne	arest pund su	ooint or rface a	t the	ch of such e source of	chan deve	nels ar
atural stream o difference in e	r stream channel, give levation between the s	the distance to	the ne	arest pund su	ooint or rface a	t the	ch of such e source of	chan	elopmen
atural stream o difference in e	r stream channel, give levation between the s	the distance to tream bed and t	the ne	arest pund su	ooint or rface a	t the	Number To Be In	chan	nels ar
atural stream of difference in endingerence in	r stream channel, give levation between the s	the distance to tream bed and to the distance to tream bed and to the tream bed and the	the ne che grot	arest pund su	ooint or rface a	t the	Number To Be It	Acres	nels ar
atural stream of difference in endingerence in	r stream channel, give levation between the s	the distance to tream bed and to the distance to tream bed and to the tream bed and the	Forty-as	arest pund su	3W N.W. S.W.	t the	Number To Be In 2.0 6.3 2.44	A A A	nels ar
atural stream of difference in endingerence in	r stream channel, give levation between the s	the distance to tream bed and to the distance to tream bed and to the tream bed and the	the ne che grot	arest pund su	3W N.W.	t the	Number To Be It	A A A	elopme
12. Location  Township N. or S.  Supplemen	r stream channel, give levation between the selevation between the selevation of area to be irrigated.  Range E. or W. of willamette Meridian Selevation tary Irrigati	the distance to tream bed and to the distance to tream bed and to the tream bed and the	Forty-as	arest pund su	3W N.W. S.W.	t the	Number To Be In 2.0 6.3 2.44	A A A	elopme
12. Location  Township N. or S.  Supplemen	r stream channel, give levation between the s	the distance to tream bed and to the distance to tream bed and to the tream bed and the tr	Forty-as	arest pund su	3W N.W. S.W.	t the	Number To Be In 2.0 6.3 2.44	A A A	elopme
12. Location  Township N. or S.  Supplemen	r stream channel, give levation between the selevation between the selevation of area to be irrigated.  Range E. or W. of willamette Meridian Selevation tary Irrigati	the distance to tream bed and to the distance to tream bed and to the tream bed and the	Forty-as  S. W.  S. E.  N. W.	arest pund su	3W N.W. S.W.	t the	Number To Be In 2.0 6.3 2.44	A A A	elopme
12. Location  Township N. or S.  Supplemen	r stream channel, give levation between the selevation between the selevation of area to be irrigated.  Range E. or W. of willamette Meridian Selevation tary Irrigati	the distance to tream bed and to the distance to tream bed and to the tream bed and the	e  Forty-ac  S. W.  S. E.  J. E.	arest pund su	3W N.W. S.W. S.W. S.W.	t the	Number To Be In 2.0 6.3 2.44	A A A	(22.
12. Location  Township N. or S.  Supplemen	r stream channel, give levation between the selevation between the selevation of area to be irrigated.  Range E. or W. of willamette Meridian Selevation tary Irrigati	the distance to tream bed and to the distance to tream bed and to the tream bed and the	e  Forty-ac  S. W.  S. E.  J. E.	arest pund su	3W N.W. S.W. S.W. S.W.	t the	Number To Be In 2.0 6.3 2.44	A A A	(22.
12. Location  Township N. or S.  Supplemen	r stream channel, give levation between the selevation between the selevation of area to be irrigated.  Range E. or W. of willamette Meridian Selevation tary Irrigati	the distance to tream bed and to the distance to tream bed and to the tream bed and the	e  Forty-ac  S. W.  S. E.  J. E.	arest pund su	3W N.W. S.W. S.W. S.W.	t the	Number To Be In 2.0 6.3 2.44	A A A	(22.
12. Location  Township N. or S.  Supplemen	r stream channel, give levation between the selevation between the selevation of area to be irrigated.  Range E. or W. of willamette Meridian Selevation tary Irrigati	the distance to tream bed and to the distance to tream bed and to the tream bed and the	e  Forty-ac  S. W.  S. E.  J. E.	arest pund su	3W N.W. S.W. S.W. S.W.	t the	Number To Be In 2.0 6.3 2.44	A A A	(22.
12. Location  Township N. or S.  Supplemen	r stream channel, give levation between the selevation between the selevation of area to be irrigated.  Range E. or W. of willamette Meridian Selevation tary Irrigati	the distance to tream bed and to the distance to tream bed and to the tream bed and the	e  Forty-ac  S. W.  S. E.  J. E.	arest pund su	3W N.W. S.W. S.W. S.W.	t the	Number To Be In 2.0 6.3 2.44	A A A	(22.
12. Location  Township N. or S.  Supplemen	r stream channel, give levation between the selevation between the selevation of area to be irrigated.  Range E. or W. of willamette Meridian Selevation tary Irrigati	the distance to tream bed and to the distance to tream bed and to the tream bed and the	e  Forty-ac  S. W.  S. E.  J. E.	arest pund su	3W N.W. S.W. S.W. S.W.	t the	Number To Be In 2.0 6.3 2.44	A A A	(22.

_	To supply the city of
	To supply the city of
	timated population ofin 19
and un es	
. 44	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
<i>y</i>	Estimated cost of proposed works, \$ 6000.00
	Construction work will begin on or before
	Construction work will be completed on or before
	The water will be completely applied to the proposed use on or before Oct. 1, 1971
cation for	If the ground water supply is supplemental to an existing water supply, identify any appearant, permit, certificate or adjudicated right to appropriate water, made or held by GR-2204 and 32179 (held by Lloyd wiedewitsch)
applicant.	(a) GR-2204 and 32179 (held by Lloyd Wiedewitsch)
	1m. ( - 1) I
	Miles To The Signature of applicant)
Ren	narks: Legal Description:
***************************************	Property owned by E.T. Finegan: 20 and 3/100 acres located
in th	e State of Oregon, Washington County, Section 4, Township 1
South	, Range 3.
•	Property rented from R. L. Billings (as stated in the lease)
Back	field of R. L. Billings farm, adjoining the Finegan farm
sout	h boundary, comprised of approximately 10 acres, the exact
	nt and boundaries having been designated on the ground by
	parties hereto.
•	
~~~	
	of Marion,   ss.
_	
	is to certify that I have examined the foregoing application, together with the accompany
naps and	data, and return the same for correction and completion
*	
	rder to retain its priority, this application must be returned to the State Engineer, with cor
nons on or	before June 28th ,19.71. February 29 72
	NESS my hand this 27th day of April , 19-71 , 19-72 , 72
win	·
WIT	
PECS	INE DECEIVED
ECS	ECEIVED  MAY 1 4 1971  STATE ENGINEER  CHRIS.L. MEMOLER  PATE ENGINEER
EC S	INE DECEIVED

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein granted	is limited to the ar	nount of wo	iter which can	be applied to	beneficial use
and shall n	ot exceed	ubic feet per s	econd meas	ured at the poin	it of diversion	from the well
or source o	f appropriation, or it	s equivalent in case	of rotation	with other was	ter users, froi	n
Lloyd Du	yck Well #3					•••••••••••••••••••••••••••••••••••••••
The '	use to which this wat	ter is to be applied	is <b>irriga</b>	tion and sup	plemental i	rrigation
If for	r irrigation, this appr	opriation shall be l	imited to	1/80	of one cubic j	foot per second
or its equiv	valent for each acre is	rrigated and shall t	e further li	mited to a diver	rsion of not to	exceed .22
acre feet pe	er acre for each acre	irrigated during th	e irrigation	season of each	year;provi	ded further
_	right allowed he			any deficie	ncy in the	available
	f any prior right	existing for t		and and shal	l not excee	d the
limitatio	on-allowed-herein	<b>}</b>	•	·····		*******************************
	•					•••••
	•		••••			
			••••	••••••	•••••	••••••
and shall be	e subject to such reas	sonable rotation sys	tem as may	be ordered by t	the proper sta	te office <b>r</b> .
the works s The t line, adequa The t	well shall be cased a shall include proper o works constructed sh ate to determine wat permittee shall instal a complete record of	capping and control call include an air l ter level elevation Il and maintain a w	valve to pr ine and pre- in the well eir. meter.	event the waste ssure gauge or a at all times. or other suita	of ground wa in access port	ter. for measuring
	priority date of this p					
	al construction work				•	
	be prosecuted with 1	-	-	-	•	•
	plete <b>ap</b> plication <b>of</b> th					
	NESS my hand this .					
	3			de to	- The C	2
					S	TATE ENGINEER
Application No. G-5974  Permit No. G-5381	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	his instrument was first received in the e of the State Engineer at Salem, Oregon, he 1st day of April	to applicant:	roved:	ecorded in book No. of und Water Permits on page 538.1	CHRIS L. WHEBLER STATE ENGINEER rainage Basin No. 2. page