

Permit No. G- G 5382

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Plagmann Farms Inc. (Name of applicant)
of Rt. 2, Box 343, Albany (Postoffice Address), county of Linn,
state of Oregon 97321, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Spring Creek (Name of stream)
tributary of South Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic
feet per second or 600 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located S. 29 1/2° East 15 chains ft. _____ and _____ ft. _____ from the NW
corner of John Y. Streithoff DLC 39 (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW 1/4 of NE 1/4 of Sec. 32, Twp. 10 S, R. 2 W,
W. M., in the county of Linn

5. The main pipe line (Canal or pipe line) to be 1450 feet miles
in length, terminating in the SE 1/4 of NW 1/4 (Smallest legal subdivision) of Sec. 32, Twp. 10 S,
R. 2 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Plagmann Farms Inc. No. 7

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of one pump well (Give number of wells, tunnels, etc.) having a
diameter of 12 inches and an estimated depth of 31 feet. It is estimated that 31
feet of the well will require Steel (Kind) casing. Depth to water table is estimated 8 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1450 ft.; size at intake 5 in.; in size at 1450 ft. from intake 5 in.; size at place of use 4 in.; difference in elevation between intake and place of use, 7 ft. Is grade uniform? Yes Estimated capacity, 1.5 sec. ft.

10. If pumps are to be used, give size and type 3 inch Cornell Centrifugal

Give horsepower and type of motor or engine to be used 25 H. P. electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well site is approximately 16 feet from the channel of Spring Creek. The channel of Spring Creek is approximately 8 feet lower than the surface of the well site.

12. Location of area to be irrigated, or place of use Section 32, Township 10 S., Range 2 W.W.M.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
10 S	2 W	32	SW $\frac{1}{4}$ of NE $\frac{1}{4}$	1.0
10 S	2 W	32	SW $\frac{1}{4}$ of NW $\frac{1}{4}$	0.1
10 S	2 W	32	SE $\frac{1}{4}$ of NW $\frac{1}{4}$	9.5
10 S	2 W	32	NE $\frac{1}{4}$ of SW $\frac{1}{4}$	25.0
10 S	2 W	32	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	3.6
10 S	2 W	32	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	0.8
			Total	40.0

(If more space required, attach separate sheet)

Character of soil Newberg silt loam

Kind of crops raised Grass seed, vegetables, peppermint and cereals.


MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 5000.00 _____
- 15. Construction work will begin on or before Feb. 1, 1970 _____
- 16. Construction work will be completed on or before Feb. 3, 1970 _____
- 17. The water will be completely applied to the proposed use on or before October 1, 1972 _____

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____



(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 6, 1971

Actual construction work shall begin on or before February 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 21st day of February, 1975

Chris L. Wheeler
STATE ENGINEER

Application No. G-5974
Permit No. G-5382

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 6th day of April,
1971, at 8:00 o'clock A. M.

Returned to applicant:

Approved: February 21, 1975

Recorded in book No. G 5382 of
Ground Water Permits on page 182

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 2 page 182
21 50