

RECEIVED  
APR 26 1957  
STATE ENGINEER  
SALMON, OREGON

Permit No. G-540

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1. HOBIN LUMBER COMPANY  
(Name of applicant)  
of Philomath, county of BENTON  
(Postoffice Address)  
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated MARYS RIVER  
(Name of stream)  
tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 50 gallons per minute.

3. The use to which the water is to be applied is Log Pond

4. The well or other source is located 222 ft. N. and 612 ft. E. from the SE  
(N. or S.) (E. or W.)  
corner of DAVID HENDERSON D.L.C. 46  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well, each must be described. Use separate sheet if necessary.  
being within the NE 1/4 of NW 1/4 of Sec. 13, Twp. 12S, R. 6W,  
W. M., in the county of BENTON

5. The \_\_\_\_\_ to be \_\_\_\_\_ miles  
(Canal or pipe line)  
in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_  
(Smallest legal subdivision)  
R. \_\_\_\_\_ W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is HOBIN LOG POND

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 WELL having a  
(Give number of wells, tunnels, etc.)  
diameter of 8 inches and an estimated depth of 150 feet. It is estimated that 150  
feet of the well will require STEEL casing. Depth to water table is estimated \_\_\_\_\_  
(Kind) (Feet)  
The bottom 60' of casing is perforated

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 5" TURBINE

Give horsepower and type of motor or engine to be used 20 H.P. 3phase 60 cycle FAIRBANKS MORSE

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

1160' S 10° W to the nearest point of Marys River - Elevation difference 23' (well location is higher)

12. Location of area to be irrigated, or place of use

Township N or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres <del>of the tract</del> Log Pond Area
12 S	6 W	12	SE 1/4 of SW 1/4	4.5
12 S	6 W	12	SW 1/4 of SE 1/4	7.7
12 S	6 W	13	NE 1/4 of NW 1/4	4.6
12 S	6 W	13	NW 1/4 of NE 1/4	3.3

(If more space required, attach separate sheet)

Character of soil .....  
Kind of crops raised .....

MUNICIPAL SUPPLY--

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

14. Estimated cost of proposed works, \$ 2700

15. Construction work will begin on or before May 1953

16. Construction work will be completed on or before 1st part 1953 addition completed in 1955.

17. The water will be completely applied to the proposed use on or before .....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

*Osie R. Hobbs*  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

STATE OF OREGON, }  
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.11 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is maintenance of log pond

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed - - - acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 26, 1957

Actual construction work shall begin on or before May 20, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1959

WITNESS my hand this 20th day of May, 1957

Lewis A. Stanley

STATE ENGINEER

Application No. G- 630

Permit No. G- 540

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of April, 1957, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 20, 1957

Recorded in book No. 2 of

Ground Water Permits on page 540

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 2 page 91 V

State Printing 8074