

Permit No. G- G 5420

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I,	E	3urt	A. S	wing!	e(Name o	f applicant)			
of	P.O.	Box 1	336	La La	Kevieu		, county of	Lak	<u></u>
state of followin	ng descr	rega ribed grou	Mnd waters	of the sta	, do hereby te of Oregor	make ap n, SUBJ1	plication for ECT TO EXIS	a permit to o	appropriate the
If	the ap	plicant is o	ą corporati	ion, give d	ate and plac	e of inco	rporation		
								•	development is
situated			N.O.M.G.		(creek
					olicant inten				.50 cubic

Suf 4.	op/e The	LMEN Dug Po vett or oth	tal er source	Irrig	ation 100 100		N. 23 00 (and 23 200 ff f	t. V f	rom the SII S
corner c	of	Sec.	14	***************************************	(Section or	r subdivision)		
		••••••••	(U	preferable, give	e distance and be	aring to sect	ion corner)		
		1.5E45	W /u			of Sec.	eparate sheet if nec		, R. 19 E ,
					mink la		4	K	.,
.	ine.		(Cana	l or pipe line)		. S & X	to be		miles
									vp. 395
							out on the acco		nap. Lopment
				DESC	RIPTION O	F WOR	KS		
		flow to be ot in use m			the works to	o be used	l for the cont	rol a nd con s	ervation of the
	••••••		•••••••	·		•••••••••	•••••••••••••••••••••••••••••••••••••••	***************************************	
	.,								
8.	The d	levelop me r	nt will con	isist of	2 4	Give humber	Ponds	••••••••••••••••••••••••••••••••••••••	having a
diamete	r of 5.6	X 100'	i nches an	d [°] an estim	ated depth	ک of	feet. I	t is e stimate	d that
feet of t	he well	will requ	ire Nat	Applica	able casin	g. Depth	ı to water tal	ole is es tima	ted Surface

			•	anged in size, stating mil	
)	feet; width on	
	feet; depth of	water	feet; grade	feet fall ;	per
usand feet.					
(b) At	m	iles from headga	te: width on top (at w	ater line)	•••••
•••••	feet; width on	bottom	feet; depth o	f water	····
de	feet fall	per one thousand	l feet.		
				in.; in size at	
				difference in elevation b	
				Estimated co	
.50		* jt. 18	grade unijorm:	Estimatea Co	apa
				14 /	
10. If pur	nps are to be used,	give size and typ	e	1/2 INch	· · · · · ·
			•		
Give horse	epower and type o	of motor or engin	e to be used	Cili Ford	•••••
itural stream difference in	or stream channe elevation between	el, give the distar n the stream bed	ice to the nearest poin and the ground surfac	less than one-fourth mil t on each of such channe ee at the source of develo	els opr
itural stream difference in ZN	or stream channed elevation between	el, give the distar n the stream bed Slough	ice to the nearest poin and the ground surfac	t on each of such channe e at the source of develo	els opr
atural stream difference in Z 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use	t on each of such channers at the source of development of the source	els
atural stream difference in Z 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use	Number Acres To Be Irrigated	els
atural stream difference in Z 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use SEHY SW	Number Acres To Be Irrigated	els
atural stream difference in Z 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use SEHY SW	Number Acres To Be Irrigated	els
atural stream difference in Z 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use SEHY SW	Number Acres To Be Irrigated	els
tural stream difference in IN 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use SEHY SW	Number Acres To Be Irrigated	els
atural stream difference in Z 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use SEHY SW	Number Acres To Be Irrigated	els
atural stream difference in Z 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use SEHY SW	Number Acres To Be Irrigated	els
atural stream difference in Z 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use SEHY SW	Number Acres To Be Irrigated	els
atural stream difference in Z 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use SEHY SW	Number Acres To Be Irrigated	els
atural stream difference in Z 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use SEHY SW	Number Acres To Be Irrigated	els
atural stream difference in Z 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use SEHY SW	Number Acres To Be Irrigated	els
atural stream difference in Z 12. Locati	or stream channed elevation between WMNAM & C.	el, give the distar n the stream bed Sough rigated, or place	of use SEHY SW	Number Acres To Be Irrigated	els

STATE ENGINEER VALLE	MUNICIPAL SUPPLY—	i .
ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES 14. Estimated cost of proposed works, \$. \$173 15. Construction work will begin on or before		
ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES 14. Estimated cost of proposed works, \$.3173 15. Construction work will begin on or before Oct. 1 1971 16. Construction work will be completed on or before Oct. 1 1972 17. The water will be completely applied to the proposed use on or before Oct. 1, 19 18. If the ground water supply is supplemental to an existing vocter supply, identify any cation for permit, permit, certificate or adjudicated right to appropriate water, made or held to applicant. 41. L. Acres. 4. Moder Lakeview Water Users 1. System Ind. 2. Syste	in county, having a	present population of
14. Estimated cost of proposed works, \$ 3173 15. Construction work will begin on or before Oct. 1977 16. Construction work will be completed on or before Oct. 1972 17. The water will be completely applied to the proposed use on or before Oct. 19 18. If the ground water supply is supplemental to an existing water supply, identify any cation for permit, permit, certificate or adjudicated right to appropriate water, made or held to applicant. 41.6 Acres Under Lakeview Water Users I would Like to put this supplemental to an existing water supplies. Remarks: If possible, I would Like to put this System Into operation This year. In order to retain its priority, this application must be returned to the State Engineer, with a company and data, and return the same for possible tions on or before the company of the property of the state of the state Engineer, with a construction or before the state of the state Engineer of the state Engineer of the state of the state Engineer of th	and an estimated population of	in 19
15. Construction work will begin on or before Oct. 1971 16. Construction work will be completed on or before Oct. 1972 17. The water will be completely applied to the proposed use on or before Oct. 1972 18. If the ground water supply is supplemental to an existing water supply, identify any cation for permit, permit, certificate or adjudicated right to appropriate water, made or held to applicant. 41.6 Acres under Lakeview Water Users I was applicant. If possible, I week Like to put this System INTO Operation This year. System INTO Operation This year. State of oregon, and the same for correction completion. This is to certify that I have examined the foregoing application, together with the accompandage and data, and return the same for correction completion. In order to retain its priority, this application must be returned to the State Engineer, with a conson or before corrections of the same points of	ANSWER QUESTIONS 14, 15	i, 16, 17 AND 18 IN ALL CASES
16. Construction work will be completely applied to the proposed use on or before Oct. 1, 19 18. If the ground water supply is supplemental to an existing water supply, identify any cation for permit, permit, certificate or adjudicated right to appropriate water, made or held & applicant. 41. Acres under Lakeview Vater Vsers 1 Remarks: 15. Possible, Luiend Like to put this supplemental to an existing water supply, identify any cation for permit, permit, certificate or adjudicated right to appropriate water, made or held & applicant. 41. Acres under Lakeview Vater Vsers 1 Remarks: 15. Possible, Luiend Like to put this supplemental to the supplemental sup	14. Estimated cost of proposed works, \$	1/73
16. Construction work will be completely applied to the proposed use on or before Oct. 1, 19 18. If the ground water supply is supplemental to an existing water supply, identify any cation for permit, permit, certificate or adjudicated right to appropriate water, made or held & applicant. 41.4 ASCES UNDER Lakeview Water Users I water	15. Construction work will begin on or bef	ore Oct. 1 1971
17. The water will be completely applied to the proposed use on or before Oct. 1, 19 18. If the ground water supply is supplemental to an existing water supply, identify any cation for permit, permit, certificate or adjudicated right to appropriate water, made or held to applicant. 41.6 ASTES UNDER LAKEVIEW Vater Users I applicant. 15. Possible, I wend Like to put this System Into operation This year. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for recorded to the State Engineer, with conson or before September 2 1924 April 24 72 WITNESS my hand this 2004 day of July August 1922 April 24 72 WITNESS my hand this 2004 day of July August 1924 April 24 72 AUGI 1971 CHRIS L. WHELER August 2014 April 21 1971 CHRIS L. WHELER August 2014 April 2014 April 2014 April 2014 CHRIS L. WHELER August 2014 April 20	· 16. Construction work will be completed or	n or before Oct. 1 1972
18. If the ground water supply is supplemental to an existing water supply, identify any cation for permit, permit, certificate or adjudicated right to appropriate water, made or held to applicant. 41. Acres under Lakeview Water Users I wa		
Remarks: Is possible, I would like to put this system. System Into operation This year. County of Marion, This is to certify that I have examined the foregoing application, together with the accompa maps and data, and return the same for reconstruction completion. In order to retain its priority, this application must be returned to the State Engineer, with a tions on or before to retain its priority, this application must be returned to the State Engineer, with a tions on or before to retain its priority, this application must be returned to the State Engineer, with a tions on or before to retain its priority, this application must be returned to the State Engineer, with a tions on or before to retain its priority, this application must be returned to the State Engineer, with a tions on or before to retain its priority, this application must be returned to the State Engineer, with a tions on or before to retain its priority, this application must be returned to the State Engineer, with a tions on or before the state Engineer and the st	18. If the ground water supply is suppler	nental to an existing water supply, identify any a
Remarks: If possible, I weald hike to put this System Into operation This year. State of oregon, county of Marion, This is to certify that I have examined the foregoing application, together with the accompanaps and data, and return the same for recorrection completion. In order to retain its priority, this application must be returned to the State Engineer, with conson or before September 12 April 24 WITNESS my hand this 20th, day of July 22nd Pebruary CHRIS L. WHOLER AUG 11 1971 STATE ENGINEER		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanys and data, and return the same for meaning time completion. In order to retain its priority, this application must be returned to the State Engineer, with conson or before September 2 April 24 WITNESS my hand this 2004 AUG 1 1971 CHRIS L. WHEELER AUG 1 1971 STATE ENGINEER WITNESS TATE ENGINEER	applicant. 41.6 Acres Unde	r Lakeview Water Users In
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanaps and data, and return the same for reconnection completion In order to retain its priority, this application must be returned to the State Engineer, with a county of the connection of the state Engineer, with a county of the county of		
Remarks: If passible, I would like to put this System Into appeartion This year. State of oregon, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanions and data, and return the same for compection completion. In order to retain its priority, this application must be returned to the State Engineer, with conson or before Contains 12 71 April 24 72 WITNESS my hand this 200 day of July Witness The Description of the State Engineer of the		But a Sounds
STATE OF OREGON, Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for companies and data and return the sam	Remarks:	
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for companies and data and data and return the same for companies and data and data and return the same for companies and data and da	If possible. I we	ould like to out this
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for connection completion In order to retain its priority, this application must be returned to the State Engineer, with continuous or before September 2 194 72 WITNESS my hand this 2014 day of July 1960 1971 ECEIVE CHRIS L. WHEELER AUG 11 1971 STATE ENGINEER	system into prenation	The Man
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a ctions on or before September 20 1971 April 24 72 WITNESS my hand this 2001 day of July WITNESS my hand this 2001 day of February 72 ECEIVE CHRIS L. WHOMELER AUG 1 1 1971 STATE ENGINEER	System 1000 percention	y. G. St. 1. 4
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a ctions on or before September 20 1971 April 24 72 WITNESS my hand this 2001 day of July WITNESS my hand this 2001 day of February 72 ECEIVE CHRIS L. WHOMELER AUG 1 1 1971 STATE ENGINEER		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a ctions on or before September 20 1971 April 24 72 WITNESS my hand this 2001 day of July WITNESS my hand this 2001 day of February 72 ECEIVE CHRIS L. WHOMELER AUG 1 1 1971 STATE ENGINEER		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a ctions on or before September 20 1971 April 24 72 WITNESS my hand this 2001 day of July WITNESS my hand this 2001 day of February 72 ECEIVE CHRIS L. WHOMELER AUG 1 1 1971 STATE ENGINEER		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion of the State Engineer, with a comple		·····
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion of the State Engineer, with a comple		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion of the State Engineer, with a comple		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion of the State Engineer, with a comple		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion of the State Engineer, with a comple		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion of the State Engineer, with a comple		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion of the State Engineer, with a comple		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion on or before considered to the State Engineer, with a completion of the State Engineer, with a comple		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with a ctions on or before September 20 1971 April 24 72 WITNESS my hand this 2001 day of July WITNESS my hand this 2001 day of February 72 ECEIVE CHRIS L. WHOMELER AUG 1 1 1971 STATE ENGINEER	STATE OF OREGON.	
This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for macroection completion. In order to retain its priority, this application must be returned to the State Engineer, with a composition of the State E	ss.	
In order to retain its priority, this application must be returned to the State Engineer, with c tions on or before September 2n 1941 72 WITNESS my hand this 200 day of July Avgust 72 ECEIVE CHRIS L. WHOELER AUG 1 1 1971 STATE ENGINEER		e foregoing application together with the accompan
In order to retain its priority, this application must be returned to the State Engineer, with conson or before September 2		•
tions on or before September 2 ,10-71 April 24 ,72 WITNESS my hand this 2nd day of July August ,19-72 22nd February ,72 CHRIS L. WHIELER AUG 1 1 1971 STATE ENGINEER	maps and data, and return the same for	tioncompletion
tions on or before September 2 ,10-71 April 24 ,72 WITNESS my hand this 2nd day of July August ,19-72 22nd February ,72 CHRIS L. WHIELER AUG 1 1 1971 STATE ENGINEER		
October 12 April 24 72 WITNESS my hand this 2nd day of July August 72 22nd February 72 CHRIS L. WHOMLER AUG 1 1 1971 STATE ENGINEER	In order to retain its priority, this applicati	on must be returned to the State Engineer, with co
WITNESS my hand this 2nd day of July ANGUST 22nd February 72 CHRIS L. WHOMLER AUG 1 1 1971 STATE ENGINEER	· · · · · · · · · · · · · · · · · · ·	, 1 0-71 .
22nd February 72 ECEIVE CHRIS L. WHINELER AUG 1 1 1971 STATE ENGINEER WALL OF THE ENGINEER		-71 - 72
22nd February 72 ECEIVE CHRIS L. WHOMLER AUG 1 1 1971 STATE ENGINEER	WITNESS my hand this 2nd day of	July
AUG 1 1971 STATE ENGINEER CHRIS L. WHOMLER AUG 1 1971		
AUG 1 1971 STATE ENGINEER CALL A STATE ENGINEER	Z2na	reoruary 72
STATE ENGINEER VALLE	RECEIVE	CHRIS L. WHYMELER
William Comment / Milliam /		STATE ENGIN
SALEM OREGON By WOUNTY GOVERN	STATE ENGINEE	By Chry Cebrul

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is simited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from ______ sump wells The use to which this water is to be applied is supplemental irrigation If for irrigation, this appropriation shall be limited to ______1/80._____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ..3..... acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. Actual construction work shall begin on or before February 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976. Extended to Oct. 1977 Complete application of the water to the proposed use shall be made on or before October 1, 19...77... Extended to Oct. 1978 WITNESS my hand this ...21st day of February STATE ENGINEER office of the State Engineer at Salem, Oregon STATE ENGINEER This instrument was first received in APPROPRIATE THE GROUND Application No. G. 5535 WATERS OF THE STATE × page February 21, 1975 Ground Water Permits on page CHRIS L. WHEELER OREGON Permit No. G-... o'clock Recorded in book No. Drainage Basin No. applicant 2 Approved Returned at JO. on the