Permit No. G. G. 5421

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I					
I,(Name of applicant)					
ofRoute 1., Box 447, SalemyOregon 87304, county of Folk,					
state ofΩregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:					
If the applicant is a corporation, give date and place of incorporation					
1. Give name of nearest stream to which the well, tunnel or other source of water development is					
situatedillemette river (Name of stream)					
tributary of					
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or350 gallons per minute.					
Irrigation by sprinklers of 3. The use to which the water is to be applied is					
4. The well or other source is located					
corner of S.29 T.P. 6 S. ROF. W (Section or subdivision) S.26 30 E. 1600 Ft. from S.E. corner of C.C. Walker D.L.C.  (If preferable, give distance and bearing to section corner)					
being within the N. W. L. W. W. M., in the county of Polk					
5. The :					
in length, terminating in the					
R					
6. The name of the well or other works is					
DESCRIPTION OF WORKS					
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.					
4					
8. The development will consist of 1. Well (Give number of wells, tunnels, etc.) having a					
diameter of12 inches and an estimated depth of40 feet. It is estimated that40.					
feet of the well will require steel casing. Depth to water table is estimated 10 (Feet)					
Present well, registered G.R. 1621&Cert. # G.R. 1579 to be deepened 10 ft and perforated.					

ousand feet.	i, aepin oj wa	headgate. At headgate: width on top (at water line) feet; grade feet; grade					
•		ter	feet; grade	feet fall pe			
( V AX	m	les from head	gate: width on top (at water	lina			
fo	Ą	•	feet; depth of wa				
ade							
	_		ize at intake,i	n.: in size at			
			use in.; dif				
			s grade uniform?				
sec				•			
10. If pumps ar	re to be used, g	give size and ty	pe Cornell 2½ W	20-2			
.00 g.p.m.	. 180'Tdh,	400g.p.m	. 148' T.D.H.				
			ne to be used20 H.I				
		l tummal am atl	ier development work is less	than one founth with			
stural stream or str e difference in eleve 495 ft, from	ream channel, pation between m well to	give the dist the stream be Willemette	ance to the nearest point or d and the ground surface as a river	n each of such channels t the source of develops			
stural stream or stree difference in elever 495 ft. from 10 ft. diffe	ream channel, pation between m well to	give the dist the stream be Willemette elevation	ance to the nearest point or d and the ground surface a 9 river	n each of such channels the source of develops			
tural stream or stree difference in eleverage 495 ft. from  10 ft. difference 12. Location of	ream channel, pation between m well to	give the dist the stream be Willemette elevation	ance to the nearest point or d and the ground surface as priver	n each of such channels t the source of develops			
tural stream or stree difference in eleverage 495 ft. from  10 ft. difference 12. Location of	ream channel, pation between m well to rence in farea to be irrect or w. of	give the dist the stream be Willemette elevation rigated, or place	ance to the nearest point or d and the ground surface as priver from well to fixfor	n each of such channels t the source of developm  stream bed  sections 20 & 29			
tural stream or stree difference in elever 495 ft. from  10 ft. difference in elever 12. Location of N. or S. will will be street with the street will be street as a street with the street and the street will be street as a street will be street will be street as a street will be street as a street will be street as a street will be stre	ream channel, pation between m well to rence in farea to be in	give the dist the stream be Willemette elevation rigated, or place	ance to the nearest point or d and the ground surface as a river  from well to fifty from the se of use	n each of such channels t the source of develops stream bed. Sections 20 & 29  Number Acres To Be Irrigated			
tural stream or stree difference in elever 495 ft. from  10 ft. difference in elever 495 ft. from  12. Location of Township N. or S. will 6 S.	ream channel, pation between m well to rence in farea to be in Range E. or W. of Illamette Meridian 3 W.	give the dist the stream be Willemette elevation rigated, or place	ance to the nearest point or d and the ground surface and river  from well to fiff.  Forty-acre Tract  SW/SE	n each of such channels t the source of developm  stream bed  stream bed  Number Acres To Be Irrigated  14.9			
tural stream or stree difference in elever 495 ft. from 10 ft. difference 12. Location of Township N. or 8. with 6 S. 6 S. 6 S. 6 S. 6 S.	ream channel, pation between m well to rence in farea to be in Range E. or W. of Illamette Meridian 3 W. 3 W.	give the dist the stream be Willemette elevation rigated, or place Section 20	ance to the nearest point or d and the ground surface as a river  from well to fifty are of use 6.8.,3.7	n each of such channels t the source of developm  A stream bed.  Sections 20 & 29  Number Acres To Be Irrigated  14.9  4.0			
tural stream or stree difference in elever 495 ft. from 10 ft. difference 12. Location of Township N. or 8. will 6 S. 6	ream channel, pation between m well to rence in great to be in Range E. or W. of Illamette Meridian 3 W. 3 W. 3 W. 3 W. 3 W.	give the dist the stream be Willemette elevation rigated, or place Section 20 20	ance to the nearest point or d and the ground surface as a river  from well to fife, see of use 6.8.3.%. See of use 8.8.3.%. See SE/SW  NE/SV	n each of such channels t the source of developm  Sections 20 & 29  Number Acres To Be Irrigated  14.9  4.0  0.3			
tural stream or stree difference in elever 495 ft. from 10 ft. difference 12. Location of Township N. or 8. with 6 S. 6 S	ream channel, pation between m well to rence in farea to be in Range of W. of Hamette Meridian 3 W. 3 W. 3 W. 3 W. 3 W. 3 W.	give the dist the stream be lilemette elevation  rigated, or place  section  20 20 20	ance to the nearest point or d and the ground surface as eriver  from well to fiff.  se of use 6.5.,3.%. S  Forty-acre Tract  SW/SE  SE/SW  NE/SV  NW/SE	n each of such channels t the source of developm  Lections 20 & 29  Number Acres To Be Irrigated  14.9  4.0  0.3  0.1			
tural stream or stree difference in elever 495 ft. from 10 ft. difference 12. Location of Township N. or 8. will 6 S. 6	ream channel, pation between well to rence in Range Exorword Marche Meridian 3 W.  3 W.  3 W.  3 W.  3 W.  3 W.	give the dist the stream be lillemette elevation  rigated, or place  Section  20 20 20 29	ance to the nearest point or d and the ground surface as eriver  from well to fiff;  se of use 6.5.,3.%. S  Forty-acre Tract  SW/SE  SE/SW  NE/SV  NW/SE  NW/NE	n each of such channels t the source of developm  be stream bed.  Sections 20 & 29  Number Acres To Be Irrigated  14.9  4.0  0.3  0.1  14.4			
tural stream or stree difference in elever 495 ft. from 10 ft. difference 12. Location of Township N. or 8. with 6 S. 6 S	ream channel, pation between well to rence in area to be in a well to well to well to area to be in a well to	give the dist the stream be lilemette elevation  rigated, or place  section  20 20 20 20 20 20 20 20 20 20 20 20 20	ance to the nearest point or d and the ground surface as a river  From well to fifty are of use 6.S.,3.W., S.  Forty-acre Tract  SW/SE  SE/SW  NE/SV  NW/SE  NW/NE  NE/NW	n each of such channels the source of development the source of develo			
tural stream or stree difference in elever 495 ft. from 10 ft. difference 12. Location of Township N. or 8. will 6 S. 6	ream channel, pation between well to rence in Range Exorword Marche Meridian 3 W.  3 W.  3 W.  3 W.  3 W.  3 W.	give the dist the stream be lilemette elevation  rigated, or place  section  20 20 20 20 29 29 29	ance to the nearest point or d and the ground surface as a river  From well to fifty are of use 6.5.,3.%. S  Forty-acre Tract  SW/SE  SE/SW  NE/SV  NW/NE  NE/NW  SE/SW	n each of such channels t the source of developm  Lections 20 & 29  Number Acres To Be Irrigated  14.9  4.0  0.3  0.1  14.4  25.5 26.0  7 75 10.0			
tural stream or stree difference in elever 495 ft. from 10 ft. difference 12. Location of Township N. or 8. with 6 S. 6 S	ream channel, pation between m well to rence in rence in Range E or W. of Mamette Meridian 3 W.	give the dist the stream be lilemette elevation  rigated, or place  section  20 20 20 20 20 20 20 20 20 20 20 20 20	ance to the nearest point or d and the ground surface as a river  from well to fifty are of use 6.8.,3 %. S  Forty-acre Tract  SW/SE  SE/SW  NE/SV  NW/NE  NE/NW  SE/SW  SW/SE	n each of such channels t the source of developm  Lections 20 & 29  Number Acres To Be Irrigated  14.9  4.0  0.3  0.1  14.4  25.5 26.0  7 75 10.0			
tural stream or stree difference in elever 495 ft. from 10 ft. difference 12. Location of Township N. or 8. with 6 S. 6 S	ream channel, pation between m well to rence in rence in Range E or W. of Mamette Meridian 3 W.	give the dist the stream be lilemette elevation  rigated, or place  section  20 20 20 20 20 20 20 20 20 20 20 20 20	ance to the nearest point or d and the ground surface as a river  from well to fifty are of use 6.8.,3 %. S  Forty-acre Tract  SW/SE  SE/SW  NE/SV  NW/NE  NE/NW  SE/SW  SW/SE	n each of such channels the source of development the source of develo			

n	county, having a present population of
	stimated population of in 19
	Answer Questions 14, 15, 16, 17 and 18 in all cases
	Estimated cost of proposed works, \$\frac{1.000}{2.000}
<b>.</b> 15.	Construction work will begin on or before July 1,1971 Completed
16.	Construction work will be completed on or before October 1, 1971 Completed
17	The water will be completely applied to the proposed use on or before
ition for	If the ground water supply is supplemental to an existing water supply, identify any apportance of permit, permit, certificate or adjudicated right to appropriate water, made or held by the
plicant	Registration # GR. 1621
-	Certificate # 1579
*************	Harold Mr Cherry.  Nelen In Cherry  (Signature of experiment)
	(Signature of applicant)
Ret	narks:
**************	······································
•••••	
	······································
	······································
••••••	
••••••	
	$\epsilon$
•	
••••••	
CATE C	OF OREGON, ss.
County	of Marion,
Thi	R is to cortiful that I have enamined the formal and the second
	s is to certify that I have examined the foregoing application, together with the accompanying
aps and	data, and return the same forcompletion
••••••	
7	
in (	order to retain its priority, this application must be returned to the State Engineer, with correc
ons on o	r before September 7
	$_{m{d}})$
*****	INESS my hand this6th day ofJuly
WIT	
WI	9
WI	TO FRIENCE ON
WI	CHRIST MIEST

County of Marion,

ss.

	s is to certify that I have examined the TO EXISTING RIGHTS and the follow	he foregoing application and do hereby grant the same, ving limitations and conditions:
The	right herein granted is limited to the a	mount of water which can be applied to beneficial use and
shall not e	exceed 0.78 ubic feet per se	econd measured at the point of diversion from the well or
source of c	appropriation, or its equivalent in case of	f rotation with other water users, from
The	e use to which this water is to be applied	d is irrigation and supplemental
irrigati	ion	
If fo	or irrigation, this appropriation shall be	limited to 1/80 of one cubic foot per second
or its equ	ivalent for each acre irrigated and shall	l be further limited to a diversion of not to exceed22
acre feet	per acre for each acre irrigated during	the irrigation season of each year; provided further
that the	s right allowed herein shall be	limited to any deficiency in the available
supply o	of any prior right existing for	the same land and shall not exceed the
limitati	ion allowed herein,	······································
***************************************		
and shall	be subject to such reasonable rotation s	system as may be ordered by the proper state officer.
the works The line, adeq The	s shall include proper capping and contr e works constructed shall include an air uate to determine water level elevation	weir, meter, or other suitable measuring device, and shall
The	priority date of this permit is	June 4, 1971
		before February 21, 1976 and shall
		nce and be completed on or before October 1, 1976
Cor	mplete application of the water to the p	roposed use shall be made on or before October 1, 1977
	TNESS my hand this21st day of	
		al Inthela
		STATE ENGINEER Y
Application No. G-5537  Permit No. G- G 5421	TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON  This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4 <sup>th</sup> day of 5 <sup>th</sup> w.	Returned to applicant:  Pobruary 21, 1975  Recorded in book No. of  Ground Water Permits on page G 5421  CHRIS L. WHEELER  Brate Frontine  Drainage Basin No. 2. page 12.3.