

RECEIVED
SEPT 1971

STATE ENGINEER
SALEM, OREGON

RECEIVED
OCT 13 1971

STATE ENGINEER
SALEM, OREGON

Permit No. G- G 5406

APPLICATION FOR A PERMIT

CERTIFICATE NO. 47233

To Appropriate the Ground Waters of the State of Oregon

I, City of Dayton Rena B. Will, Recorder
(Name of applicant)
of P.O. Box 338 Dayton, Oregon 97114, county of Yamhill
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Miller Creek (Yamhill River)
(Name of stream)

tributary of Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 75 gallons per minute.

3. The use to which the water is to be applied is municipal

4. The well or other source is located 135 ft. N and 5 ft. W from the corner of SW Corner, Cluff DLG 61
(N. or S.) (E. or W.) (Section or subdivision)

135 Ft. N of McDougal Well
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the Lot 4 (NW 1/4 NE 1/4) of Sec. 9, Twp. 4 S, R. 3 W, W. M., in the county of Yamhill

5. The to be miles
(Canal or pipe line)
in length, terminating in the of Sec., Twp.
(Smallest legal subdivision)
R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well #2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 6 inches and an estimated depth of 219 feet. It is estimated that 219 feet of the well will require 219' 6" Steel casing. Depth to water table is estimated
(Give number of wells, tunnels, etc.) (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 10 ft.; size at intake 2 1/2 in.; in size at 10 ft. from intake 2 1/2 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 0 ft. Is grade uniform? Yes Estimated capacity, 66 Gal. in sec. ft.

10. If pumps are to be used, give size and type 10hp Submersible

Give horsepower and type of motor or engine to be used 10 hp

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use City of Dayton Municipal

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<i>Same as other wells for City of Dayton</i>				
4S	3W	9	W 1/2 NE 1/4 N 1/2 SW 1/4 SE 1/4 SW 1/4 W 1/2 SE 1/4 SW 1/4 NW 1/4 SW 1/4	
		16	SW 1/4	
		17	S 1/2 NE 1/4 S 1/2 NW 1/4	
			S 1/2	
		20	N 1/2 NE 1/4 N 1/2 NW 1/4	
		21	N 1/2 NW 1/4	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of Dayton, Oregon in Yamhill county, having a present population of 1022 and an estimated population of 1082 in 1971-72

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4,295.35
15. Construction work will begin on or before 10-26-70
16. Construction work will be completed on or before 11-27-70 Pump installed July 15, 1971
17. The water will be completely applied to the proposed use on or before 08-01-71

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Permit #G-1663, 26950, G-1664

City of Dayton, Lane B. Will, Recorder (Signature of applicant)

Remarks:

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 31, 1972.

WITNESS my hand this 1st day of December, 1971.

RECEIVED MAR 13 1972 STATE ENGINEER SALEM OREGON

CHRIS L. WHEELER STATE ENGINEER

By Thomas E. Shook ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.17 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well #2

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 13, 1972

Actual construction work shall begin on or before February 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 21st day of February, 1975

Chris L. Wheeler
STATE ENGINEER

Application No. G- 5646
Permit No. G- 5466

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 15th day of October
1971, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

February 21, 1975 of
Recorded in book No. _____

Ground Water Permits on page G 5466

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 12A

12500