

RECEIVED

MAY 5 1971

STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 50518

ASSIGNED, See Misc. Rec., Vol. 6 Page 253
ASSIGNED, See Misc. Rec., Vol. 6 Page 221

Permit No. G- G 5476

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, YOSHIO & SACHIKO HASUIKE
(Name of applicant)

of 15035 S.W. 150TH AVE TIGARD ORE, county of WASHINGTON
(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated _____
(Name of stream)

tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 250 gallons per minute.

3. The use to which the water is to be applied is Berries and Vegetable Crops

4. The well or other source is located 227 ft. S and 480 ft. W from a point corner of 80 rods south of the N.E. corner of Sec. 18 T. 2S. R. 1W.
(Section or subdivision)
with the Meridian and running west 80 Rods; thence S. 120 Rods; thence E. 80 Rods to same line; thence N. 120 Rods to the place of Beginning
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SE 1/4 NE 1/4 of Sec. 18, Twp. 2S, R. 1W, W. M., in the county of Washington

5. The _____ (Canal or pipe line) to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 Well having a diameter of 12 inches and an estimated depth of 392 feet. It is estimated that 52 feet of the well will require Threaded casing. Depth to water table is estimated Static level 60 ft; yield 260 gal/min with 50 ft drawdown 7 hr
" 414 " " " 79 " " " 2 hr

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S.	1 W.	18	60 acres	55
			SE 1/4 E 1/4	38
			NE 1/4 SE 1/4	17
				55

(If more space required, attach separate sheet)

Character of soil Loom

Kind of crops raised Strawberry, Cabbage, Pickling Cuc, & other Vegetables

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.56 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and is subject to all the terms and conditions of an order of the State Engineer entered May 17, 1974, including its consideration as item 81 and added to paragraph 9 of the order.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 5, 1971

Actual construction work shall begin on or before April 10, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 10th day of April, 1975

Chris L. Wheeler

STATE ENGINEER

Application No. G-5501
Permit No. G-5476

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of May, 1975, at 2:00 o'clock A. M.

Returned to applicant:

Approved:

April 10, 1975

Recorded in book No. of G 5476
Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 122

23.75