

RECEIVED
NOV 13 1971

STATE ENGINEER
SALEM, OREGON

Permit No. G- **G 5485**

CERTIFICATE NO. **48482**

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Webster & Woodard
(Name of applicant)
of Box 278 College Place, Wash.
(Postoffice Address), county of Walla Walla Wash.

state of Wash., do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated 1/4 mi from Johnson Creek and 1/8 mi from Hudson Bay Ditch a winter and early spring source.
(Name of stream)
tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 500 gallons per minute.

3. The use to which the water is to be applied is Irrigation for Farm lands

4. The well or other source is located 1980 ft. N. and 2260 ft. W. from the S. E. corner of Sect. 24 Twp 6 N, R. 34 E.
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the N. W. 1/4 of S. E. 1/4 of Sec. 24, Twp. 6 N, R. 34 E., W. M., in the county of Umatilla

5. The Portable System (Canal or pipe line) to be approx 1/2 miles long, terminating in the N. E 1/4 of S. E. 1/4 of same (Smallest legal subdivision) of Sec. 24, Twp. 6 N, R. 34 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One Well (Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 300 feet. It is estimated that 250 feet of the well will require 12 In. Steel casing. Depth to water table is estimated 35 ft.
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 8 in Turbine estimated

Give horsepower and type of motor or engine to be used Electric approx 30 to 60 HP.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Johnson Creek is a semi dry winter flow only and well is located about 1980 ft. N.

12. Location of area to be irrigated, or place of use Near Umapine, Ore.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 N.	34 E.	24	S.E 1/4 of S. E. 1/4	40 A.
"	"	"	XXXXXXXXXXXXXXXXXXXX	
"	"	"	S. 1/2 of N.E 1/4 of S.E. 1/4	20 A.
"	"	"	N.W. 1/4 of S.E. 1/4	40 A.
"	"	"	N.E 1/4 SW 1/4	40 A.
"	"	"	N. 1/2 of S.W. 1/4 and	40
"	"	"	the N. 1/2 of the N. 1/2 of the S. E. 1/4 of the S. W. 1/4 of	80 A.
"	"	"	Sect. 24 T. 6N, R. 24 E.W.M.	10

Ltr dated 12-22-71
AES

Less the following Beginning at a point 30 ft. w. and 188.25 ft. N. of the S. E. Cor. of Sect. 24 Twn. 6 N R. 24 E. Thence N. 250 ft. thence W. 100 ft. thence S. 250 ft. Thence E. 100 to beginning.

Also Beginning at a point 30 ft. N. and 30 ft. W. of the Southeast Cor. of Sec 24 in Twn 6 N R. 34 E., thence N. 250 ft. thence W. 100 ft thence S. 250 ft., thence E. 100 ft. to beginning.

These exclusions come out of Item 1.

(If more space required, attach separate sheet)

Character of soil ...Sandy Loam

Kind of crops raisedBeets, Alfalfa, Wheat, Barley

Excepting therefrom;

Real Estate Located in the S. E. 1/4 of Section 24 in Twp. 6N, Range
34 E. W. M.

Beginning at a point 30 Ft. West and 80 Ft. N. of the S. E. corner of
said Sect. 24; Thence N. 108.25 Ft. more or less to the S. E. Corner of
that tract of land conveyed to Ralph Smuckal et al, By Deed recorded in
Book 181 at page 471; thence w. 100 ft to the S. W. corner of said Smuckal
property; thence south and parallel to the E. line of said Sect. 24, a
distance of 108.25 ft more or less to the N. W. corner of the tract of
land conveyed to the Radical United Brethren Church by Deed recorded
in book 62 at page 285; thence east along the north line of said Church
property a distance of 100 feet to the point of beginning

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.11 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 15, 1971

Actual construction work shall begin on or before March 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 21st day of March, 1975

[Signature]

STATE ENGINEER

Application No. G-5658
Permit No. G-5485

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of November, 1971, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 21, 1975

Recorded in book No. of

Ground Water Permits on page G 5485

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 7 page 69

State Printing