Permit No. G- G 5489

CERTIFICATE NO. 50030

## To Appropriate the Ground Waters of the State of Oregon

APPLICATION FOR A PERMIT

feet of the well will requireall casing. Depth to water table is estimated	(Feet)
diameter of	
8. The development will consist of	
supply when not in use must be described.	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation	on of the
DESCRIPTION OF WORKS	:-
6. The name of the well or other works is .	······································
R, W. M., the proposed location being shown throughout on the accompanying map.	
in length, terminating in the	
5. The	miles
W. M., in the county of	
being within the Lot 3 (NE ½ NW ½) of Sec. 18 , Twp. 17.S , R.	3. W,
(If there is more than one well, each must be described. Use separate sheet if necessary)	*******
(If preferable, give distance and bearing to section corner)	***********
corner of Snelling DLC 41 (Section or subdivision)	***************************************
4. The well or other source is located570 ftS and595 ftW from the source is located570 ftS and595 ft	ne .N.W.
and gravel	***********
3. The use to which the water is to be applied is wash water for processing san	d
2. The amount of water which the applicant intends to apply to beneficial use is2.25 feet per second or gallons per minute.	cubic
tributary of	
situated Willamette River (Name of stream)	••••••••••
1. Give name of nearest stream to which the well, tunnel or other source of water develo	pment is
1959 Oregon Corporation	***************************************
If the applicant is a corporation, give date and place of incorporation	
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
state of	
of P. O. Box 1067 Eugene , county of Lane	_
I, Eugene Sand & Gravel, Inc. (Name of applicant)	***************

headgate. At headgate: width on top (at water line)			feet; width on be	
	feet; depth of	water	feet; grade	feet fall pe
ousand feet.				
(b) At	n	ndes from head	dgate: width on top (at wate	er line)
			feet; depth of i	
ade	feet fall	l per one thouse	and feet.	
(c) Length	of pipe,	ft.;	size at intake	in.; in size at
			f use in.; dif	
			Is grade uniform?	
				•
10. If pump	os are to be used	l, give size and t	ype 12" Turbii	ne
Give horsen	•	•	gine to be used	
aturai stream c	or stream chann	el, give the dis en the stream b	ther development work is le tance to the nearest point o ed and the ground surface o	on each of such channels at the source of develops
atural stream of difference in e	n of area to be i	el, give the dis en the stream b	tance to the nearest point o ed and the ground surface o	on each of such channels at the source of develops
atural stream o	n of area to be i	el, give the dis en the stream b	tance to the nearest point o	on each of such channels at the source of develops
atural stream of difference in e	n of area to be i  Range E. or W. of Williamette Meridian	rrigated, or pla	tance to the nearest point of ed and the ground surface of the gro	n each of such channels at the source of develops  Number Acres
atural stream of difference in e	n of area to be i	rrigated, or pla	tance to the nearest point of ed and the ground surface of use	n each of such channels at the source of develops  Number Acres
atural stream of difference in e	n of area to be i  Range E. or W. of Williamette Meridian	rrigated, or pla	tance to the nearest point of ed and the ground surface of the gro	n each of such channels at the source of develops  Number Acres To Be Irrigated
difference in e	n of area to be i  Range E. or W. of Williamette Meridian	rrigated, or pla	tance to the nearest point of ed and the ground surface of the gro	n each of such channels at the source of develops  Number Acres To Be Irrigated
atural stream of difference in e	n of area to be i  Range E. or W. of Williamette Meridian	rrigated, or pla	tance to the nearest point of ed and the ground surface of the gro	n each of such channels at the source of develops  Number Acres To Be Irrigated
atural stream of difference in e	n of area to be i  Range E. or W. of Williamette Meridian	rrigated, or pla	tance to the nearest point of ed and the ground surface of the gro	n each of such channels at the source of develops  Number Acres To Be Irrigated
atural stream of difference in e	n of area to be i  Range E. or W. of Williamette Meridian	rrigated, or pla	tance to the nearest point of ed and the ground surface of the gro	n each of such channels at the source of develops  Number Acres To Be Irrigated
atural stream of difference in e	n of area to be i  Range E. or W. of Williamette Meridian	rrigated, or pla	tance to the nearest point of ed and the ground surface of the gro	n each of such channels at the source of develops  Number Acres To Be Irrigated
atural stream of difference in e	n of area to be i  Range E. or W. of Williamette Meridian	rrigated, or pla	tance to the nearest point of ed and the ground surface of the gro	n each of such channels at the source of develops  Number Acres To Be Irrigated
atural stream of difference in e	n of area to be i  Range E. or W. of Williamette Meridian	rrigated, or pla	tance to the nearest point of ed and the ground surface of the gro	n each of such channels at the source of develops  Number Acres To Be Irrigated
12. Location  Township N. or S.	n of area to be i  Range E. or W. of Williamette Meridian	rrigated, or pla	tance to the nearest point of ed and the ground surface of the gro	n each of such channels at the source of develops  Number Acres To Be Irrigated
atural stream of difference in e	n of area to be i  Range E. or W. of Williamette Meridian	rrigated, or pla	tance to the nearest point of ed and the ground surface of the gro	n each of such channels at the source of develops  Number Acres To Be Irrigated

MUNICIPAL SUPPLY-  13. To supply the	 city of		
		present population of	
	ation of		
Control of the Control	1	5, 16, 17 AND 18 IN ALL C	ASES
•	t of proposed works, \$.6		
		fore - Was completed	1n 1967
16. Construction	work will be completed o	n or before 1967	
17. The water wil	ll be completely applied t	o the proposed use on or	before 1967
18. If the ground cation for permit, perm	water supply is supple nit, certificate or adjudi	mental to an existing wa cated right to appropriat	ter supply, identify any appli- e water, made or held by the
ipplicant	Per	mit G-3574	
		EUGENE SAND	T GRAVEL, INC.
		By John U	J. Alltucker  ature of applicant)
Remarks:		(Sign	ature or applicant)
This is	s to correct an over	sight in application	G-3792, leading to
		This second well s	
		plication.	
			· · · · · · /
		<del></del>	·····
			······································
***************************************			
STATE OF OREGON,	La		
County of Marion,	\( \)^88.		
This is to certify	that I have examined th	e foregoing application, to	ogether with the accompanying
naps and data, and retu	rn the same for	completion	
		······	
In order to retain	its priority, this applicat	ion must be returned to t	he State Engineer, with correc
ions on or beforeEe.	bruary 14	, 1972.	
WITNESS may have	nd this 15th day of	December	10 71
Williams my mun	way of .		
	and the second s		
	DEA-		
	RECEIVE	CHRIS L	HEELER STATE ENGINEER
	DECEIVE DECZZ 1971 STATE ENGINE SALEM. OREGO	D CHRIS I	HEELER STATE ENGINEER

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.25 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well The use to which this water is to be applied is \_\_industrial (washing sand and gravel) If for irrigation, this appropriation shall be limited to ...... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...... acre feet per acre for each acre irrigated during the irrigation season of each year; ..... and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. Actual construction work shall begin on or before March 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...75..... Complete application of the water to the proposed use shall be made on or before October 1, 19.77... WITNESS my hand this ...21st ... day of ...... March ... STATE ENGINEER This instrument was fire received in the office of the State Engineer at Salem, Oregon om the 18th day of Moderaber APPROPRIATE THE GROUND × WATERS OF THE STATE Ground Water Permits on page ...( Application No. G-.56 OREGON G'CC o'clock Recorded in book No. Permit No. G-.... Drainage Basin No. to applicant 1921., at Returned Approved P P