

RECEIVED
00127 1971

Cancelled - sp. of Rec. Vol. 40 P. 118 119

STATE ENGINEER DEC 16 1971
SALEM OREGON STATE ENGINEER
SALEM OREGON

Permit No. G-5502

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Samuel J. Rich (Name of applicant)

of 1860 N. W. 216th Ave. (Postoffice Address), Hillsboro, county of Washington

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Rock Creek (Name of stream)

tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 40 gallons per minute.

3. The use to which the water is to be applied is Irrigation

N 79° 07' 20" W 3361.30 ft.

4. The well or other source is located 00 ft. (N. or S.) and 370 ft. (E. or W.) from the N.E. corner of BUTLER DONATION LAND CLAIM # 48 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

Ltr. dated Feb. 15, 1972

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 S.W. 1/4 of Sec. 26, Twp. 1 N., R. 2 W., W. M., in the county of Washington

5. The None (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. of Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is None

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 10 inches and an estimated depth of 170 feet. It is estimated that 170 feet of the well will require 10" steel (Kind) casing. Depth to water table is estimated 165 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 5 horse submersible turbine

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

More than one half mile

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
One North	Two West	26	<u>SE 1/4 SW 1/4</u> <u>28</u>	14.5

*Ltr. dated
Feb. 15 1972
JEB*

Beginning at a point on the north line of the Isaac Butler Donation Land Claim in Twonship One North, Fange Two West of the Willamette Meridian, north 79degree 06 1/2' West 111.3 from a stone at the northeast corner of the West Half of the said Butler Donation Land Claim, and running South 1 degree 21' West in the center of a 60 foot wide County road 1113.5 ' to the point of intersection of center line tangents of said road , thence South 86 degrees 18' West on the center line of said road a distance of 1079.3 feet to a point, thence North 1 degree 21' East a distance of 1119.2 feet to a point on the north line of said Butler Donation Land Claim, South 79 degrees 06 1/2' East 1358.7 feet from the northwest corner thereof, thence South 79 degrees 06 1/2' East on said north line of the Butler Donation Land Claim 1090 feet to the place of beginning.

(If more space required, attach separate sheet)

Character of soil Willamette loam

Kind of crops raised Nursery (farm crops only incidental)

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....50000.....
- 15. Construction work will begin on or before Oct. 1970
- 16. Construction work will be completed on or before April 1971
- 17. The water will be completely applied to the proposed use on or before September 1972
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Samuel Rich
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

STATE ENGINEER

By _____ ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.09 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 16, 1971

Actual construction work shall begin on or before March 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 21st day of March, 1975

Chris L. Wheeler
STATE ENGINEER

Application No. G- 5688
Permit No. G- G 5502

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 16th day of December
1971, at 8 o'clock A. M.

Returned to applicant:

Approved:

March 21, 1975 of
Recorded in book No. G 5502

Ground Water Permits on page G 5502

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 125

2000